

H62-90

CV8502070



80087700008502070

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	brothers hdd		
Address:	2002 23 ave		
City:	wainwright	Province:	AB
Postal Code:	T9W0B8		
Telephone Number:	(780) 214-7711		
Vehicle Identification Number:	1XKDD40X5DJ961434		
Make:	Kenworth	Model:	Construct
Year:	2013	Unit Number:	805
Odometer:	584974 KM	Licence Plate Number:	CND3706
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Brothers HDD Inc.	Facility Number:	20182
Inspection Technician Name:	Luke Jacobsen	Technician Number:	D2901
Inspection Technician Signature:			
Inspection Date:	2026/03/19		

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 63500 kg									
Vehicle Information																			
VIN	1	X	K	D	D	4	0	X	5	D	J	9	6	1	4	3	4		
Unit Number 805				Year 2013				Make Kenworth				Model Construct				Odometer 584,974			
Registered Owner's Name brothers hdd														Plate Number CND3706					
Address 2002 23 ave										Postal Code T9W0B8				Phone Number (780) 214-7711					

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>				
120 psi 16 mm		418.62	mm	Drums/Rotors		418.55	mm	120 psi 16 mm		
		20.05	mm	Linings/Pads		19.96	mm			
		31	mm	Push Rod Travel		31	mm			
120 psi 18 mm	120 psi 17 mm		420.75	mm	Drums/Rotors		420.55	mm	120 psi 15 mm	120 psi 17 mm
			17.66	mm	Linings/Pads		18.00	mm		
			31	mm	Push Rod Travel		31	mm		
120 psi 16 mm	120 psi 15 mm		418.87	mm	Drums/Rotors		418.90	mm	120 psi 16 mm	120 psi 18 mm
			19.54	mm	Linings/Pads		19.36	mm		
			31	mm	Push Rod Travel		31	mm		
psi mm	psi mm		mm	mm	Drums/Rotors		mm	psi mm	psi mm	
			mm	mm	Linings/Pads		mm			mm
			mm	mm	Push Rod Travel		mm			mm
psi mm	psi mm		mm	mm	Drums/Rotors		mm	psi mm	psi mm	
			mm	mm	Linings/Pads		mm			mm
			mm	mm	Push Rod Travel		mm			mm
psi mm	psi mm		mm	mm	Drums/Rotors		mm	psi mm	psi mm	
			mm	mm	Linings/Pads		mm			mm
			mm	mm	Push Rod Travel		mm			mm

Park Brake Lining Left n/a mm Right n/a mm Trans n/a mm

Wheel Torque Checked ☒ Inner n/a ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator			✓
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓		
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes									
Component	P	F	NA	Component	P	F	NA		
3A.11. Parking Brake & Emergency Application	✓								

NOTES:

Section 4 - Steering									
Component	P	F	NA	Component	P	F	NA		
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓				
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓				
4.3. Steering Operation (Active Steer Axle)	✓								

NOTES:

Section 5 - Instruments and Auxiliary Equipment									
Component	P	F	NA	Component	P	F	NA		
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓				
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓				
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓				
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓				
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓				
5.7. Windshield Wiper/Washer	✓								

NOTES:

Section 6 - Lamps									
Component	P	F	NA	Component	P	F	NA		
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓				
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓				
6.3. Retro-Reflective Marking	✓								

NOTES:

Section 7 - Electrical System									
Component	P	F	NA	Component	P	F	NA		
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓				
7.2. Battery	✓								

NOTES:

Section 8 - Body									
Component	P	F	NA	Component	P	F	NA		
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓				
8.2. Tilt Cab			✓	8.13. Windshield	✓				
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓				
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓				
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓				
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓				
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓				
8.8. Cab or Cargo Door	✓			8.19. Seat	✓				
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓				
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓				

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓	
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		

NOTES:

Certification			
The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8502070) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.			
Date of Inspection 2026/03/19	Technician Number D2901	Facility Number 20182	Signature
Customer Acknowledgment		Date (Year/Month/Day) 2026/03/19	
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.		Customer Signature	



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Truck										63500									
Vehicle Information																			
VIN		1	x	K	D	D	4	0	x	5	D	J	9	6	1	4	3	4	
Unit Number				Year				Make				Model				Odometer			
805				2013				Kenworth				Construct				584 974			
Registered Owner's Name																Plate Number			
Brothers HDD																CND3706			
Address												Postal Code				Phone Number			
2002 23 Ave NW												T9W0B8				780 214 7711			

Drum Brakes:

A

Disc Brakes:

LEFT		FRONT		RIGHT	
120 psi	16 mm	418.62 mm	Drums/Rotors	418.55 mm	120 psi
		20.05 mm	Linings/Pads	19.96 mm	16 mm
		30 mm	Push Rod Travel	30 mm	
120 psi	120 psi	420.75 mm	Drums/Rotors	420.55 mm	120 psi
18 mm	17 mm	17.66 mm	Linings/Pads	18.00 mm	15 mm
		30 mm	Push Rod Travel	30 mm	17 mm
120 psi	120 psi	418.87 mm	Drums/Rotors	418.90 mm	120 psi
16 mm	15 mm	19.54 mm	Linings/Pads	19.36 mm	16 mm
		30 mm	Push Rod Travel	30 mm	18 mm
psi	psi	mm	Drums/Rotors	mm	psi
mm	mm	mm	Linings/Pads	mm	mm
		mm	Push Rod Travel	mm	
psi	psi	mm	Drums/Rotors	mm	psi
mm	mm	mm	Linings/Pads	mm	mm
		mm	Push Rod Travel	mm	
psi	psi	mm	Drums/Rotors	mm	psi
mm	mm	mm	Linings/Pads	mm	mm
		mm	Push Rod Travel	mm	

Park Brake Lining Left ☒ mm Right ☒ mm Trans ☒ mm
Wheel Torque Checked ☒ Inner ☒ ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	/			1.8. Engine Start Safety Feature	/		
1.2. Exhaust System	/			1.9. Gear Position Indicator	/		
1.3. Emission Control Systems and Devices	/			1.10. Engine or Accessory Drive Belt	/		
1.4. Drive Shaft	/			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System	/		
1.5. Clutch and Clutch Pedal	/			1.12. Gasoline or Diesel Fuel System	/		
1.6. Engine/Transmission Mount	/			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)	/		
1.7. Engine/Shut Down	/			* SEE APPENDIX A*			

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System				A.3. Liquefied Natural Gas (LNG) Fuel System			
A.2. Compressed Natural Gas (CNG) Fuel System							

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	/			2.5. Air Suspension	/		
2.2. Axle Attaching & Tracking Components	/			2.6. Self-Steer and Controlled-Steer Axle	/		
2.3. Axle & Axle Assembly	/			2.7. Shock Absorber/Strut Assembly	/		
2.4. Spring & Spring Attachment	/						

NOTES: *Rear V-rod bushings blown out*

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components				3H.13. Disc Brake System Components			
3H.2. Brake Pedal/Actuator				3H.14. Mechanical Parking Brake			
3H.3. Vacuum Assist (Boost) System				3H.15. Spring-Applied Air-Released Parking Brake			
3H.4. Hydraulic Assist (Boost) System				3H.16. Spring-Applied Hydraulic-Released Parking Brake			
3H.5. Air Assist (Boost) System				3H.17. Anti-Lock Brake System (ABS)			
3H.6. Air-Over-Hydraulic Brake System				3H.18. Stability Control System			
3H.11. Brake System Indicator Lamps				3H.19. Brake Performance			
3H.12. Drum Brake System Components							

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	/			3A.13. Air System Components	/		
3A.2. Air Supply System	/			3A.14. Brake Chamber	/		
3A.4. Air Tank	/			3A.15. Drum Brake System Components	/		
3A.5. Air Tank Check Valves	/			3A.16. S-Cam Drum Brake System	/		
3A.6. Brake Pedal/Actuator	/			3A.17. Brake Shoe Travel (Wedge Brakes)	/		
3A.7. Treadle Valve and Trailer Hand Valve	/			3A.18. Disc Brake System Components	/		
3A.8. Brake Valves & Controls	/			3A.19. Anti-Lock Brake System (ABS)	/		
3A.9. Proportioning, Inversion or Modulation Valve	/			3A.21. Stability Control System	/		
3A.10. Towing Vehicle (Tractor) Protection System	/			3A.23. Brake Performance	/		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes			
Component	P	F	NA
3A.11. Parking Brake & Emergency Application	☒	☐	☐

NOTES:

				Section 4 - Steering									
Component				P	F	NA	Component				P	F	NA
4.1. Steering Control and Linkage							4.4. Kingpin						
4.2. Power Steering System (Hydraulic and Electric)							4.5. Self-Steer and Controlled-Steer Axle						
4.3. Steering Operation (Active Steer Axle)													

NOTES: Driver side kingpin 0.025" out of spec play

Section 5 - Instruments and Auxiliary Equipment									
Component		P	F	NA	Component		P	F	NA
5.1. Fire Extinguisher		☒			5.8. Heater & Windshield Defroster		☒		
5.2. Hazard Warning Kit		☒			5.9. Fuel-Burning Auxiliary Heater		☒		
5.3. Horn		☒			5.10. Chain/"Headache" Rack		☒		
5.5. Speedometer		☒			5.11. Auxiliary Controls and Devices		☒		
5.6. Odometer		☒			5.12. Auxiliary Drive Controls		☒		
5.7. Windshield Wiper/Washer		☒	☒						

NOTES: Windshield cracked

				Section 6 - Lamps									
Component				P	F	NA	Component				P	F	NA
6.1. Required Lamps							6.4. Instrument Panel Lamps						
6.2. Reflex Reflector							6.5. Headlamp Aim						
6.3. Retro-Reflective Marking													

NOTES:

Section 7 - Electrical System											
Component			P	F	NA	Component			P	F	NA
7.1. Wiring			/			7.3. Trailer Cord (output to towed vehicle)			/		
7.2. Battery			/								

NOTES:

				Section 8 - Body			
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	/			8.12. Bumper	/		
8.2. Tilt Cab	/		/	8.13. Windshield	/		/
8.3. Air-Suspended Cab	/			8.14. Side Windows	/		
8.4. Cab and Passenger-Vehicle Body	/			8.15. Rear Window	/		
8.5. Cargo Body	/			8.16. Interior Sun Visor	/		
8.6. Frame, Rails & Mounts	/			8.17. Exterior Windshield Sun Visor	/		
8.7. Unitized Body Elements	/			8.18. Rear-View Mirror	/		
8.8. Cab or Cargo Door	/			8.19. Seat	/		
8.9. Cargo Tank or Vessel	/		/	8.20. Seat Belt/Occupant Restraint	/		
8.10. Body, Device or Equipment Attached or Mounted to the	/			8.21. Fender/Mud Flap	/		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES: *Windshield cracked*

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		
10.2. Secondary Attachment (Safety Chain or Cable)				10.6. Automated Coupling Device		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch				10.7. Fifth Wheel Coupler	✓	
10.4. Ball Type Hitch				10.8. Oscillating Fifth Wheel Coupler		

NOTES:

Certification			
The Vehicle for which this Record of Inspection is issued has _____ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.			
Date of Inspection	Technician Number	Facility Number	Signature
Customer Acknowledgment		Date (Year/Month/Day)	
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.		Customer Signature	