



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	53000 kg	Brake Type:	Air
Owner Name:	brothers hdd		
Address:	2002 23 ave		
City:	wainwright	Province:	AB
		Postal Code:	T9W0B8
Telephone Number:	(780) 214-7711		
Vehicle Identification Number:	5KKPALDR5CPBH3351		
Make:	Western Star	Model:	Conventional
Year:	2012	Unit Number:	400
Odometer:	6259 KM	Licence Plate Number:	CFH0047
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:	
Brothers HDD Inc.		20182	
Inspection Technician Name:		Technician Number:	
Luke Jacobsen		D2901	
Inspection Technician Signature:			
Inspection Date:	2026/07/14		

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Truck										53000 kg									
Vehicle Information																			
VIN	5	K	K	P	A	L	D	R	5	C	P	B	H	3	3	5	1		
Unit Number 400				Year 2012				Make Western Star				Model Conventional				Odometer 6,259			
Registered Owner's Name brothers hdd														Plate Number CFH0047					
Address 2002 23 ave												Postal Code T9W0B8				Phone Number (780) 214-7711			

Drum Brakes: A-Full Inspection with Drum Removed	Disc Brakes:
---	---------------------

		<u>LEFT</u>	<u>FRONT</u>	<u>RIGHT</u>			
100 psi 11 mm	420.26 mm	Drums/Rotors	420.18 mm	100 psi 12 mm			
	20.32 mm	Linings/Pads	20.13 mm				
	31 mm	Push Rod Travel	31 mm				
100 psi 15 mm	420.27 mm	Drums/Rotors	420.22 mm	100 psi 22 mm	100 psi 22 mm		
	19.94 mm	Linings/Pads	19.25 mm				
	31 mm	Push Rod Travel	31 mm				
100 psi 20 mm	420.44 mm	Drums/Rotors	420.77 mm	100 psi 20 mm	100 psi 22 mm		
	18.87 mm	Linings/Pads	19.18 mm				
	31 mm	Push Rod Travel	31 mm				
100 psi 14 mm	420.75 mm	Drums/Rotors	419.79 mm	100 psi 15 mm	100 psi 15 mm		
	18.78 mm	Linings/Pads	18.11 mm				
	31 mm	Push Rod Travel	31 mm				
psi mm	mm	Drums/Rotors	mm	psi mm	psi mm		
	mm	Linings/Pads	mm				
	mm	Push Rod Travel	mm				
psi mm	mm	Drums/Rotors	mm	psi mm	psi mm		
	mm	Linings/Pads	mm				
	mm	Push Rod Travel	mm				

Park Brake Lining Left n/a mm Right n/a mm Trans n/a mm
Wheel Torque Checked ☒ Inner n/a ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)	✓		
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓		
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.11. Parking Brake & Emergency Application	✓					

NOTES:

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓	
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓	
4.3. Steering Operation (Active Steer Axle)	✓					

NOTES:

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓	
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓	
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓	
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓	
5.7. Windshield Wiper/Washer	✓					

NOTES:

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓	
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓	
6.3. Retro-Reflective Marking	✓					

NOTES:

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery	✓					

NOTES:

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓	
8.2. Tilt Cab			✓	8.13. Windshield	✓	
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓	
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓	
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓	
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓	
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓	
8.8. Cab or Cargo Door	✓			8.19. Seat	✓	
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓	
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler		✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification			
The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8502100) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.			
Date of Inspection 2026/07/14	Technician Number D2901	Facility Number 20182	Signature
Customer Acknowledgment			
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day) 2026/07/14
			Customer Signature



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		Gross Vehicle Weight registered															
Vehicle Information																	
VIN	5	K	K	P	A	L	D	R	5	C	P	B	H	3	3	5	1
Unit Number	Year		Make		Model		Odometer										
400	2012		Western Star		Conventional		6259										
Registered Owner's Name												Plate Number					
Brothers HDD												CFH0047					
Address								Postal Code		Phone Number							
2002 23 ave Hamworthy AB								T9W 0B8		780 214 7211							

Drum Brakes: A - full inspection

Disc Brakes:

LEFT		FRONT		RIGHT	
100 psi 11 mm	420.26 mm 20.32 mm	Drums/Rotors Linings/Pads Push Rod Travel	420.18 mm 20.13 mm	100 psi 12 mm	
100 psi 15 mm	420.27 mm 19.94 mm	Drums/Rotors Linings/Pads Push Rod Travel	420.22 mm 19.25 mm	100 psi 22 mm	100 psi 22 mm
100 psi 20 mm	420.44 mm 18.87 mm	Drums/Rotors Linings/Pads Push Rod Travel	420.77 mm 19.18 mm	100 psi 20 mm	100 psi 22 mm
100 psi 14 mm	420.75 mm 18.78 mm	Drums/Rotors Linings/Pads Push Rod Travel	419.79 mm 18.11 mm	100 psi 15 mm	100 psi 15 mm
psi mm	mm mm mm	Drums/Rotors Linings/Pads Push Rod Travel	mm mm mm	psi mm	psi mm
psi mm	mm mm mm	Drums/Rotors Linings/Pads Push Rod Travel	mm mm mm	psi mm	psi mm

Park Brake Lining Left mm Right mm Trans mm
Wheel Torque Checked ☐ Inner ft lbs Outer ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator				1.8. Engine Start Safety Feature			
1.2. Exhaust System				1.9. Gear Position Indicator			
1.3. Emission Control Systems and Devices				1.10. Engine or Accessory Drive Belt			
1.4. Drive Shaft				1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			
1.5. Clutch and Clutch Pedal				1.12. Gasoline or Diesel Fuel System			
1.6. Engine/Transmission Mount				1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)			
				* SEE APPENDIX A*			
1.7. Engine/Shut Down							

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System				A.3. Liquefied Natural Gas (LNG) Fuel System			
A.2. Compressed Natural Gas (CNG) Fuel System							

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments				2.5. Air Suspension			
2.2. Axle Attaching & Tracking Components				2.6. Self-Steer and Controlled-Steer Axle			
2.3. Axle & Axle Assembly				2.7. Shock Absorber/Strut Assembly			
2.4. Spring & Spring Attachment							

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components				3H.13. Disc Brake System Components			
3H.2. Brake Pedal/Actuator				3H.14. Mechanical Parking Brake			
3H.3. Vacuum Assist (Boost) System				3H.15. Spring-Applied Air-Released Parking Brake			
3H.4. Hydraulic Assist (Boost) System				3H.16. Spring-Applied Hydraulic-Released Parking Brake			
3H.5. Air Assist (Boost) System				3H.17. Anti-Lock Brake System (ABS)			
3H.6. Air-Over-Hydraulic Brake System				3H.18. Stability Control System			
3H.11. Brake System Indicator Lamps				3H.19. Brake Performance			
3H.12. Drum Brake System Components							

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor				3A.13. Air System Components			
3A.2. Air Supply System				3A.14. Brake Chamber			
3A.4. Air Tank				3A.15. Drum Brake System Components			
3A.5. Air Tank Check Valves				3A.16. S-Cam Drum Brake System			
3A.6. Brake Pedal/Actuator				3A.17. Brake Shoe Travel (Wedge Brakes)			
3A.7. Treadle Valve and Trailer Hand Valve				3A.18. Disc Brake System Components			
3A.8. Brake Valves & Controls				3A.19. Anti-Lock Brake System (ABS)			
3A.9. Proportioning, Inversion or Modulation Valve				3A.21. Stability Control System			
3A.10. Towing Vehicle (Tractor) Protection System				3A.23. Brake Performance			

400

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes	
Component	P F NA
3A.11. Parking Brake & Emergency Application	
NOTES:	

Section 4 - Steering	
Component	P F NA
4.1. Steering Control and Linkage	
4.2. Power Steering System (Hydraulic and Electric)	
4.3. Steering Operation (Active Steer Axle)	
4.4. Kingpin	
4.5. Self-Steer and Controlled-Steer Axle	
NOTES:	

Section 5 - Instruments and Auxiliary Equipment	
Component	P F NA
5.1. Fire Extinguisher	
5.2. Hazard Warning Kit	
5.3. Horn	
5.5. Speedometer	
5.6. Odometer	
5.7. Windshield Wiper/Washer	
5.8. Heater & Windshield Defroster	
5.9. Fuel-Burning Auxiliary Heater	
5.10. Chain/"Headache" Rack	
5.11. Auxiliary Controls and Devices	
5.12. Auxiliary Drive Controls	
NOTES:	

Section 6 - Lamps	
Component	P F NA
6.1. Required Lamps	
6.2. Reflex Reflector	
6.3. Retro-Reflective Marking	
6.4. Instrument Panel Lamps	
6.5. Headlamp Aim	
NOTES:	

Section 7 - Electrical System	
Component	P F NA
7.1. Wiring	
7.2. Battery	
7.3. Trailer Cord (output to towed vehicle)	
NOTES:	

Section 8 - Body	
Component	P F NA
8.1. Hood or Engine Enclosure	
8.2. Tilt Cab	
8.3. Air-Suspended Cab	
8.4. Cab and Passenger-Vehicle Body	
8.5. Cargo Body	
8.6. Frame, Rails & Mounts	
8.7. Unitized Body Elements	
8.8. Cab or Cargo Door	
8.9. Cargo Tank or Vessel	
8.10. Body, Device or Equipment Attached or Mounted to the	
8.12. Bumper	
8.13. Windshield	
8.14. Side Windows	
8.15. Rear Window	
8.16. Interior Sun Visor	
8.17. Exterior Windshield Sun Visor	
8.18. Rear-View Mirror	
8.19. Seat	
8.20. Seat Belt/Occupant Restraint	
8.21. Fender/Mud Flap	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))				8.24. Aerodynamic Device & Attachment		

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth				9.7. Wheel/Rim (Applies to all wheel types)		
9.2. Tire Tread Condition				9.8. Multi-Piece Wheel/Rim		
9.3. Tire Sidewall & Manufacturer Markings				9.9. Spoke Wheel/Demountable Rim System		
9.4. Tire Inflation Pressure				9.10. Disc Wheel System		
9.5. Wheel Hub				9.11. Wheel Fasteners (Nuts, Bolts and Studs)		
9.6. Wheel Bearing						

NOTES:

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components				10.5. Roll-Coupling Hitch		
10.2. Secondary Attachment (Safety Chain or Cable)				10.6. Automated Coupling Device		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch				10.7. Fifth Wheel Coupler		
10.4. Ball Type Hitch				10.8. Oscillating Fifth Wheel Coupler		

NOTES:

Certification			
The Vehicle for which this Record of Inspection is issued has _____ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.			
Date of Inspection	Technician Number	Facility Number	Signature
Customer Acknowledgment			
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day)
			Customer Signature