



Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	brothers hdd		
Address:	2002 23 ave		
City:	wainwright	Province:	AB
		Postal Code:	T9W0B8
Telephone Number:	(780) 214-7711		
Vehicle Identification Number:	1A9SR5234GW445176		
Make:	American Augers	Model:	DD440
Year:	2016	Unit Number:	127
Odometer:	KM	Licence Plate Number:	6ZU328
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Brothers HDD Inc.	Facility Number:	20182
Inspection Technician Name:	Luke Jacobsen	Technician Number:	D2901
Inspection Technician Signature:			
Inspection Date:	2026/03/17		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle		✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓	
2.4. Spring & Spring Attachment	✓					

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components		✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components		✓
3H.8. Vacuum System			✓	3H.19. Brake Performance		✓
3H.9. Air-Boosted Trailer Brake System			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓	
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components		✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓	
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)		✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓	
3A.15. Drum Brake System Components	✓					

NOTES:

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle		✓
4.4. Kingpin			✓			

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.2. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel	✓			8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8502068) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/03/17	D2901	20182	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/03/17

Customer Signature



COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Vehicle Information																			
VIN		1	A	9	S	R	5	2	3	4	G	W	4	4	5	1	7	6	
Unit Number		Year		Make				Model				Odometer							
127		2016		American Aero				Trailer											
Registered Owner's Name															Plate Number				
Brothers MDP															62U328				
Address										Postal Code					Phone Number				
2002 23 Ave NW Edmonton AB										T9W 0B8					780 214 7711				
Drum Brakes: A										Disc Brakes:									

		LEFT		FRONT		RIGHT			
120 psi	120 psi	419.66	mm	Drums/Rotors	419.88	mm	120 psi	120 psi	
13 mm	15 mm	17.50	mm	Linings/Pads	18.05	mm	15 mm	14 mm	
		31	mm	Push Rod Travel	31	mm			
120 psi	120 psi	419.50	mm	Drums/Rotors	419.99	mm	120 psi	120 psi	
13 mm	14 mm	17.54	mm	Linings/Pads	17.55	mm	14 mm	14 mm	
		31	mm	Push Rod Travel	31	mm			
120 psi	120 psi	420.30	mm	Drums/Rotors	419.30	mm	120 psi	120 psi	
14 mm	14 mm	18.60	mm	Linings/Pads	18.80	mm	15 mm	15 mm	
		31	mm	Push Rod Travel	31	mm			
			mm	Drums/Rotors		mm			
			mm	Linings/Pads		mm			
			mm	Push Rod Travel		mm			
			mm	Drums/Rotors		mm			
			mm	Linings/Pads		mm			
			mm	Push Rod Travel		mm			
			mm	Drums/Rotors		mm			
			mm	Linings/Pads		mm			
			mm	Push Rod Travel		mm			
Park Brake Lining		Left	mm	Right	mm	Trans	mm		
Wheel Torque Checked		☒	Inner	ft lbs	Outer	500	ft lbs		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System				1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System				A.3. Liquefied Natural Gas (LNG) Fuel System			
A.2. Compressed Natural Gas (CNG) Fuel System							

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	☒			2.5. Air Suspension	☒		
2.2. Axle Attaching & Tracking Components	☒			2.6. Self-Steer & Controlled-Steer Axle	☒		
2.3. Axle & Axle Assembly	☒			2.7. Shock Absorber/Strut Assembly	☒		
2.4. Spring & Spring Attachment	☒						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components				3H.10. Electric Brake System			
3H.6. Air-Over-Hydraulic Brake System				3H.12. Drum Brake System Components			
3H.7. Surge Brake Controller				3H.13. Disc Brake System Components			
3H.8. Vacuum System				3H.19. Brake Performance			
3H.9. Air-Boosted Trailer Brake System							

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	☒			3A.16. S-Cam Drum Brake System	☒		
3A.4. Air Tank	☒			3A.17. Brake Shoe Travel (Wedge Brakes)			
3A.8. Brake Valves & Controls	☒			3A.18. Disc Brake System Components			
3A.12. Parking Brake & Emergency Application	☒			3A.20. Anti-Lock Brake System (ABS)			
3A.13. Air System Components	☒			3A.22. Stability Control System (ESC) or (RSS)	☒		
3A.14. Brake Chamber	☒			3A.23. Brake Performance			
3A.15. Drum Brake System Components	☒						

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage				4.5. Self Steer & Controlled-Steer Axle			
4.4. Kingpin							

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher							

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	/			6.3. Retro-Reflective Marking	/		
6.2. Reflex Reflector	/						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	/			7.3. Trailer Cord (output to towed vehicle)			
7.2. Battery	/						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Cargo Body	/			8.11. Refrigeration/Heater Unit Fuel System	/		
8.2. Frame Rails & Mounts	/			8.21. Fender/Mud Flap	/		
8.7. Unitized Body Elements	/			8.22. Landing Gear on Trailer	/		
8.8. Cab or Cargo Door	/			8.23. Sliding Axle Assembly (Sliding Bogie)	/		
8.9. Cargo Tank or Vessel	/			8.24. Aerodynamic Device & Attachment	/		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	/			8.25. Rear Impact Guard (RIG)	/		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	/			9.7. Wheel/Rim	/		
9.2. Tire Tread Condition	/			9.8. Multi-Piece Wheel/Rim			
9.3. Tire Sidewall & Manufacturer Markings	/			9.9. Spoke Wheel/Demountable Rim System			
9.4. Tire Inflation Pressure	/			9.10. Disc Wheel System			
9.5. Wheel Hub	/			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	/		
9.6. Wheel Bearing	/						

NOTES: hub cap leaking

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	/			10.6. Automated Coupling Device			
10.2. Secondary Attachment (Safety Chain or Cable)				10.7. Fifth Wheel Coupler	/		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch				10.8. Oscillating Fifth Wheel Coupler			
10.4. Ball Type Hitch				10.9. Ball-Bearing Type Turntable on Trailer			
10.5. Roll-Coupling Hitch							

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has _____ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
--------------------	-------------------	-----------------	-----------

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

Customer Signature