



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	883492 Ab. Ltd. o/a Pinnacle Services		
Address:	Box 478		
City:	High Level	Province:	AB
		Postal Code:	T0H 1Z0
Telephone Number:	(780) 841-3484		
Vehicle Identification Number:	2J9PT73F27A031042		
Make:	Jasper	Model:	tri pup
Year:	2007	Unit Number:	TP101
Odometer:	276 KM	Licence Plate Number:	6NZ855
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Mackenzie Truck & Tire Ltd.	21728
Inspection Technician Name:	Technician Number:
Laurence Fehr	C8480
Inspection Technician Signature:	
Inspection Date:	2026/08/25



Type of Vehicle										Gross Vehicle Weight registered																																																																																																																																																																																					
Trailer										kg																																																																																																																																																																																					
Vehicle Information																																																																																																																																																																																															
VIN	2	J	9	P	T	7	3	F	2	7	A	0	3	1	0	4	2																																																																																																																																																																														
Unit Number TP101		Year 2007			Make Jasper			Model tri pup				Odometer 276																																																																																																																																																																																			
Registered Owner's Name 883492 Ab. Ltd. o/a Pinnacle Services															Plate Number 6NZ855																																																																																																																																																																																
Address Box 478										Postal Code T0H 1Z0					Phone Number (780) 841-3484																																																																																																																																																																																
Drum Brakes: A-Full Inspection with Drum Removed										Disc Brakes:																																																																																																																																																																																					
<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="2">LEFT</th> <th colspan="2">FRONT</th> <th colspan="2">RIGHT</th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>100 psi</td> <td>100 psi</td> <td>419.71</td> <td>mm</td> <td>Drums/Rotors</td> <td>419.83</td> <td>mm</td> <td>100 psi</td> <td>100 psi</td> </tr> <tr> <td>20 mm</td> <td>19 mm</td> <td>21</td> <td>mm</td> <td>Linings/Pads</td> <td>21</td> <td>mm</td> <td>9 mm</td> <td>10 mm</td> </tr> <tr> <td></td> <td></td> <td>33</td> <td>mm</td> <td>Push Rod Travel</td> <td>33</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>100 psi</td> <td>100 psi</td> <td>419.73</td> <td>mm</td> <td>Drums/Rotors</td> <td>419.61</td> <td>mm</td> <td>100 psi</td> <td>100 psi</td> </tr> <tr> <td>17 mm</td> <td>19 mm</td> <td>21</td> <td>mm</td> <td>Linings/Pads</td> <td>21</td> <td>mm</td> <td>15 mm</td> <td>16 mm</td> </tr> <tr> <td></td> <td></td> <td>33</td> <td>mm</td> <td>Push Rod Travel</td> <td>33</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>100 psi</td> <td>100 psi</td> <td>419.66</td> <td>mm</td> <td>Drums/Rotors</td> <td>419.70</td> <td>mm</td> <td>100 psi</td> <td>100 psi</td> </tr> <tr> <td>11 mm</td> <td>11 mm</td> <td>21</td> <td>mm</td> <td>Linings/Pads</td> <td>21</td> <td>mm</td> <td>18 mm</td> <td>18 mm</td> </tr> <tr> <td></td> <td></td> <td>33</td> <td>mm</td> <td>Push Rod Travel</td> <td>33</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td></td> <td>mm</td> <td>Drums/Rotors</td> <td></td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td></td> <td>mm</td> <td>Linings/Pads</td> <td></td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td></td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td></td> <td>mm</td> <td>Drums/Rotors</td> <td></td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td></td> <td>mm</td> <td>Linings/Pads</td> <td></td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td></td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td></td> <td>mm</td> <td>Drums/Rotors</td> <td></td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td></td> <td>mm</td> <td>Linings/Pads</td> <td></td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td></td> <td>mm</td> <td></td> <td></td> </tr> </tbody> </table>																						LEFT		FRONT		RIGHT				100 psi	100 psi	419.71	mm	Drums/Rotors	419.83	mm	100 psi	100 psi	20 mm	19 mm	21	mm	Linings/Pads	21	mm	9 mm	10 mm			33	mm	Push Rod Travel	33	mm			100 psi	100 psi	419.73	mm	Drums/Rotors	419.61	mm	100 psi	100 psi	17 mm	19 mm	21	mm	Linings/Pads	21	mm	15 mm	16 mm			33	mm	Push Rod Travel	33	mm			100 psi	100 psi	419.66	mm	Drums/Rotors	419.70	mm	100 psi	100 psi	11 mm	11 mm	21	mm	Linings/Pads	21	mm	18 mm	18 mm			33	mm	Push Rod Travel	33	mm			psi	psi		mm	Drums/Rotors		mm	psi	psi	mm	mm		mm	Linings/Pads		mm	mm	mm				mm	Push Rod Travel		mm			psi	psi		mm	Drums/Rotors		mm	psi	psi	mm	mm		mm	Linings/Pads		mm	mm	mm				mm	Push Rod Travel		mm			psi	psi		mm	Drums/Rotors		mm	psi	psi	mm	mm		mm	Linings/Pads		mm	mm	mm				mm	Push Rod Travel		mm		
		LEFT		FRONT		RIGHT																																																																																																																																																																																									
100 psi	100 psi	419.71	mm	Drums/Rotors	419.83	mm	100 psi	100 psi																																																																																																																																																																																							
20 mm	19 mm	21	mm	Linings/Pads	21	mm	9 mm	10 mm																																																																																																																																																																																							
		33	mm	Push Rod Travel	33	mm																																																																																																																																																																																									
100 psi	100 psi	419.73	mm	Drums/Rotors	419.61	mm	100 psi	100 psi																																																																																																																																																																																							
17 mm	19 mm	21	mm	Linings/Pads	21	mm	15 mm	16 mm																																																																																																																																																																																							
		33	mm	Push Rod Travel	33	mm																																																																																																																																																																																									
100 psi	100 psi	419.66	mm	Drums/Rotors	419.70	mm	100 psi	100 psi																																																																																																																																																																																							
11 mm	11 mm	21	mm	Linings/Pads	21	mm	18 mm	18 mm																																																																																																																																																																																							
		33	mm	Push Rod Travel	33	mm																																																																																																																																																																																									
psi	psi		mm	Drums/Rotors		mm	psi	psi																																																																																																																																																																																							
mm	mm		mm	Linings/Pads		mm	mm	mm																																																																																																																																																																																							
			mm	Push Rod Travel		mm																																																																																																																																																																																									
psi	psi		mm	Drums/Rotors		mm	psi	psi																																																																																																																																																																																							
mm	mm		mm	Linings/Pads		mm	mm	mm																																																																																																																																																																																							
			mm	Push Rod Travel		mm																																																																																																																																																																																									
psi	psi		mm	Drums/Rotors		mm	psi	psi																																																																																																																																																																																							
mm	mm		mm	Linings/Pads		mm	mm	mm																																																																																																																																																																																							
			mm	Push Rod Travel		mm																																																																																																																																																																																									
Park Brake Lining Left na mm Right na mm Trans na mm Wheel Torque Checked ☒ Inner na ft lbs Outer 500 ft lbs																																																																																																																																																																																															

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment			✓				

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓		
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)	✓		
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓		
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓		
3A.15. Drum Brake System Components	✓						

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓
4.4. Kingpin			✓				

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Utilized Body Elements			✓	8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogle)			✓
8.9. Cargo Tank or Vessel	✓			8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			✓	8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches


Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.7. Fifth Wheel Coupler			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8749374) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/08/25	C8480	21728	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)
2026/08/25

Customer Signature