



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	North of 55 Oilfield Hauling Ltd		
Address:	Box 618		
City:	Slave Lake	Province:	AB
Postal Code:	T0G2A0		
Telephone Number:	(780) 849-4333		
Vehicle Identification Number:	2A92FKP1221144114		
Make:	altek	Model:	Float
Year:	2002	Unit Number:	24H1
Odometer:	78768 KM	Licence Plate Number:	6PB913
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Rymut Mechanical	18667
Inspection Technician Name:	Technician Number:
Michael MacDonald	A7768
Inspection Technician Signature:	
Inspection Date:	2026/01/20

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Trailer										kg									
Vehicle Information																			
VIN	2	A	9	2	F	K	P	1	2	2	1	1	4	4	1	1	4		
Unit Number 24H1			Year 2002			Make altek			Model Float			Odometer 78,768							
Registered Owner's Name North of 55 Oilfield Hauling Ltd															Plate Number 6PB913				
Address Box 618										Postal Code T0G2A0			Phone Number (780) 849-4333						

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT		FRONT		RIGHT			
100 psi	100 psi	420.12 mm	Drums/Rotors	419.74 mm		100 psi	100 psi		
10 mm	14 mm	16 mm	Linings/Pads	24 mm		8 mm	7 mm		
		25 mm	Push Rod Travel	25 mm					
100 psi	100 psi	420.32 mm	Drums/Rotors	420.75 mm		100 psi	100 psi		
13 mm	11 mm	24 mm	Linings/Pads	24 mm		9 mm	9 mm		
		25 mm	Push Rod Travel	25 mm					
100 psi	100 psi	419.55 mm	Drums/Rotors	419.73 mm		100 psi	100 psi		
24 mm	24 mm	13 mm	Linings/Pads	24 mm		24 mm	24 mm		
		25 mm	Push Rod Travel	25 mm					
psi	psi	mm	Drums/Rotors	mm		psi	psi		
mm	mm	mm	Linings/Pads	mm		mm	mm		
		mm	Push Rod Travel	mm					
psi	psi	mm	Drums/Rotors	mm		psi	psi		
mm	mm	mm	Linings/Pads	mm		mm	mm		
		mm	Push Rod Travel	mm					
psi	psi	mm	Drums/Rotors	mm		psi	psi		
mm	mm	mm	Linings/Pads	mm		mm	mm		
		mm	Push Rod Travel	mm					

Park Brake Lining Left na mm Right na mm Trans na mm

Wheel Torque Checked ☒ Inner na ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly			✓
2.4. Spring & Spring Attachment			✓				

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓		
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)			✓
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance			✓
3A.15. Drum Brake System Components	✓						

NOTES:

Inside wheel sets, measurements in mm

#1L drum 420.02, lining 14, pushrod 25; #1R drum 420.30, lining 24, pushrod 25

#2L drum 420.37, lining 24, pushrod, 25; #2R drum 420.35, lining 24, pushrod 25

#3L drum 4200.14, lining 12, pushrod 25; #3R drum 420.14, lining 24, pushrod 25

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓
4.4. Kingpin			✓				