



80087500008609350

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION


Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	North of 55 Oilfield Hauling Ltd		
Address:	Box 618		
City:	Slave Lake	Province:	AB
		Postal Code:	T0G2A0
Telephone Number:	(780) 849-4333		
Vehicle Identification Number:	2A9LE60646N125382		
Make:	Aspen	Model:	eg6024
Year:	2006	Unit Number:	24L1
Odometer:	37302 KM	Licence Plate Number:	6RN976
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Rymut Mechanical	Facility Number:	18667
Inspection Technician Name:	Michael MacDonald	Technician Number:	A7768
Inspection Technician Signature:	<i>Michael MacDonald</i>		
Inspection Date:	2026/03/06		



#24L1
**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Trailer										kg									
Vehicle Information																			
VIN	2	A	9	L	B	6	0	6	4	6	N	1	2	5	3	8	2		
Unit Number 24L1				Year 2006				Make Aspen				Model eg6024				Odometer 37,302			
Registered Owner's Name North of 55 Oilfield Hauling Ltd														Plate Number 6RN976					
Address Box 618										Postal Code T0G2A0				Phone Number (780) 849-4333					

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT	FRONT	RIGHT		
100 psi	100 psi	420.72 mm	Drums/Rotors	419.53 mm	100 psi	100 psi
14 mm	15 mm	13 mm	Linings/Pads	20 mm	9 mm	8 mm
		33 mm	Push Rod Travel	35 mm		
100 psi	100 psi	421.13 mm	Drums/Rotors	419.46 mm	100 psi	100 psi
11 mm	10 mm	24 mm	Linings/Pads	20 mm	16 mm	5 mm
		39 mm	Push Rod Travel	35 mm		
100 psi	100 psi	419.40 mm	Drums/Rotors	419.45 mm	100 psi	100 psi
16 mm	12 mm	13 mm	Linings/Pads	14 mm	14 mm	14 mm
		35 mm	Push Rod Travel	38 mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		

Park Brake Lining Left na mm Right na mm Trans na mm
Wheel Torque Checked ☒ Inner na ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle		✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly		✓
2.4. Spring & Spring Attachment			✓			

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components		✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components		✓
3H.8. Vacuum System			✓	3H.19. Brake Performance		✓
3H.9. Air-Boosted Trailer Brake System			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓	
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components		✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)		✓
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)		✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance		✓
3A.15. Drum Brake System Components	✓					

NOTES:

3A.14 3 damaged brake chambers. #1L OS, #2L OS, #3L IS. #2L IS
 3A.15 Brake drum and shoe measurements inside set
 #1L IS D=419.40, S=20MM #1R IS D=420.80 S=(24 new)
 #2L IS D=419.40 S=14MM; #2R IS D=419.40 S=20
 #3L IS D= 419.50 S=20MM; #3R IS D=420.80 S=(24 new), slack adj replaced
 #2L OS, #1R IS, #3R IS, Pads damaged, shoes replace,
 #2L OS S-cam bushings replaced
 Defects Corrected WO 24L1 2026 Mar 03

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓	
4.4. Kingpin			✓					

NOTES:

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher			✓					

NOTES:

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓			
6.2. Reflex Reflector	✓							

NOTES:

6.1 L R corner marker lamp, license plate lamp, flags required 4 corners and 4 pull out lamps

Defects Corrected

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓			
7.2. Battery	✓							

NOTES:

7.3 cord socket, door broken front of extension neck

Defects corrected

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓	
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓			
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer			✓	
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogie)			✓	
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓	
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓			

NOTES:

Section 9 - Tires and Wheels								
Component	P	F	NA	Component	P	F	NA	
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓			
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓	
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓	
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓			
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓			
9.6. Wheel Bearing	✓							

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

9.4 all tires topped up to 100 psi

Inside set wheels, tire measurements

#1L IS 15MM/16MM #1R IS 16/16MM

#2L IS 14/16 MM; #2R IS 14/14 MM

#3L IS 11/11 MM; #3R IS 17/17 MM

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8609350) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/03/06	A7768	18667	<i>McGee MacDonald</i>

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/03/06

Customer Signature