



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	North of 55 Oilfield Hauling Ltd		
Address:	Box 618		
City:	Slave Lake	Province:	AB
Postal Code:	T0G2A0		
Telephone Number:	(780) 849-4333		
Vehicle Identification Number:	1XKDP4EX1FR970426		
Make:	Kenworth	Model:	Construct
Year:	2015	Unit Number:	18
Odometer:	924921 KM	Licence Plate Number:	A26096
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Rymut Mechanical	18667
Inspection Technician Name:	Technician Number:
Michael MacDonald	A7768
Inspection Technician Signature:	<i>Michael MacDonald</i>
Inspection Date:	2026/03/22

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 63500 kg									
Vehicle Information																			
VIN	1	X	K	D	P	4	E	X	1	F	R	9	7	0	4	2	6		
Unit Number 18				Year 2015				Make Kenworth				Model Construct				Odometer 924,921			
Registered Owner's Name North of 55 Oilfield Hauling Ltd															Plate Number A26096				
Address Box 618										Postal Code T0G2A0					Phone Number (780) 849-4333				

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
90 psi	16 mm	419.54 mm	14 mm	Drums/Rotors	419.49 mm	13 mm	32 mm	90 psi	16 mm
				Linings/Pads					
				Push Rod Travel					
92 psi	94 psi	420.07 mm	22 mm	Drums/Rotors	420.28 mm	15 mm	34 mm	100 psi	100 psi
16 mm	16 mm			Linings/Pads				21 mm	20 mm
				Push Rod Travel					
94 psi	92 psi	419.90 mm	13 mm	Drums/Rotors	421.29 mm	21 mm	36 mm	94 psi	102 psi
18 mm	16 mm			Linings/Pads				17 mm	16 mm
				Push Rod Travel					
90 psi	93 psi	421.01 mm	12 mm	Drums/Rotors	420.26 mm	20 mm	38 mm	90 psi	96 psi
17 mm	17 mm			Linings/Pads				16 mm	17 mm
				Push Rod Travel					
psi	psi	mm	mm	Drums/Rotors	mm	mm	mm	psi	psi
mm	mm			Linings/Pads				mm	mm
				Push Rod Travel					
psi	psi	mm	mm	Drums/Rotors	mm	mm	mm	psi	psi
mm	mm			Linings/Pads				mm	mm
				Push Rod Travel					

Park Brake Lining Left na mm Right na mm Trans na mm

Wheel Torque Checked ☒ Inner na ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System				✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)	✓			
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*				

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System				✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

2.7 #1L shock leaking

Defects Corrected WO 018 2026 mar 19

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components				✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake				✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake				✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake				✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)				✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System				✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance				✓
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)				✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components				✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System				✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance		✓
3A.11. Parking Brake & Emergency Application	✓					

NOTES:

3A.14 dust plug missing maxi pot #3R
3A.16 Dust shields missing #2 L+R, #3L

Defects Corrected Brakes adjusted to 25mm

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓	
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓	
4.3. Steering Operation (Active Steer Axle)	✓					

NOTES:

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓	
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater		✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓	
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls		✓
5.7. Windshield Wiper/Washer	✓					

NOTES:

5.7 Windshield washer pump not functioning

Defects Corrected

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓	
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓	
6.3. Retro-Reflective Marking	✓					

NOTES:

6.1 Clearance lamps, upper cab, L air cleaner not working. Tail lamps in skirt not functioning properly. L brake lamp out. L driving lamp out. Pull out work lamps L+R not working.

Defects Corrected

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery	✓					

NOTES:

7.1 tail lamp circuit in skirt

Defects Corrected

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓	
8.2. Tilt Cab			✓	8.13. Windshield	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	NA
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓	
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓	
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓	
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓	
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓	
8.8. Cab or Cargo Door	✓			8.19. Seat	✓	
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓	
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓	
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓	
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

9.4 tire pressures all adjusted 100psi drives, 110psi steer

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓	
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8609352) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2026/03/22	Technician Number A7768	Facility Number 18667	Signature <i>M. McDonald</i>
----------------------------------	----------------------------	--------------------------	---------------------------------

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/03/22

Customer Signature

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 63500 kg									
Vehicle Information																			
VIN	1	X	K	D	P	4	E	X	1	F	R	9	7	0	4	2	6		
Unit Number 18		Year 2015		Make Kenworth				Model Construct				Odometer 924,921							
Registered Owner's Name North of 55 Oilfield Hauling Ltd												Plate Number A26096							
Address Box 618										Postal Code T0G2A0				Phone Number (780) 849-4333					

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT	FRONT	RIGHT		
90 psi	16 mm	419.54 mm	Drums/Rotors	419.49 mm	90 psi	16 mm
		14 mm	Linings/Pads	13 mm		
		30 mm	Push Rod Travel	32 mm		
92 psi	94 psi	420.07 mm	Drums/Rotors	420.28 mm	100 psi	100 psi
16 mm	16 mm	22 mm	Linings/Pads	15 mm	21 mm	20 mm
		35 mm	Push Rod Travel	34 mm		
94 psi	92 psi	419.90 mm	Drums/Rotors	421.29 mm	94 psi	102 psi
18 mm	16 mm	13 mm	Linings/Pads	21 mm	17 mm	16 mm
		32 mm	Push Rod Travel	36 mm		
90 psi	93 psi	421.01 mm	Drums/Rotors	420.26 mm	90 psi	96 psi
17 mm	17 mm	12 mm	Linings/Pads	20 mm	16 mm	17 mm
		35 mm	Push Rod Travel	38 mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
Park Brake Lining Left na mm Right na mm Trans na mm						
Wheel Torque Checked ☐ Inner na ft lbs Outer 500 ft lbs						

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train						
Component	P	F	NA	Component	P	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓	
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓	
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓	
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System		✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓	
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)	✓	
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*		

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly		
2.4. Spring & Spring Attachment	✓					

NOTES:

2.7 #1L shock leaking

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components		✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake		✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake		✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake		✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System		✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance		✓
3H.12. Drum Brake System Components			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓	
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓	
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓	
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓	
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components		✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓	
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System		✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance		✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.11. Parking Brake & Emergency Application	✓					

NOTES:

3A.14 dust plug missing maxi pot #3R
3A.16 Dust shields missing #2 L+R, #3L

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓	
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓	
4.3. Steering Operation (Active Steer Axle)	✓					

NOTES:

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓	
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater		✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓	
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls		✓
5.7. Windshield Wiper/Washer		✓				

NOTES:

5.7 Windshield washer pump not functioning

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps		✓		6.4. Instrument Panel Lamps	✓	
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓	
6.3. Retro-Reflective Marking	✓					

NOTES:

6.1 Clearance lamps, upper cab, L air cleaner not working. Tail lamps in skirt not functioning properly. L brake lamp out. L driving lamp out. Pull out work lamps L+R not working.

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring		✓		7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery	✓					

NOTES:

7.1 tail lamp circuit in skirt

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓	
8.2. Tilt Cab			✓	8.13. Windshield	✓	
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓	
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓	
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓	
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓	
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓	
8.8. Cab or Cargo Door	✓			8.19. Seat	✓	
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓	
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓	
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

9.4 tire pressures all adjusted 100psi drives, 110psi steer

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓	
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **FAILED** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/03/19	A7768	18667	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/03/19

Customer Signature