



80087000008737326

CV8737326

TL7
T14-28
SEP

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	North of 55 Oilfield Hauling Ltd		
Address:	Box 618		
City:	Slave Lake	Province:	AB
		Postal Code:	T0G2A0
Telephone Number:	(780) 849-4333		
Vehicle Identification Number:	2PLG0553XPBF19373		
Make:	Peerless	Model:	Tridem
Year:	2023	Unit Number:	TL7
Odometer:	77726 KM	Licence Plate Number:	6GE066
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Rymut Mechanical	18667
Inspection Technician Name:	Technician Number:
Michael MacDonald	A7768
Inspection Technician Signature:	<i>Michael MacDonald</i>
Inspection Date:	2026/06/10

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Trailer										kg									
Vehicle Information																			
VIN	2	P	L	G	0	5	5	3	X	P	B	F	1	9	3	7	3		
Unit Number			Year			Make				Model				Odometer					
TL7			2023			Peerless				Tridem				77,726					
Registered Owner's Name															Plate Number				
North of 55 Oilfield Hauling Ltd															6GE066				
Address										Postal Code					Phone Number				
Box 618										T0G2A0					(780) 849-4333				

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT	FRONT	RIGHT		
100 psi	100 psi	419.93 mm	Drums/Rotors	420.32 mm	100 psi	100 psi
9 mm	9 mm	7 mm	Linings/Pads	8 mm	11 mm	9 mm
		35 mm	Push Rod Travel	35 mm		
100 psi	100 psi	419.51 mm	Drums/Rotors	420.38 mm	100 psi	100 psi
15 mm	16 mm	16 mm	Linings/Pads	16 mm	13 mm	13 mm
		35 mm	Push Rod Travel	35 mm		
100 psi	100 psi	423.10 mm	Drums/Rotors	420.44 mm	100 psi	100 psi
14 mm	14 mm	7 mm	Linings/Pads	9 mm	7 mm	9 mm
		35 mm	Push Rod Travel	35 mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		

Park Brake Lining Left na mm Right na mm Trans na mm

Wheel Torque Checked ☒ Inner na ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle		✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓	
2.4. Spring & Spring Attachment			✓			

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components		✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components		✓
3H.8. Vacuum System			✓	3H.19. Brake Performance		✓
3H.9. Air-Boosted Trailer Brake System			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓	
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components		✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓	
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)		✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance		✓
3A.15. Drum Brake System Components	✓					

NOTES:

3A.16 drum #3L; Shoes #1L, #3L, #1R, #3R; #1R S-cam and tube; #2R dust shield. New shoes on 4 wheels, new drum #3L brakes adjusted to 25mm

Defects corrected WO 2026 jun 08 TL7

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle		
4.4. Kingpin			✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

9.4 tire pressures adj to 100 on removal

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer		
10.5. Roll-Coupling Hitch			✓			

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8737326) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/06/10	A7768	18667	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)
2026/06/10

Customer Signature