



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	54600 kg	Brake Type:	Air
Owner Name:	North of 55 Oilfield Hauling Ltd		
Address:	Box 618		
City:	Slave Lake	Province:	AB
		Postal Code:	T0G2A0
Telephone Number:	(780) 849-4333		
Vehicle Identification Number:	5KKCASD10EPFP4476		
Make:	Western Star	Model:	6900 XD
Year:	2014	Unit Number:	B05
Odometer:	124566 KM	Licence Plate Number:	A46121
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Rymut Mechanical	18667
Inspection Technician Name:	Technician Number:
Michael MacDonald	A7768
Inspection Technician Signature:	
Inspection Date:	2026/03/31

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 54600 kg									
Vehicle Information																			
VIN	5	K	K	C	A	S	D	1	0	E	P	F	P	4	4	7	6		
Unit Number B05				Year 2014				Make Western Star				Model 6900 XD				Odometer 124,566			
Registered Owner's Name North of 55 Oilfield Hauling Ltd																Plate Number A46121			
Address Box 618												Postal Code T0G2A0				Phone Number (780) 849-4333			

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT		FRONT		RIGHT			
100 psi	12 mm	410.80	mm	Drums/Rotors	410.70	mm	100 psi	13 mm	
		18	mm	Linings/Pads	18	mm			
		na	mm	Push Rod Travel	na	mm			
na psi	100 psi	410.75	mm	Drums/Rotors	410.73	mm	100 psi	na psi	
na mm	16 mm	18	mm	Linings/Pads	118	mm	13 mm	na mm	
		na	mm	Push Rod Travel	na	mm			
100 psi	100 psi	508.40	mm	Drums/Rotors	508.42	mm	100 psi	100 psi	
16 mm	17 mm	14	mm	Linings/Pads	14	mm	16 mm	16 mm	
		40	mm	Push Rod Travel	40	mm			
100 psi	100 psi	508.45	mm	Drums/Rotors	508.45	mm	100 psi	100 psi	
17 mm	17 mm	14	mm	Linings/Pads	14	mm	16 mm	16 mm	
		40	mm	Push Rod Travel	40	mm			
psi	psi		mm	Drums/Rotors		mm	psi	psi	
mm	mm		mm	Linings/Pads		mm	mm	mm	
			mm	Push Rod Travel		mm			
psi	psi		mm	Drums/Rotors		mm	psi	psi	
mm	mm		mm	Linings/Pads		mm	mm	mm	
			mm	Push Rod Travel		mm			

Park Brake Lining Left na mm Right na mm Trans na mm

Wheel Torque Checked ☒ Inner na ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)	✓			
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.11. Parking Brake & Emergency Application	✓					

NOTES:

3A.16 Clark S-cam brakes on rear drives, Spec 508.2 - 511.04mm
 3A.17 Sisu Wedge type drum brakes on Steer axles, Spec 410.0 to 413.5mm. Shoe travel on application <1mm
 3A.8 R14 relay valve defective for steer axles.
 Defects Corrected

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓	
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓	
4.3. Steering Operation (Active Steer Axle)	✓					

NOTES:

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓	
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater		✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓	
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls		✓
5.7. Windshield Wiper/Washer	✓					

NOTES:

5.3 city horn

Defects Corrected

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓	
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓	
6.3. Retro-Reflective Marking	✓					

NOTES:

6.1 side marker lamps on deck L +R sides

Defects Corrected

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery	✓					

NOTES:

7.1 harness repair needed midship frame rail. See 6.1

Defects corrected

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓	
8.2. Tilt Cab			✓	8.13. Windshield	✓	
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓	
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓			
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓			
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓			
8.8. Cab or Cargo Door	✓			8.19. Seat	✓			
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓			
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓			
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment				✓

NOTES:

Section 9 - Tires and Wheels								
Component	P	F	NA	Component	P	F	NA	
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓			
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim	✓			
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System				✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓			
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓			
9.6. Wheel Bearing	✓							


NOTES:

Section 10 - Couplers and Hitches								
Component	P	F	NA	Component	P	F	NA	
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch				✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device				✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler				✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler				✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8609354)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/03/31	A7768	18667	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.	Date (Year/Month/Day)
	2026/03/31
	Customer Signature