



## Commercial Vehicle Inspection Certificate Traffic Safety Act

### PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

|                                |                             |                       |              |
|--------------------------------|-----------------------------|-----------------------|--------------|
| Vehicle Type:                  | Truck                       | Seating Capacity:     |              |
| GVW:                           | 30600 kg                    | Brake Type:           | Air          |
| Owner Name:                    | SHADOW RATHOLE DRILLINF LTD |                       |              |
| Address:                       | 11301-91 AVE                |                       |              |
| City:                          | GP                          | Province:             | AB           |
|                                |                             | Postal Code:          | T8V-5Z3      |
| Telephone Number:              | (780) 296-0304              |                       |              |
| Vehicle Identification Number: | 1NPFX40XX7N889826           |                       |              |
| Make:                          | Peterbilt                   | Model:                | Conventional |
| Year:                          | 2007                        | Unit Number:          | 592          |
| Odometer:                      | 373877 KM                   | Licence Plate Number: | CFX7308      |
|                                |                             | Province:             | AB           |

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

### PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

|                                    |                    |
|------------------------------------|--------------------|
| Inspection Facility Name:          | Facility Number:   |
| Edge Fleet Maintenance (1998) Ltd. | 10737              |
| Inspection Technician Name:        | Technician Number: |
| Ronald Schramm                     | A1446              |
| Inspection Technician Signature:   |                    |
| Inspection Date:                   | 2026/07/14         |

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle  
Truck

Gross Vehicle Weight registered  
30600 kg

**Vehicle Information**

VIN 1 N P F X 4 0 X X 7 N 8 8 9 8 2 6

Unit Number  
592

Year  
2007

Make  
Peterbilt

Model  
Conventional

Odometer  
373,877

Registered Owner's Name

SHADOW RATHOLE DRILLING LTD

Plate Number

CFX7308

Address

11301-91 AVE

Postal Code

T8V-5Z3

Phone Number

(780) 296-0304

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

|        |        | <u>LEFT</u> |    | <u>FRONT</u>    |        | <u>RIGHT</u> |  |         |           |
|--------|--------|-------------|----|-----------------|--------|--------------|--|---------|-----------|
| 95 psi |        | 421.00      | mm | Drums/Rotors    | 420.80 | mm           |  | 100 psi |           |
| 17 mm  |        | 15          | mm | Linings/Pads    | 13     | mm           |  | 17 mm   |           |
|        |        | 28          | mm | Push Rod Travel | 27     | mm           |  |         |           |
| 90 psi | 93 psi | 420.40      | mm | Drums/Rotors    | 421.00 | mm           |  | 92 psi  | 97 psi    |
| 17 mm  | 13 mm  | 18          | mm | Linings/Pads    | 16     | mm           |  | 21 mm   | 21 mm     |
|        |        | 28          | mm | Push Rod Travel | 29     | mm           |  |         |           |
| 95 psi | 97 psi | 420.80      | mm | Drums/Rotors    | 420.70 | mm           |  | 90 psi  | 85 psi    |
| 17 mm  | 18 mm  | 15          | mm | Linings/Pads    | 14     | mm           |  | 21 mm   | 21 mm     |
|        |        | 25          | mm | Push Rod Travel | 27     | mm           |  |         |           |
| 91 psi | 80 psi | 420.60      | mm | Drums/Rotors    | 420.70 | mm           |  | 97 psi  | 9 1/2 psi |
| 17 mm  | 17 mm  | 17          | mm | Linings/Pads    | 17     | mm           |  | 19 mm   | 19 mm     |
|        |        | 29          | mm | Push Rod Travel | 30     | mm           |  |         |           |
| psi    | psi    | mm          |    | Drums/Rotors    | mm     |              |  | psi     | psi       |
| mm     | mm     | mm          |    | Linings/Pads    | mm     |              |  | mm      | mm        |
|        |        | mm          |    | Push Rod Travel | mm     |              |  |         |           |
| psi    | psi    | mm          |    | Drums/Rotors    | mm     |              |  | psi     | psi       |
| mm     | mm     | mm          |    | Linings/Pads    | mm     |              |  | mm      | mm        |
|        |        | mm          |    | Push Rod Travel | mm     |              |  |         |           |

Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm  
Wheel Torque Checked ☒ Inner N/A ft lbs Outer 500 ft lbs

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

## Section 1 - Power Train

| Component                                 | P | F | NA | Component                                                           | P | F | NA |
|-------------------------------------------|---|---|----|---------------------------------------------------------------------|---|---|----|
| 1.1. Accelerator Pedal/Throttle Actuator  | ✓ |   |    | 1.8. Engine Start Safety Feature                                    | ✓ |   |    |
| 1.2. Exhaust System                       | ✓ |   |    | 1.9. Gear Position Indicator                                        | ✓ |   |    |
| 1.3. Emission Control Systems and Devices | ✓ |   |    | 1.10. Engine or Accessory Drive Belt                                | ✓ |   |    |
| 1.4. Drive Shaft                          | ✓ |   |    | 1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System |   |   | ✓  |
| 1.5. Clutch and Clutch Pedal              | ✓ |   |    | 1.12. Gasoline or Diesel Fuel System                                | ✓ |   |    |
| 1.6. Engine/Transmission Mount            | ✓ |   |    | 1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)        |   |   | ✓  |
| 1.7. Engine/Shut Down                     | ✓ |   |    | * SEE APPENDIX A*                                                   |   |   |    |

### NOTES:

A/C BELT POOR. POS-AIR SHUTOFF NO OP. A/C BELT REPLACED. POS-AIR SHUT OFF OP REPAIRED.

## APPENDIX "A"

| Component                                                 | P | F | NA | Component                                    | P | F | NA |
|-----------------------------------------------------------|---|---|----|----------------------------------------------|---|---|----|
| A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System |   |   | ✓  | A.3. Liquefied Natural Gas (LNG) Fuel System |   |   | ✓  |
| A.2. Compressed Natural Gas (CNG) Fuel System             |   |   | ✓  |                                              |   |   |    |

### NOTES:

## Section 2 - Suspension

| Component                                 | P | F | NA | Component                                 | P | F | NA |
|-------------------------------------------|---|---|----|-------------------------------------------|---|---|----|
| 2.1. Suspension & Frame Attachments       | ✓ |   |    | 2.5. Air Suspension                       | ✓ |   |    |
| 2.2. Axle Attaching & Tracking Components | ✓ |   |    | 2.6. Self-Steer and Controlled-Steer Axle | ✓ |   |    |
| 2.3. Axle & Axle Assembly                 | ✓ |   |    | 2.7. Shock Absorber/Strut Assembly        | ✓ |   |    |
| 2.4. Spring & Spring Attachment           | ✓ |   |    |                                           |   |   |    |

### NOTES:

AIR BAGS POOR- AXLE 2,L/H , AXLE 3,BOTH SIDES. STEER SPRINGS,MISSING RE BOUND RUBBERS X3. 3X AIR BAGS REPLACED. FRONT SPRING REBOUND PADS REPLACED.

## Section 3H - Hydraulic Brakes

| Component                             | P | F | NA | Component                                              | P | F | NA |
|---------------------------------------|---|---|----|--------------------------------------------------------|---|---|----|
| 3H.1. Hydraulic System Components     |   |   | ✓  | 3H.13. Disc Brake System Components                    |   |   | ✓  |
| 3H.2. Brake Pedal/Actuator            |   |   | ✓  | 3H.14. Mechanical Parking Brake                        |   |   | ✓  |
| 3H.3. Vacuum Assist (Boost) System    |   |   | ✓  | 3H.15. Spring-Applied Air-Released Parking Brake       |   |   | ✓  |
| 3H.4. Hydraulic Assist (Boost) System |   |   | ✓  | 3H.16. Spring-Applied Hydraulic-Released Parking Brake |   |   | ✓  |
| 3H.5. Air Assist (Boost) System       |   |   | ✓  | 3H.17. Anti-Lock Brake System (ABS)                    |   |   | ✓  |
| 3H.6. Air-Over-Hydraulic Brake System |   |   | ✓  | 3H.18. Stability Control System                        |   |   | ✓  |
| 3H.11. Brake System Indicator Lamps   |   |   | ✓  | 3H.19. Brake Performance                               |   |   | ✓  |
| 3H.12. Drum Brake System Components   |   |   | ✓  |                                                        |   |   |    |

### NOTES:

## Section 3A - Air Brakes

| Component                                          | P | F | NA | Component                               | P | F | NA |
|----------------------------------------------------|---|---|----|-----------------------------------------|---|---|----|
| 3A.1. Air Compressor                               | ✓ |   |    | 3A.13. Air System Components            | ✓ |   |    |
| 3A.2. Air Supply System                            | ✓ |   |    | 3A.14. Brake Chamber                    | ✓ |   |    |
| 3A.4. Air Tank                                     | ✓ |   |    | 3A.15. Drum Brake System Components     | ✓ |   |    |
| 3A.5. Air Tank Check Valves                        | ✓ |   |    | 3A.16. S-Cam Drum Brake System          | ✓ |   |    |
| 3A.6. Brake Pedal/Actuator                         | ✓ |   |    | 3A.17. Brake Shoe Travel (Wedge Brakes) |   |   | ✓  |
| 3A.7. Treadle Valve and Trailer Hand Valve         | ✓ |   |    | 3A.18. Disc Brake System Components     |   |   | ✓  |
| 3A.8. Brake Valves & Controls                      | ✓ |   |    | 3A.19. Anti-Lock Brake System (ABS)     | ✓ |   |    |
| 3A.9. Proportioning, Inversion or Modulation Valve | ✓ |   |    | 3A.21. Stability Control System         |   |   | ✓  |
| 3A.10. Towing Vehicle (Tractor) Protection System  | ✓ |   |    | 3A.23. Brake Performance                | ✓ |   |    |

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

## Section 3A - Air Brakes

| Component                                    | P | F | NA | Component | P | F | NA |
|----------------------------------------------|---|---|----|-----------|---|---|----|
| 3A.11. Parking Brake & Emergency Application | ✓ |   |    |           |   |   |    |

NOTES:

## Section 4 - Steering

| Component                                           | P | F | NA | Component                                 | P | F | NA |
|-----------------------------------------------------|---|---|----|-------------------------------------------|---|---|----|
| 4.1. Steering Control and Linkage                   | ✓ |   |    | 4.4. Kingpin                              | ✓ |   |    |
| 4.2. Power Steering System (Hydraulic and Electric) | ✓ |   |    | 4.5. Self-Steer and Controlled-Steer Axle | ✓ |   |    |
| 4.3. Steering Operation (Active Steer Axle)         | ✓ |   |    |                                           |   |   |    |

NOTES:

## Section 5 - Instruments and Auxiliary Equipment

| Component                    | P | F | NA | Component                            | P | F | NA |
|------------------------------|---|---|----|--------------------------------------|---|---|----|
| 5.1. Fire Extinguisher       | ✓ |   |    | 5.8. Heater & Windshield Defroster   | ✓ |   |    |
| 5.2. Hazard Warning Kit      | ✓ |   |    | 5.9. Fuel-Burning Auxiliary Heater   | ✓ |   |    |
| 5.3. Horn                    | ✓ |   |    | 5.10. Chain/"Headache" Rack          |   |   | ✓  |
| 5.5. Speedometer             | ✓ |   |    | 5.11. Auxiliary Controls and Devices | ✓ |   |    |
| 5.6. Odometer                | ✓ |   |    | 5.12. Auxiliary Drive Controls       | ✓ |   |    |
| 5.7. Windshield Wiper/Washer | ✓ |   |    |                                      |   |   |    |

NOTES:

## Section 6 - Lamps

| Component                     | P | F | NA | Component                   | P | F | NA |
|-------------------------------|---|---|----|-----------------------------|---|---|----|
| 6.1. Required Lamps           | ✓ |   |    | 6.4. Instrument Panel Lamps | ✓ |   |    |
| 6.2. Reflex Reflector         | ✓ |   |    | 6.5. Headlamp Aim           | ✓ |   |    |
| 6.3. Retro-Reflective Marking | ✓ |   |    |                             |   |   |    |

NOTES:

3X BEACON LAMPS-OUT. REFLECT TAPE REQUIRED ON CRANE. BEACON LAMP OP REPAIRED. REFLECT TAPE INSTALLED AS REQUIRED.

## Section 7 - Electrical System

| Component    | P | F | NA | Component                                   | P | F | NA |
|--------------|---|---|----|---------------------------------------------|---|---|----|
| 7.1. Wiring  | ✓ |   |    | 7.3. Trailer Cord (output to towed vehicle) | ✓ |   |    |
| 7.2. Battery | ✓ |   |    |                                             |   |   |    |

NOTES:

## Section 8 - Body

| Component                                                  | P | F | NA | Component                           | P | F | NA |
|------------------------------------------------------------|---|---|----|-------------------------------------|---|---|----|
| 8.1. Hood or Engine Enclosure                              | ✓ |   |    | 8.12. Bumper                        | ✓ |   |    |
| 8.2. Tilt Cab                                              |   |   | ✓  | 8.13. Windshield                    | ✓ |   |    |
| 8.3. Air-Suspended Cab                                     | ✓ |   |    | 8.14. Side Windows                  | ✓ |   |    |
| 8.4. Cab and Passenger-Vehicle Body                        | ✓ |   |    | 8.15. Rear Window                   | ✓ |   |    |
| 8.5. Cargo Body                                            | ✓ |   |    | 8.16. Interior Sun Visor            | ✓ |   |    |
| 8.6. Frame, Rails & Mounts                                 | ✓ |   |    | 8.17. Exterior Windshield Sun Visor | ✓ |   |    |
| 8.7. Unitized Body Elements                                | ✓ |   |    | 8.18. Rear-View Mirror              | ✓ |   |    |
| 8.8. Cab or Cargo Door                                     | ✓ |   |    | 8.19. Seat                          | ✓ |   |    |
| 8.9. Cargo Tank or Vessel                                  |   |   | ✓  | 8.20. Seat Belt/Occupant Restraint  | ✓ |   |    |
| 8.10. Body, Device or Equipment Attached or Mounted to the | ✓ |   |    | 8.21. Fender/Mud Flap               | ✓ |   |    |

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

## Section 8 - Body

| Component                                                                          | P | F | NA | Component                             | P | F | NA |
|------------------------------------------------------------------------------------|---|---|----|---------------------------------------|---|---|----|
| Vehicle                                                                            |   |   |    |                                       |   |   |    |
| 8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU)) |   |   | ✓  | 8.24. Aerodynamic Device & Attachment |   |   | ✓  |

### NOTES:

ANTI-SAIL BRACKET MISSING AXLE 2, R/H SIDE. ANTI-SAIL BRACKET INSTALLED.

## Section 9 - Tires and Wheels

| Component                                  | P | F | NA | Component                                     | P | F | NA |
|--------------------------------------------|---|---|----|-----------------------------------------------|---|---|----|
| 9.1. Tire Tread Depth                      | ✓ |   |    | 9.7. Wheel/Rim (Applies to all wheel types)   | ✓ |   |    |
| 9.2. Tire Tread Condition                  | ✓ |   |    | 9.8. Multi-Piece Wheel/Rim                    |   |   | ✓  |
| 9.3. Tire Sidewall & Manufacturer Markings | ✓ |   |    | 9.9. Spoke Wheel/Demountable Rim System       |   |   | ✓  |
| 9.4. Tire Inflation Pressure               | ✓ |   |    | 9.10. Disc Wheel System                       |   |   | ✓  |
| 9.5. Wheel Hub                             | ✓ |   |    | 9.11. Wheel Fasteners (Nuts, Bolts and Studs) | ✓ |   |    |
| 9.6. Wheel Bearing                         | ✓ |   |    |                                               |   |   |    |

### NOTES:

AXLE 1, L/H WHEEL SEAL LEAK. WHEEL SEAL REPLACED.

## Section 10 - Couplers and Hitches

| Component                                              | P | F | NA | Component                             | P | F | NA |
|--------------------------------------------------------|---|---|----|---------------------------------------|---|---|----|
| 10.1. Hitch Assembly, Structure & Attaching Components |   |   | ✓  | 10.5. Roll-Coupling Hitch             |   |   | ✓  |
| 10.2. Secondary Attachment (Safety Chain or Cable)     |   |   | ✓  | 10.6. Automated Coupling Device       |   |   | ✓  |
| 10.3. Pintle Hook, Pin Hitch, or Coupler Hitch         |   |   | ✓  | 10.7. Fifth Wheel Coupler             |   |   | ✓  |
| 10.4. Ball Type Hitch                                  |   |   | ✓  | 10.8. Oscillating Fifth Wheel Coupler |   |   | ✓  |

### NOTES:

### Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8700986) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection

2026/07/14


Technician Number

A1446

Facility Number

10737

Signature



### Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/07/14

Customer Signature