



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	30300 kg	Brake Type:	Air
Owner Name:	Pitbull Energy Services		
Address:	7506 43 St		
City:	Leduc	Province:	AB
		Postal Code:	T9E7E8
Telephone Number:	(855) 748-2866		
Vehicle Identification Number:	5KKPALDR0DPFA7836		
Make:	Western Star	Model:	Conventional
Year:	2013	Unit Number:	PT004
Odometer:	279089 KM	Licence Plate Number:	OAM875
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Pitbull Energy Services Inc.	21399
Inspection Technician Name:	Technician Number:
Devon McCormack	D2539
Inspection Technician Signature:	
Inspection Date:	2025/09/03



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck		Gross Vehicle Weight registered 30300 kg																																																																																																																			
Vehicle Information																																																																																																																					
VIN 5 K K P A L D R O D P F A 7 8 3 6																																																																																																																					
Unit Number PT004	Year 2013	Make Western Star	Model Conventional																																																																																																																		
Registered Owner's Name Pitbull Energy Services			Odometer 279,089																																																																																																																		
Address 7506 43 St		Postal Code T9E7E8	Plate Number 0AM875																																																																																																																		
Phone Number (855) 748-2866																																																																																																																					
Drum Brakes: A-Full Inspection with Drum Removed		Disc Brakes:																																																																																																																			
<table border="1"> <thead> <tr> <th colspan="2">LEFT</th> <th colspan="2">FRONT</th> <th colspan="2">RIGHT</th> </tr> </thead> <tbody> <tr> <td>110 psi</td> <td>419.92 mm</td> <td>Drums/Rotors</td> <td>419.88 mm</td> <td>110 psi</td> <td></td> </tr> <tr> <td>15 mm</td> <td>18 mm</td> <td>Linings/Pads</td> <td>20 mm</td> <td>15 mm</td> <td></td> </tr> <tr> <td></td> <td>26 mm</td> <td>Push Rod Travel</td> <td>26 mm</td> <td></td> <td></td> </tr> <tr> <td>100 psi</td> <td>419.00 mm</td> <td>Drums/Rotors</td> <td>419.00 mm</td> <td>100 psi</td> <td></td> </tr> <tr> <td>23 mm</td> <td>22 mm</td> <td>Linings/Pads</td> <td>22 mm</td> <td>23 mm</td> <td></td> </tr> <tr> <td></td> <td>34 mm</td> <td>Push Rod Travel</td> <td>34 mm</td> <td></td> <td></td> </tr> <tr> <td>100 psi</td> <td>419.00 mm</td> <td>Drums/Rotors</td> <td>419.00 mm</td> <td>100 psi</td> <td></td> </tr> <tr> <td>23 mm</td> <td>22 mm</td> <td>Linings/Pads</td> <td>22 mm</td> <td>23 mm</td> <td></td> </tr> <tr> <td></td> <td>35 mm</td> <td>Push Rod Travel</td> <td>40 mm</td> <td></td> <td></td> </tr> <tr> <td>100 psi</td> <td>419.00 mm</td> <td>Drums/Rotors</td> <td>419.00 mm</td> <td>100 psi</td> <td></td> </tr> <tr> <td>23 mm</td> <td>22 mm</td> <td>Linings/Pads</td> <td>22 mm</td> <td>23 mm</td> <td></td> </tr> <tr> <td></td> <td>40 mm</td> <td>Push Rod Travel</td> <td>37 mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td>psi</td> <td></td> </tr> <tr> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td>mm</td> <td></td> </tr> <tr> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td>psi</td> <td></td> </tr> <tr> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td>mm</td> <td></td> </tr> <tr> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> <td></td> </tr> </tbody> </table>				LEFT		FRONT		RIGHT		110 psi	419.92 mm	Drums/Rotors	419.88 mm	110 psi		15 mm	18 mm	Linings/Pads	20 mm	15 mm			26 mm	Push Rod Travel	26 mm			100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi		23 mm	22 mm	Linings/Pads	22 mm	23 mm			34 mm	Push Rod Travel	34 mm			100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi		23 mm	22 mm	Linings/Pads	22 mm	23 mm			35 mm	Push Rod Travel	40 mm			100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi		23 mm	22 mm	Linings/Pads	22 mm	23 mm			40 mm	Push Rod Travel	37 mm			psi	mm	Drums/Rotors	mm	psi		mm	mm	Linings/Pads	mm	mm			mm	Push Rod Travel	mm			psi	mm	Drums/Rotors	mm	psi		mm	mm	Linings/Pads	mm	mm			mm	Push Rod Travel	mm		
LEFT		FRONT		RIGHT																																																																																																																	
110 psi	419.92 mm	Drums/Rotors	419.88 mm	110 psi																																																																																																																	
15 mm	18 mm	Linings/Pads	20 mm	15 mm																																																																																																																	
	26 mm	Push Rod Travel	26 mm																																																																																																																		
100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi																																																																																																																	
23 mm	22 mm	Linings/Pads	22 mm	23 mm																																																																																																																	
	34 mm	Push Rod Travel	34 mm																																																																																																																		
100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi																																																																																																																	
23 mm	22 mm	Linings/Pads	22 mm	23 mm																																																																																																																	
	35 mm	Push Rod Travel	40 mm																																																																																																																		
100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi																																																																																																																	
23 mm	22 mm	Linings/Pads	22 mm	23 mm																																																																																																																	
	40 mm	Push Rod Travel	37 mm																																																																																																																		
psi	mm	Drums/Rotors	mm	psi																																																																																																																	
mm	mm	Linings/Pads	mm	mm																																																																																																																	
	mm	Push Rod Travel	mm																																																																																																																		
psi	mm	Drums/Rotors	mm	psi																																																																																																																	
mm	mm	Linings/Pads	mm	mm																																																																																																																	
	mm	Push Rod Travel	mm																																																																																																																		
Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm																																																																																																																					
Wheel Torque Checked ☒ Inner N/A ft lbs Outer 475 ft lbs																																																																																																																					

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature			✓
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)			✓
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*			

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

2.2 Axle 4 torque rod bushings shot. Replaced

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓		
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.11. Parking Brake & Emergency Application	✓					

NOTES:

3A.15- Axle 2,3,4 RH and LH brake drums heat cracked. Replaced
3A.15- Axle 2,3,4 RH and LH brake shoes worn unevenly. Replaced

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓	
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle		✓
4.3. Steering Operation (Active Steer Axle)	✓					

NOTES:

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓	
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater		✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack		✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓	
5.7. Windshield Wiper/Washer	✓					

NOTES:

5.1- Fire extinguisher expired. Replaced.
5.2- Hazard warning kit missing. Put a new kit in the truck.
5.3- Electric horn inoperable. Replaced horn.

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓	
6.2. Reflex Reflector			✓	6.5. Headlamp Aim	✓	
6.3. Retro-Reflective Marking	✓					

NOTES:

6.1- LH engine air cleaner marker light out. Replaced.
6.1- RH bunk marker light out. Replaced.
6.1- license plate light out. Replaced.

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery	✓					

NOTES:

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓	
8.2. Tilt Cab			✓	8.13. Windshield	✓	
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓	
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓	
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓	
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓	
8.7. Utilized Body Elements	✓			8.18. Rear-View Mirror	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.8. Cab or Cargo Door	✓			8.19. Seat	✓			
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓			
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓			
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	✓			

NOTES:

- 8.1- RH hood fender rear support cracked out. Repaired.
- 8.1- RH and LH hood fender front bracket glue let go. Repaired.
- 8.3- Cab air bags not inflating. Replaced levelling valve.
- 8.3- LH inner cab air bag pin hole leak. Replaced.
- 8.8- Drivers door hinges shot. Replaced.
- 8.16- Interior sun visor fell off. Reinstalled with new hardware.
- 8.20- Drivers and passengers seat belts frayed. Replaced.
- 8.21- Axle 1 LH fender front mud flap bolts missing. Repaired.

Section 9 - Tires and Wheels								
Component	P	F	NA	Component	P	F	NA	
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓			
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim	✓			
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓	
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓			
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓			
9.6. Wheel Bearing	✓							

NOTES:

- 9.2- Axle 2 RH and LH wheel tread worn unevenly. Replaced.
- 9.2- Axle 3 RH and LH wheel tread worn unevenly. Replaced.
- 9.2- Axle 4 RH and LH wheel tread worn unevenly. Replaced.

Section 10 - Couplers and Hitches								
Component	P	F	NA	Component	P	F	NA	
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓	
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.6. Automated Coupling Device			✓	
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler			✓	
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓	

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8525948) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/09/03	Technician Number D2539	Facility Number 21399	Signature 
Customer Acknowledgment			Date (Year/Month/Day) 2025/09/03
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Customer Signature