



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	46500 kg	Brake Type:	Air
Owner Name:	SARA TRANSPORT LTD		
Address:	80-4797 22 ST SE		
City:	CALGARY	Province:	AB
		Postal Code:	T2B0N8
Telephone Number:	(403) 998-5112		
Vehicle Identification Number:	3AKJHHDR9RSUU3244		
Make:	Freightliner	Model:	Cascadia
Year:	2024	Unit Number:	439
Odometer:	751397 KM	Licence Plate Number:	0GC117
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Premium Tires Acheson Ltd.	22131
Inspection Technician Name:	Technician Number:
Sahil Devgan	C9220
Inspection Technician Signature:	<i>Sahil Devgan</i>
Inspection Date:	2026/04/18

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Truck										46500 kg									
Vehicle Information																			
VIN	3	A	K	J	H	H	D	R	9	R	S	U	U	3	2	4	4		
Unit Number		Year		Make				Model				Odometer							
439		2024		Freightliner				Cascadia				751,397							
Registered Owner's Name														Plate Number					
SARA TRANSPORT LTD														0GC117					
Address										Postal Code				Phone Number					
80-4797 22 ST SE										T2B0N8				(403) 998-5112					

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT		FRONT		RIGHT			
100 psi	10 in	16.560	in	Drums/Rotors	16.550	in	100 psi	13 in	
		22/32	in	Linings/Pads	24/32	in			
		1 1/2	in	Push Rod Travel	1 1/2	in			
100 psi	100 psi	16.564	in	Drums/Rotors	16.558	in	100 psi	100 psi	
16 in	16 in	24/32	in	Linings/Pads	22/32	in	17 in	17 in	
		1 3/4	in	Push Rod Travel	1 3/4	in			
100 psi	100 psi	16.560	in	Drums/Rotors	16.560	in	100 psi	100 psi	
17 in	17 in	23/32	in	Linings/Pads	22/32	in	16 in	16 in	
		1 7/8	in	Push Rod Travel	1 3/4	in			
psi	psi		in	Drums/Rotors		in	psi	psi	
in	in		in	Linings/Pads		in	in	in	
			in	Push Rod Travel		in			
psi	psi		in	Drums/Rotors		in	psi	psi	
in	in		in	Linings/Pads		in	in	in	
			in	Push Rod Travel		in			
psi	psi		in	Drums/Rotors		in	psi	psi	
in	in		in	Linings/Pads		in	in	in	
			in	Push Rod Travel		in			
Park Brake Lining Left N/A in Right N/A in Trans 0 in									
Wheel Torque Checked ☒ Inner 0 ft lbs Outer 500 ft lbs									

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1- Power Train													
Component				P	F	NA	Component				P	F	NA
1.1. Accelerator Pedal/Throttle Actuator				✓			1.8. Engine Start Safety Feature				✓		
1.2. Exhaust System				✓			1.9. Gear Position Indicator						✓
1.3. Emission Control Systems and Devices				✓			1.10. Engine or Accessory Drive Belt				✓		
1.4. Drive Shaft				✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System						✓
1.5. Clutch and Clutch Pedal						✓	1.12. Gasoline or Diesel Fuel System				✓		
1.6. Engine/Transmission Mount				✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*						✓
1.7. Engine/Shut Down				✓									

NOTES:

APPENDIX "A"													
Component				P	F	NA	Component				P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System						✓	A.3. Liquefied Natural Gas (LNG) Fuel System						✓
A.2. Compressed Natural Gas (CNG) Fuel System						✓							

NOTES:

Section 2 - Suspension													
Component				P	F	NA	Component				P	F	NA
2.1. Suspension & Frame Attachments				✓			2.5. Air Suspension				✓		
2.2. Axle Attaching & Tracking Components				✓			2.6. Self-Steer and Controlled-Steer Axle						✓
2.3. Axle & Axle Assembly				✓			2.7. Shock Absorber/Strut Assembly				✓		
2.4. Spring & Spring Attachment				✓									

NOTES:

1ST AXLE DRIVER SIDE SHOCK REPLACED.
AXLE 2 AND 3 BOTH SIDES SHOCK REPLACED.

Section 3H- Hydraulic Brakes													
Component				P	F	NA	Component				P	F	NA
3H.1. Hydraulic System Components						✓	3H.13. Disc Brake System Components						✓
3H.2. Brake Pedal/Actuator						✓	3H.14. Mechanical Parking Brake						✓
3H.3. Vacuum Assist (Boost) System						✓	3H.15. Spring-Applied Air-Released Parking Brake						✓
3H.4. Hydraulic Assist (Boost) System						✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake						✓
3H.5. Air Assist (Boost) System						✓	3H.17. Anti-Lock Brake System (ABS)						✓
3H.6. Air-Over-Hydraulic Brake System						✓	3H.18. Stability Control System						✓
3H.11. Brake System Indicator Lamps						✓	3H.19. Brake Performance						✓
3H.12. Drum Brake System Components						✓							

NOTES:

Section 3A- Air Brakes											
Component	P	F	NA	Component	P	F	NA				
3A.1. Air Compressor	✓			3A.13. Air System Components	✓						
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓						
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓						
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓						
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓				
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓				
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓						
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓						
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓						

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.11. Parking Brake & Emergency Application	✓					

NOTES:

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓	
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle		✓
4.3. Steering Operation (Active Steer Axle)	✓					

NOTES:

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓	
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater		✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack		✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓	
5.7. Windshield Wiper/Washer	✓					

NOTES:

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓	
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓	
6.3. Retro-Reflective Marking	✓					

NOTES:

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery	✓					

NOTES:

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓	
8.2. Tilt Cab			✓	8.13. Windshield	✓	
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓	
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓	
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓	
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓	
8.7. Utilized Body Elements	✓			8.18. Rear-View Mirror	✓	
8.8. Cab or Cargo Door	✓			8.19. Seat	✓	
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓	
8.10. Body, Device or Equipment Attached or Mounted to the			✓	8.21. Fender/Mud Flap	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	✓	

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓	
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					


NOTES:

1ST AXLE PASSENGER SIDE WHEEL SEAL REPLACED.

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓	
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification
The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8699083) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2026/04/18	Technician Number C9220	Facility Number 22131	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.	Date (Year/Month/Day) 2026/04/18
	Customer Signature 