



Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	53400 kg	Brake Type:	Air
Owner Name:	ATLAS LAND SERVICES INC.		
Address:	90 TUSCANY SUMMIT GREEN NW		
City:	CALGARY	Province:	AB
		Postal Code:	T3L 0B8
Telephone Number:	(403) 998-9824		
Vehicle Identification Number:	2FZHAZCV27AY89302		
Make:	Sterling	Model:	y113064s
Year:	2007	Unit Number:	T-10
Odometer:	422555 KM	Licence Plate Number:	23P806
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
WILLY HEAVY EQUIPMENT & AUTO REPAIR INC	21977
Inspection Technician Name:	Technician Number:
William Zuwe	C2668
Inspection Technician Signature:	
Inspection Date:	2026/04/01



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered											
Truck										53400 kg											
Vehicle Information																					
VIN	2	F	Z	H	A	Z	C	V	2	7	A	Y	8	9	3	0	2				
Unit Number				Year				Make				Model				Odometer					
T-10				2007				Sterling				y113064s				422,555					
Registered Owner's Name																Plate Number					
ATLAS LAND SERVICES INC.																23P806					
Address												Postal Code				Phone Number					
90 TUSCANY SUMMIT GREEN NW												T3L 0B8				(403) 998-9824					

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
105 psi		420.39	mm	Drums/Rotors	421.78	mm		105 psi	
11 mm		15	mm	Linings/Pads	5	mm		13 mm	
		38	mm	Push Rod Travel	38	mm			
100 psi	102 psi	421.89	mm	Drums/Rotors	421.86	mm		102 psi	95 psi
15 mm	13 mm	4	mm	Linings/Pads	5	mm		9 mm	7 mm
		48	mm	Push Rod Travel	38	mm			
98 psi	95 psi	421.98	mm	Drums/Rotors	422.28	mm		103 psi	101 psi
12 mm	13 mm	5	mm	Linings/Pads	3	mm		12 mm	11 mm
		44	mm	Push Rod Travel	50	mm			
psi	psi		mm	Drums/Rotors		mm		psi	psi
mm	mm		mm	Linings/Pads		mm		mm	mm
			mm	Push Rod Travel		mm			
psi	psi		mm	Drums/Rotors		mm		psi	psi
mm	mm		mm	Linings/Pads		mm		mm	mm
			mm	Push Rod Travel		mm			
psi	psi		mm	Drums/Rotors		mm		psi	psi
mm	mm		mm	Linings/Pads		mm		mm	mm
			mm	Push Rod Travel		mm			

Park Brake Lining Left NA mm Right NA mm Trans NA mm
Wheel Torque Checked ☒ Inner NA ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓	
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓	
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓	
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System		✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓	
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓
1.7. Engine/Shut Down	✓					

NOTES:

=ALL REPAIRS HAS BEEN CORRECTED=

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle		✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓	
2.4. Spring & Spring Attachment	✓					

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components		✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake		✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake		✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake		✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System		✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance		✓
3H.12. Drum Brake System Components			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓	
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓	
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓	
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓	
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components		✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓	
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes					
Component	P	F	NA	Component	P F NA
3A.11. Parking Brake & Emergency Application	✓				

NOTES:

AIR COMPRESSOR DISCHARGE LINE FITTING LOOSE
REPLACE STEER AXLE RH BRAKE SHOES AND DRUM
REPLACE ALL DRIVE AXLES BRAKE SHOES AND DRUMS
CHECK UNIT FOR AIR LEAKS

Section 4 - Steering					
Component	P	F	NA	Component	P F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	
4.3. Steering Operation (Active Steer Axle)	✓				✓

NOTES:

STEERING INPUT SEAL LEAKING

Section 5 - Instruments and Auxiliary Equipment					
Component	P	F	NA	Component	P F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓
5.7. Windshield Wiper/Washer	✓				

NOTES:

REPLACE BOTH WIPER BLADES
ELECTRIC HORN NOT WORKING

Section 6 - Lamps					
Component	P	F	NA	Component	P F NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓
6.3. Retro-Reflective Marking	✓				

NOTES:

REPAIR ALL NON-OPERATIVE MARKER LIGHTS
INSTALL MISSING REFLECTIVE TAPE AROUND UNIT

Section 7 - Electrical System					
Component	P	F	NA	Component	P F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓
7.2. Battery	✓				

NOTES:

BATTERIES TERMINALS CORRODED

Section 8 - Body					
Component	P	F	NA	Component	P F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓
8.2. Tilt Cab			✓	8.13. Windshield	✓
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body					
Component	P	F	NA	Component	P F NA
8.8. Cab or Cargo Door	✓			8.19. Seat	✓
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	

NOTES:

JUNKY TOOLBOX SUPPORTS BROKEN
WINDSHIELD CRACK
TAILGATE SHIFTED TO THE LEFT
DRIVER SIDE DOOR HARD TO OPEN
REPLACE BOTH DRIVE AXLE FRONT MUDFLAPS AND ANTI-SAIL BRACKETS

Section 9 - Tires and Wheels					
Component	P	F	NA	Component	P F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim	
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System	✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓
9.6. Wheel Bearing	✓				

NOTES:


ADJUST TIRES PRESSURE

Section 10 - Couplers and Hitches					
Component	P	F	NA	Component	P F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch	✓
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.6. Automated Coupling Device	✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler	✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler	✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8458892)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/04/01	C2668	21977	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/04/01

Customer Signature

