



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	Priority One Transport Inc.		
Address:	22943 110 Ave NW		
City:	Edmonton	Province:	AB
		Postal Code:	T5S 1Y2
Telephone Number:	4826094		
Vehicle Identification Number:	2A9LB5035EN125132		
Make:	Aspen	Model:	FGE50-3
Year:	2014	Unit Number:	SNT02
Odometer:	KM	Licence Plate Number:	6TL085
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Answer Trailer Rentals & Leasing Ltd.	18213
Inspection Technician Name:	Technician Number:
Randall Semeniuk	A0184
Inspection Technician Signature:	
Inspection Date:	2026/02/10

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		Gross Vehicle Weight registered																																																																																																																			
Trailer		kg																																																																																																																			
Vehicle Information																																																																																																																					
VIN	2	A	9																																																																																																																		
L	B	5	0																																																																																																																		
3	5	E	N																																																																																																																		
1	2	5	1																																																																																																																		
3	2																																																																																																																				
Unit Number	Year	Make	Model																																																																																																																		
SNT02	2014	Aspen	FGE50-3																																																																																																																		
Registered Owner's Name		Plate Number																																																																																																																			
Priority One Transport Inc.		6TL085																																																																																																																			
Address		Postal Code	Phone Number																																																																																																																		
22943 110 Ave NW		T5S 1Y2	4826094																																																																																																																		
Drum Brakes:		Disc Brakes:																																																																																																																			
A-Full Inspection with Drum Removed																																																																																																																					
<table border="1"> <tr> <th colspan="2">LEFT</th> <th colspan="2">FRONT</th> <th colspan="2">RIGHT</th> </tr> <tr> <td>100 psi</td> <td>100 psi</td> <td>16.52 mm</td> <td>Drums/Rotors</td> <td>16.52 mm</td> <td></td> </tr> <tr> <td>21 mm</td> <td>21 mm</td> <td>.86 mm</td> <td>Linings/Pads</td> <td>.71 mm</td> <td></td> </tr> <tr> <td></td> <td></td> <td>1.25 mm</td> <td>Push Rod Travel</td> <td>1.25 mm</td> <td></td> </tr> <tr> <td>100 psi</td> <td>100 psi</td> <td>16.55 mm</td> <td>Drums/Rotors</td> <td>16.52 mm</td> <td></td> </tr> <tr> <td>10 mm</td> <td>13 mm</td> <td>.74 mm</td> <td>Linings/Pads</td> <td>.78 mm</td> <td></td> </tr> <tr> <td></td> <td></td> <td>1.25 mm</td> <td>Push Rod Travel</td> <td>1.25 mm</td> <td></td> </tr> <tr> <td>100 psi</td> <td>100 psi</td> <td>16.55 mm</td> <td>Drums/Rotors</td> <td>16.54 mm</td> <td></td> </tr> <tr> <td>14 mm</td> <td>15 mm</td> <td>.87 mm</td> <td>Linings/Pads</td> <td>.74 mm</td> <td></td> </tr> <tr> <td></td> <td></td> <td>1.25 mm</td> <td>Push Rod Travel</td> <td>1.25 mm</td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td></td> </tr> <tr> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td></td> </tr> <tr> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td></td> </tr> <tr> <td>mm</td> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td></td> </tr> <tr> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> </tr> </table>				LEFT		FRONT		RIGHT		100 psi	100 psi	16.52 mm	Drums/Rotors	16.52 mm		21 mm	21 mm	.86 mm	Linings/Pads	.71 mm				1.25 mm	Push Rod Travel	1.25 mm		100 psi	100 psi	16.55 mm	Drums/Rotors	16.52 mm		10 mm	13 mm	.74 mm	Linings/Pads	.78 mm				1.25 mm	Push Rod Travel	1.25 mm		100 psi	100 psi	16.55 mm	Drums/Rotors	16.54 mm		14 mm	15 mm	.87 mm	Linings/Pads	.74 mm				1.25 mm	Push Rod Travel	1.25 mm		psi	psi	mm	Drums/Rotors	mm		mm	mm	mm	Linings/Pads	mm				mm	Push Rod Travel	mm		psi	psi	mm	Drums/Rotors	mm		mm	mm	mm	Linings/Pads	mm				mm	Push Rod Travel	mm		psi	psi	mm	Drums/Rotors	mm		mm	mm	mm	Linings/Pads	mm				mm	Push Rod Travel	mm	
LEFT		FRONT		RIGHT																																																																																																																	
100 psi	100 psi	16.52 mm	Drums/Rotors	16.52 mm																																																																																																																	
21 mm	21 mm	.86 mm	Linings/Pads	.71 mm																																																																																																																	
		1.25 mm	Push Rod Travel	1.25 mm																																																																																																																	
100 psi	100 psi	16.55 mm	Drums/Rotors	16.52 mm																																																																																																																	
10 mm	13 mm	.74 mm	Linings/Pads	.78 mm																																																																																																																	
		1.25 mm	Push Rod Travel	1.25 mm																																																																																																																	
100 psi	100 psi	16.55 mm	Drums/Rotors	16.54 mm																																																																																																																	
14 mm	15 mm	.87 mm	Linings/Pads	.74 mm																																																																																																																	
		1.25 mm	Push Rod Travel	1.25 mm																																																																																																																	
psi	psi	mm	Drums/Rotors	mm																																																																																																																	
mm	mm	mm	Linings/Pads	mm																																																																																																																	
		mm	Push Rod Travel	mm																																																																																																																	
psi	psi	mm	Drums/Rotors	mm																																																																																																																	
mm	mm	mm	Linings/Pads	mm																																																																																																																	
		mm	Push Rod Travel	mm																																																																																																																	
psi	psi	mm	Drums/Rotors	mm																																																																																																																	
mm	mm	mm	Linings/Pads	mm																																																																																																																	
		mm	Push Rod Travel	mm																																																																																																																	
Park Brake Lining Left NA mm Right NA mm Trans NA mm																																																																																																																					
Wheel Torque Checked ☒ Inner NA ft lbs Outer 500 ft lbs																																																																																																																					

VSSRO12018

P=PASS F=FAIL NA=Not Applicable

Page 1 of 4

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train							
Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System				1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			
NOTES:							
APPENDIX "A"							
Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System				A.3. Liquefied Natural Gas (LNG) Fuel System			
A.2. Compressed Natural Gas (CNG) Fuel System							
NOTES:							
Section 2 - Suspension							
Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments				2.5. Air Suspension			
2.2. Axle Attaching & Trailing Components				2.6. Self-Steer & Controlled-Steer Axle			
2.3. Axle & Axle Assembly				2.7. Shock Absorber/Strut Assembly			
2.4. Spring & Spring Attachment							
NOTES: SHOCKS LEAKING/replaced REAR COMMON AIR LINE FITTINGS SEIZED/replaced							
Section 3H - Hydraulic Brakes							
Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components				3H.10. Electric Brake System			
3H.6. Air-Over-Hydraulic Brake System				3H.12. Drum Brake System Components			
3H.7. Surge Brake Controller				3H.13. Disc Brake System Components			
3H.8. Vacuum System				3H.19. Brake Performance			
3H.9. Air-Boosted Trailer Brake System							
NOTES:							
Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage				3A.16. S-Cam Drum Brake System			
3A.4. Air Tank				3A.17. Brake Shoe Travel (Wedge Brakes)			
3A.8. Brake Valves & Controls				3A.18. Disc Brake System Components			
3A.12. Parking Brake & Emergency Application				3A.20. Anti-Lock Brake System (ABS)			
3A.13. Air System Components				3A.22. Stability Control System (ESC) or (RSS)			
3A.14. Brake Chamber				3A.23. Brake Performance			
3A.15. Drum Brake System Components							
NOTES: LC BRAKE DRAGGING/repaired FRON AIR TANK LEAKING/replaced DRAIN COCK SEIZED/replaced							
Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage				4.5. Self Steer & Controlled-Steer Axle			
4.4. Kingpin							

VSSRO12018

P=PASS F=FAIL NA=Not Applicable

Page 2 of 4

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:							
Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher							
NOTES:							
Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps				6.3. Retro-Reflective Marking			
6.2. Reflex Reflector							
NOTES: RH MID TRAIL LIGHTS 1/2 LIT/replaced SWING OUT ARM SEIZED/replaced							
Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring				7.3. Trailer Cord (output to towed vehicle)			
7.2. Battery							
NOTES: REAR LIGHT PLUG NOT WORKING PROPERLY/replaced							
Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body				8.11. Refrigeration/Heater Unit Fuel System			
8.6. Frame Rails & Mounts				8.21. Fender/Mud Flap			
8.7. Unified Body Elements				8.22. Landing Gear on Trailer			
8.8. Cab or Cargo Door				8.23. Sliding Axle Assembly (Sliding Bogie)			
8.9. Cargo Tank or Vessel				8.24. Aerodynamic Device & Attachment			
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle				8.25. Rear Impact Guard (RIG)			
NOTES: WINCHES SEIZED/replaced							
Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth				9.7. Wheel/Rim			
9.2. Tire Tread Condition				9.8. Multi-Piece Wheel/Rim			
9.3. Tire Sidewall & Manufacturer Markings				9.9. Spoke Wheel/Demountable Rim System			
9.4. Tire Inflation Pressure				9.10. Disc Wheel System			
9.5. Wheel Hub				9.11. Wheel Fasteners (Nuts, Bolts & Studs)			
9.6. Wheel Bearing							
NOTES: TIRES WORN/replaced							
Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components				10.6. Automated Coupling Device			
10.2. Secondary Attachment (Safety Chain or Cable)				10.7. Fifth Wheel Coupler			
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch				10.8. Oscillating Fifth Wheel Coupler			

VSSRO12018

P=PASS F=FAIL NA=Not Applicable

Page 3 of 4

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.4. Ball Type Hitch				10.9. Ball-Bearing Type Turntable on Trailer			
10.5. Roll-Coupling Hitch							
NOTES:							
Certification							
The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8650094) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.							
Date of Inspection	Technician Number	Facility Number	Signature				
2026/02/10	A0184	18213					
Customer Acknowledgment							
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.							
Date (Year/Month/Day)							Customer Signature
2026/02/10							

VSSRO12018

P=PASS F=FAIL NA=Not Applicable

Page 4 of 4

