



Commercial Vehicle Inspection Certificate Traffic Safety Act


PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	46500 kg	Brake Type:	Air
Owner Name:	STINGRAY WELL SOLUTIONS INC		
Address:	120 7445 45AVE CLOSE		
City:	RED DEER	Province:	AB
		Postal Code:	T4P4C2
Telephone Number:	(403) 596-4036		
Vehicle Identification Number:	3HSCXAPR5BN381588		
Make:	International	Model:	Lonestar
Year:	2011	Unit Number:	2003
Odometer:	715203 KM	Licence Plate Number:	CKY8461
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Industrial Diesel Repair And Performance Ltd	20148
Inspection Technician Name:	Technician Number:
Sebastian Voswinkel	B9223
Inspection Technician Signature:	
Inspection Date:	2026/04/02

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 46500 kg									
Vehicle Information																			
VIN	3	H	S	C	X	A	P	R	5	B	N	3	8	1	5	8	8		
Unit Number 2003				Year 2011				Make International				Model Lonestar				Odometer 715,203			
Registered Owner's Name STINGRAY WELL SOLUTIONS INC																Plate Number CKY8461			
Address 120 7445 45AVE CLOSE										Postal Code T4P4C2				Phone Number (403) 596-4036					

Drum Brakes: A-Full Inspection with Drum Removed	Disc Brakes:
---	---------------------

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
100 psi 13 mm		381.14	mm	Drums/Rotors		380.77	mm	100 psi 13 mm	
		15	mm	Linings/Pads		15	mm		
		26	mm	Push Rod Travel		29	mm		
100 psi 14 mm	100 psi 7 mm	419.60	mm	Drums/Rotors		421.00	mm	100 psi 13 mm	100 psi 14 mm
		18	mm	Linings/Pads		16	mm		
		44	mm	Push Rod Travel		45	mm		
100 psi 16 mm	100 psi 16 mm	419.48	mm	Drums/Rotors		419.98	mm	100 psi 15 mm	100 psi 16 mm
		20	mm	Linings/Pads		18	mm		
		36	mm	Push Rod Travel		55	mm		
psi mm	psi mm		mm	Drums/Rotors			mm	psi mm	psi mm
			mm	Linings/Pads			mm		
			mm	Push Rod Travel			mm		
psi mm	psi mm		mm	Drums/Rotors			mm	psi mm	psi mm
			mm	Linings/Pads			mm		
			mm	Push Rod Travel			mm		
psi mm	psi mm		mm	Drums/Rotors			mm	psi mm	psi mm
			mm	Linings/Pads			mm		
			mm	Push Rod Travel			mm		

Park Brake Lining Left NA mm Right NA mm Trans NA mm
 Wheel Torque Checked ☒ Inner NA ft lbs Outer 450 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

YOKE NUT LOOSE - TIGHTENED
TRANS OUTPUT SEAL LEAKING - REPLACED

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

TORQUE RODS WORN - REPLACED

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air-Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

AIR LEAK AXLE 1 - REPAIRED
SEVERAL BRAKE POTS HAVE BROKEN SPRINGS - REPLACED
AXLE 1 S CAM SEALS/BUSHINGS WORN - REPLACED

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

STEERING U JOINTS WORN - REPLACED
TIE ROD WORN - REPLACED
DRAG LINK WORN - REPLACED

Section 5 - Instruments and Auxillary-Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

SEVERAL LIGHT N/W - REPAIRED

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

LOOSE BATTERY CABLES

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Utilized Body Elements			✓	8.18. Rear-View Mirror	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.19. Seat	✓		
8.8. Cab or Cargo Door	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.21. Fender/Mud Flap	✓		
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8689975) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2026/04/02	Technician Number B9223	Facility Number 20148	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/04/02

Customer Signature