



CV8465324



80087300008465324

CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act****PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	Al's Contracting Ltd.		
Address:	Box 247		
City:	Lac La Biche	Province:	AB
		Postal Code:	T0A2C0
Telephone Number:	(780) 623-2242		
Vehicle Identification Number:	5KKPALDR9CPBN4824		
Make:	Western Star	Model:	Conventional
Year:	2012	Unit Number:	HV01
Odometer:	666167 KM	Licence Plate Number:	OBJ805
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE**PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
848875 Alberta Ltd.	16585
Inspection Technician Name:	Technician Number:
Ian L'Heureux	C1513
Inspection Technician Signature:	
Inspection Date:	2026/03/11



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Truck										63500 kg									
Vehicle Information																			
VIN	5	K	K	P	A	L	D	R	9	C	P	B	N	4	8	2	4		
Unit Number HV01				Year 2012				Make Western Star				Model Conventional				Odometer 666,167			
Registered Owner's Name Al's Contracting Ltd.														Plate Number 0BJ805					
Address Box 247										Postal Code T0A2C0					Phone Number (780) 623-2242				

Drum Brakes: A-Full Inspection with Drum Removed	Disc Brakes:
---	---------------------

		LEFT		FRONT		RIGHT			
100 psi 17 mm	—	420.08	mm	Drums/Rotors	420.02	mm	100 psi 17 mm	—	
		18	mm	Linings/Pads	18	mm			
		25.40	mm	Push Rod Travel	25.40	mm			
110 psi 9 mm	—	420.86	mm	Drums/Rotors	420.71	mm	110 psi 8 mm	—	
		17	mm	Linings/Pads	15	mm			
		38.10	mm	Push Rod Travel	31.75	mm			
110 psi 23 mm	—	420.53	mm	Drums/Rotors	420.39	mm	110 psi 23 mm	—	
		17	mm	Linings/Pads	17	mm			
		31.75	mm	Push Rod Travel	31.75	mm			
110 psi 21 mm	—	420.18	mm	Drums/Rotors	420.12	mm	110 psi 21 mm	—	
		13	mm	Linings/Pads	13	mm			
		31.75	mm	Push Rod Travel	31.75	mm			
— psi — mm	—	—	mm	Drums/Rotors	—	mm	— psi — mm	—	
		—	mm	Linings/Pads	—	mm			
		—	mm	Push Rod Travel	—	mm			
— psi — mm	—	—	mm	Drums/Rotors	—	mm	— psi — mm	—	
		—	mm	Linings/Pads	—	mm			
		—	mm	Push Rod Travel	—	mm			

Park Brake Lining	Left	n/a	mm	Right	n/a	mm	Trans	n/a	mm
Wheel Torque Checked	☒	Inner	n/a	ft lbs	Outer	500	ft lbs		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature			✓	
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.11. Parking Brake & Emergency Application	✓							

NOTES:

- push connect air fitting leaking at #2 axle r/h brake valve (replaced air fitting and hose)

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓	
4.3. Steering Operation (Active Steer Axle)	✓							

NOTES:

- power steering box input shaft seal leaking (replace seal)

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓			
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓			
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓			
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓			
5.7. Windshield Wiper/Washer	✓							

NOTES:

- windshield wipers park in center of windshield (replaced wiper motor)

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓			
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓			
6.3. Retro-Reflective Marking	✓							

NOTES:

- r/h mirror light not working (replaced both burnt bulbs)

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓	
7.2. Battery	✓							

NOTES:

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓			
8.2. Tilt Cab			✓	8.13. Windshield	✓			
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓			
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓			
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓			
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓			
8.7. Utilized Body Elements	✓			8.18. Rear-View Mirror	✓			
8.8. Cab or Cargo Door	✓			8.19. Seat	✓			
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓			
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓	
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					


NOTES:

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler		✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8465324) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable inspection Manual.

Date of Inspection 2026/03/11	Technician Number C1513	Facility Number 16585	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment	
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.	Date (Year/Month/Day) 2026/03/11 Customer Signature