



80087000008329352

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	32100 kg	Brake Type:	Air
Owner Name:	Pitbull energy services		
Address:	7506 43 street		
City:	leduc	Province:	AB
Postal Code:	T9E7E8		
Telephone Number:	(780) 265-0110		
Vehicle Identification Number:	1NPTX4TX3DD209779		
Make:	Peterbilt	Model:	Conventional
Year:	2013	Unit Number:	W325
Odometer:	295932 KM	Licence Plate Number:	0FR876
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Pitbull Energy Services Inc.	18412
Inspection Technician Name:	Technician Number:
Michael Hahn	B9800
Inspection Technician Signature:	
Inspection Date:	2026/03/31

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered											
Truck										32100 kg											
Vehicle Information																					
VIN	1	N	P	T	X	4	T	X	3	D	D	2	0	9	7	7	9				
Unit Number W325				Year 2013				Make Peterbilt				Model Conventional				Odometer 295,932					
Registered Owner's Name Pitbull energy services																Plate Number 0FR876					
Address 7506 43 street												Postal Code T9E7E8				Phone Number (780) 265-0110					

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT		FRONT		RIGHT			
105 psi 15 mm		420.60 mm	Drums/Rotors	420.35 mm	105 psi 16 mm				
		18 mm	Linings/Pads	19 mm					
		30 mm	Push Rod Travel	30 mm					
100 psi 13 mm		421.35 mm	Drums/Rotors	421.05 mm	100 psi 12 mm				
		19 mm	Linings/Pads	19 mm					
		30 mm	Push Rod Travel	30 mm					
100 psi 8 mm		421.40 mm	Drums/Rotors	421.50 mm	100 psi 8 mm				
		18 mm	Linings/Pads	18 mm					
		30 mm	Push Rod Travel	30 mm					
100 psi 13 mm		421.25 mm	Drums/Rotors	421.15 mm	100 psi 10 mm				
		18 mm	Linings/Pads	19 mm					
		30 mm	Push Rod Travel	32 mm					
psi mm		mm	Drums/Rotors	mm	psi mm				
		mm	Linings/Pads	mm					
		mm	Push Rod Travel	mm					
psi mm		mm	Drums/Rotors	mm	psi mm				
		mm	Linings/Pads	mm					
		mm	Push Rod Travel	mm					

Park Brake Lining Left NA mm Right NA mm Trans NA mm
 Wheel Torque Checked ☒ Inner NA ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature			✓	
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Axle 2&3 springs top leaf worn 25% and wear pads worn out (REPLACED)

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.11. Parking Brake & Emergency Application	✓					

NOTES:

RH # 2 emergency brake hose leaking (REPLACED)

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓	
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle		✓
4.3. Steering Operation (Active Steer Axle)			✓			

NOTES:

LH drag link end has play (REPLACED)

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓	
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater		✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓	
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices		✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls		✓
5.7. Windshield Wiper/Washer	✓					

NOTES:

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓	
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓	
6.3. Retro-Reflective Marking	✓					

NOTES:

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery	✓					

NOTES:

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓	
8.2. Tilt Cab			✓	8.13. Windshield	✓	
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓	
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓	
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓	
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓	
8.7. Unitized Body Elements			✓	8.18. Rear-View Mirror	✓	
8.8. Cab or Cargo Door	✓			8.19. Seat	✓	
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓	
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES:

Tank mounting bolts loose (REPLACED AND TORQUED)
Drivers windshield cracked (REPLACED)


Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

RH # 1 & #3 wheel seals leaking (REPLACED)

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler		✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification			
The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8329352) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.			
Date of Inspection 2026/03/31	Technician Number B9800	Facility Number 18412	Signature 
Customer Acknowledgment I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day) 2026/03/31
			Customer Signature