



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	headwater transportation inc		
Address:	8328-1ST STREET NW		
City:	EDMONTON	Province:	AB
		Postal Code:	T6P1X2
Telephone Number:	(780) 410-1960		
Vehicle Identification Number:	1XPXD40X3DD200780		
Make:	Peterbilt	Model:	Conventional
Year:	2013	Unit Number:	154
Odometer:	1123920 KM	Licence Plate Number:	U10630
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Pioneer Truck Lines Ltd.	18279
Inspection Technician Name:	Technician Number:
Ronald Brehaut	B6389
Inspection Technician Signature:	
Inspection Date:	2025/11/03



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered																																																																																																																																																																																																																											
Truck										63500 kg																																																																																																																																																																																																																											
Vehicle Information																																																																																																																																																																																																																																					
VIN	1	X	P	X	D	4	0	X	3	D	D	2	0	0	7	8	0																																																																																																																																																																																																																				
Unit Number 154		Year 2013		Make Peterbilt			Model Conventional				Odometer 1,123,920																																																																																																																																																																																																																										
Registered Owner's Name headwater transportation inc															Plate Number U10630																																																																																																																																																																																																																						
Address 8328-1ST STREET NW										Postal Code T6P1X2					Phone Number (780) 410-1960																																																																																																																																																																																																																						
Drum Brakes: B-Wheel-on Full Inspection Disc Brakes:																																																																																																																																																																																																																																					
<table border="1"><thead><tr><th colspan="2"></th><th colspan="2">LEFT</th><th colspan="2">FRONT</th><th colspan="2">RIGHT</th><th colspan="2"></th></tr></thead><tbody><tr><td>100 psi</td><td>8 mm</td><td>421.75 mm</td><td>Drums/Rotors</td><td>421.45 mm</td><td></td><td>421.45 mm</td><td></td><td>100 psi</td><td>8 mm</td></tr><tr><td></td><td></td><td>15.36 mm</td><td>Linings/Pads</td><td>15.45 mm</td><td></td><td>15.45 mm</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>24.5 mm</td><td>Push Rod Travel</td><td>24.5 mm</td><td></td><td>24.5 mm</td><td></td><td></td><td></td></tr><tr><td>100 psi</td><td>22 mm</td><td>420.36 mm</td><td>Drums/Rotors</td><td>420.01 mm</td><td></td><td>420.01 mm</td><td></td><td>100 psi</td><td>22 mm</td></tr><tr><td>100 psi</td><td>22 mm</td><td>16.70 mm</td><td>Linings/Pads</td><td>16.79 mm</td><td></td><td>16.79 mm</td><td></td><td>100 psi</td><td>22 mm</td></tr><tr><td></td><td></td><td>36 mm</td><td>Push Rod Travel</td><td>36 mm</td><td></td><td>36 mm</td><td></td><td></td><td></td></tr><tr><td>100 psi</td><td>9 mm</td><td>420.10 mm</td><td>Drums/Rotors</td><td>420.20 mm</td><td></td><td>420.20 mm</td><td></td><td>100 psi</td><td>12 mm</td></tr><tr><td>100 psi</td><td>13 mm</td><td>13.36 mm</td><td>Linings/Pads</td><td>12.64 mm</td><td></td><td>12.64 mm</td><td></td><td>100 psi</td><td>8 mm</td></tr><tr><td></td><td></td><td>38 mm</td><td>Push Rod Travel</td><td>38 mm</td><td></td><td>38 mm</td><td></td><td></td><td></td></tr><tr><td>psi</td><td>mm</td><td></td><td>Drums/Rotors</td><td></td><td></td><td></td><td></td><td>psi</td><td>mm</td></tr><tr><td></td><td></td><td></td><td>Linings/Pads</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>Push Rod Travel</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>psi</td><td>mm</td><td></td><td>Drums/Rotors</td><td></td><td></td><td></td><td></td><td>psi</td><td>mm</td></tr><tr><td></td><td></td><td></td><td>Linings/Pads</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>Push Rod Travel</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>psi</td><td>mm</td><td></td><td>Drums/Rotors</td><td></td><td></td><td></td><td></td><td>psi</td><td>mm</td></tr><tr><td></td><td></td><td></td><td>Linings/Pads</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>Push Rod Travel</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="10">Park Brake Lining Left n/a mm Right n/a mm Trans n/a mm</td></tr><tr><td colspan="10">Wheel Torque Checked ☒ Inner n/a ft lbs Outer n/a ft lbs</td></tr></tbody></table>																						LEFT		FRONT		RIGHT				100 psi	8 mm	421.75 mm	Drums/Rotors	421.45 mm		421.45 mm		100 psi	8 mm			15.36 mm	Linings/Pads	15.45 mm		15.45 mm						24.5 mm	Push Rod Travel	24.5 mm		24.5 mm				100 psi	22 mm	420.36 mm	Drums/Rotors	420.01 mm		420.01 mm		100 psi	22 mm	100 psi	22 mm	16.70 mm	Linings/Pads	16.79 mm		16.79 mm		100 psi	22 mm			36 mm	Push Rod Travel	36 mm		36 mm				100 psi	9 mm	420.10 mm	Drums/Rotors	420.20 mm		420.20 mm		100 psi	12 mm	100 psi	13 mm	13.36 mm	Linings/Pads	12.64 mm		12.64 mm		100 psi	8 mm			38 mm	Push Rod Travel	38 mm		38 mm				psi	mm		Drums/Rotors					psi	mm				Linings/Pads										Push Rod Travel							psi	mm		Drums/Rotors					psi	mm				Linings/Pads										Push Rod Travel							psi	mm		Drums/Rotors					psi	mm				Linings/Pads										Push Rod Travel							Park Brake Lining Left n/a mm Right n/a mm Trans n/a mm										Wheel Torque Checked ☒ Inner n/a ft lbs Outer n/a ft lbs									
		LEFT		FRONT		RIGHT																																																																																																																																																																																																																															
100 psi	8 mm	421.75 mm	Drums/Rotors	421.45 mm		421.45 mm		100 psi	8 mm																																																																																																																																																																																																																												
		15.36 mm	Linings/Pads	15.45 mm		15.45 mm																																																																																																																																																																																																																															
		24.5 mm	Push Rod Travel	24.5 mm		24.5 mm																																																																																																																																																																																																																															
100 psi	22 mm	420.36 mm	Drums/Rotors	420.01 mm		420.01 mm		100 psi	22 mm																																																																																																																																																																																																																												
100 psi	22 mm	16.70 mm	Linings/Pads	16.79 mm		16.79 mm		100 psi	22 mm																																																																																																																																																																																																																												
		36 mm	Push Rod Travel	36 mm		36 mm																																																																																																																																																																																																																															
100 psi	9 mm	420.10 mm	Drums/Rotors	420.20 mm		420.20 mm		100 psi	12 mm																																																																																																																																																																																																																												
100 psi	13 mm	13.36 mm	Linings/Pads	12.64 mm		12.64 mm		100 psi	8 mm																																																																																																																																																																																																																												
		38 mm	Push Rod Travel	38 mm		38 mm																																																																																																																																																																																																																															
psi	mm		Drums/Rotors					psi	mm																																																																																																																																																																																																																												
			Linings/Pads																																																																																																																																																																																																																																		
			Push Rod Travel																																																																																																																																																																																																																																		
psi	mm		Drums/Rotors					psi	mm																																																																																																																																																																																																																												
			Linings/Pads																																																																																																																																																																																																																																		
			Push Rod Travel																																																																																																																																																																																																																																		
psi	mm		Drums/Rotors					psi	mm																																																																																																																																																																																																																												
			Linings/Pads																																																																																																																																																																																																																																		
			Push Rod Travel																																																																																																																																																																																																																																		
Park Brake Lining Left n/a mm Right n/a mm Trans n/a mm																																																																																																																																																																																																																																					
Wheel Torque Checked ☒ Inner n/a ft lbs Outer n/a ft lbs																																																																																																																																																																																																																																					

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator			✓	
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:

fan belt has cracks, 1st diff input has play in it, clutch adjust needed [changed out fan belt] [tightened up 1st diff input for having play] [adjusted clutch]

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment			✓					

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.11. Parking Brake & Emergency Application	✓							

NOTES:

leveling valve leaking, air compressor line rubbing at dipstick, air line at air dryer leaking, 1st drive right side brake spring bent [repaired air leak at leveling valve] [repaired air compressor line for rubbing] [repaired air leak at air dryer] [installed new brake spring kit 1st drive right side]

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓	
4.3. Steering Operation (Active Steer Axle)	✓							

NOTES:

power steering leak at pump,[repaired leak at power steering pump]

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓			
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓			
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓			
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓	
5.7. Windshield Wiper/Washer	✓							

NOTES:

needs new fire extinguisher [installed new fire extinguisher]

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓			
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓			
6.3. Retro-Reflective Marking	✓							

NOTES:

drivers side fog light out [removed fog lights]

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓			
7.2. Battery	✓							

NOTES:

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓			
8.2. Tilt Cab			✓	8.13. Windshield	✓			
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓			
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓			
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓			
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓			
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓			
8.8. Cab or Cargo Door	✓			8.19. Seat	✓			
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓			
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓	

NOTES:

both windshields cracked, heated mirrors not working [replaced both windows] [heated mirrors working]

Section 9 - Tires and Wheels								
Component	P	F	NA	Component	P	F	NA	
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓			
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓	
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓	
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓			
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓			
9.6. Wheel Bearing	✓							

NOTES:

1st drive right side wheel seal leaking [replaced wheel seal 1st drive right side]

Section 10 - Couplers and Hitches								
Component	P	F	NA	Component	P	F	NA	
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓	
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓	
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓			
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓	

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8446441)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/11/03	B6389	18279	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/11/03

Customer Signature