



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	45000 kg	Brake Type:	Air
Owner Name:	GMACK Oilfield Services Ltd		
Address:	5902 63 Ave		
City:	Lloydminster	Province:	AB
		Postal Code:	T9V 3T7
Telephone Number:	(780) 870-7211		
Vehicle Identification Number:	1NKCXBTX13R969592		
Make:	Kenworth	Model:	Construct
Year:	2003	Unit Number:	B52
Odometer:	152016 KM	Licence Plate Number:	CSR6765
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
GMACK Oilfield Services Ltd	21027
Inspection Technician Name:	Technician Number:
Quintin Olson	D1043
Inspection Technician Signature:	
Inspection Date:	2026/10/15

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 45000 kg											
Vehicle Information																					
VIN	1	N	K	C	X	B	T	X	1	3	R	9	6	9	5	9	2				
Unit Number B52				Year 2003				Make Kenworth				Model Construct				Odometer 152,016					
Registered Owner's Name GMACK Oilfield Services Ltd																Plate Number CSR6765					
Address 5902 63 Ave												Postal Code T9V 3T7				Phone Number (780) 870-7211					

Drum Brakes:										Disc Brakes:																								
<u>LEFT</u>					<u>FRONT</u>					<u>RIGHT</u>																								
100 psi 16 mm					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: right;">420.4</td><td>mm</td><td>Drums/Rotors</td><td style="text-align: right;">420.4</td><td>mm</td></tr> <tr><td style="text-align: right;">13</td><td>mm</td><td>Linings/Pads</td><td style="text-align: right;">13</td><td>mm</td></tr> <tr><td style="text-align: right;">30</td><td>mm</td><td>Push Rod Travel</td><td style="text-align: right;">30</td><td>mm</td></tr> </table>					420.4	mm	Drums/Rotors	420.4	mm	13	mm	Linings/Pads	13	mm	30	mm	Push Rod Travel	30	mm	100 psi 14 mm									
420.4	mm	Drums/Rotors	420.4	mm																														
13	mm	Linings/Pads	13	mm																														
30	mm	Push Rod Travel	30	mm																														
N/A psi N/A mm 100 psi 16 mm					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: right;">421.3</td><td>mm</td><td>Drums/Rotors</td><td style="text-align: right;">420.7</td><td>mm</td></tr> <tr><td style="text-align: right;">17</td><td>mm</td><td>Linings/Pads</td><td style="text-align: right;">19</td><td>mm</td></tr> <tr><td style="text-align: right;">31</td><td>mm</td><td>Push Rod Travel</td><td style="text-align: right;">31</td><td>mm</td></tr> </table>					421.3	mm	Drums/Rotors	420.7	mm	17	mm	Linings/Pads	19	mm	31	mm	Push Rod Travel	31	mm	100 psi 15 mm N/A psi N/A mm									
421.3	mm	Drums/Rotors	420.7	mm																														
17	mm	Linings/Pads	19	mm																														
31	mm	Push Rod Travel	31	mm																														
100 psi 15 mm 100 psi 15 mm					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: right;">419.6</td><td>mm</td><td>Drums/Rotors</td><td style="text-align: right;">419.6</td><td>mm</td></tr> <tr><td style="text-align: right;">21</td><td>mm</td><td>Linings/Pads</td><td style="text-align: right;">21</td><td>mm</td></tr> <tr><td style="text-align: right;">29</td><td>mm</td><td>Push Rod Travel</td><td style="text-align: right;">31</td><td>mm</td></tr> </table>					419.6	mm	Drums/Rotors	419.6	mm	21	mm	Linings/Pads	21	mm	29	mm	Push Rod Travel	31	mm	100 psi 15 mm 100 psi 16 mm									
419.6	mm	Drums/Rotors	419.6	mm																														
21	mm	Linings/Pads	21	mm																														
29	mm	Push Rod Travel	31	mm																														
100 psi 16 mm 100 psi 15 mm					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: right;">419.6</td><td>mm</td><td>Drums/Rotors</td><td style="text-align: right;">419.6</td><td>mm</td></tr> <tr><td style="text-align: right;">21</td><td>mm</td><td>Linings/Pads</td><td style="text-align: right;">21</td><td>mm</td></tr> <tr><td style="text-align: right;">31</td><td>mm</td><td>Push Rod Travel</td><td style="text-align: right;">31</td><td>mm</td></tr> </table>					419.6	mm	Drums/Rotors	419.6	mm	21	mm	Linings/Pads	21	mm	31	mm	Push Rod Travel	31	mm	100 psi 16 mm 100 psi 16 mm									
419.6	mm	Drums/Rotors	419.6	mm																														
21	mm	Linings/Pads	21	mm																														
31	mm	Push Rod Travel	31	mm																														
psi mm psi mm					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: right;"></td><td>mm</td><td>Drums/Rotors</td><td style="text-align: right;"></td><td>mm</td></tr> <tr><td style="text-align: right;"></td><td>mm</td><td>Linings/Pads</td><td style="text-align: right;"></td><td>mm</td></tr> <tr><td style="text-align: right;"></td><td>mm</td><td>Push Rod Travel</td><td style="text-align: right;"></td><td>mm</td></tr> </table>						mm	Drums/Rotors		mm		mm	Linings/Pads		mm		mm	Push Rod Travel		mm	psi mm psi mm									
	mm	Drums/Rotors		mm																														
	mm	Linings/Pads		mm																														
	mm	Push Rod Travel		mm																														
psi mm psi mm					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: right;"></td><td>mm</td><td>Drums/Rotors</td><td style="text-align: right;"></td><td>mm</td></tr> <tr><td style="text-align: right;"></td><td>mm</td><td>Linings/Pads</td><td style="text-align: right;"></td><td>mm</td></tr> <tr><td style="text-align: right;"></td><td>mm</td><td>Push Rod Travel</td><td style="text-align: right;"></td><td>mm</td></tr> </table>						mm	Drums/Rotors		mm		mm	Linings/Pads		mm		mm	Push Rod Travel		mm	psi mm psi mm									
	mm	Drums/Rotors		mm																														
	mm	Linings/Pads		mm																														
	mm	Push Rod Travel		mm																														
Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm Wheel Torque Checked ☒ Inner N/A ft lbs Outer 500 ft lbs																																		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System				✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*				✓
1.7. Engine/Shut Down	✓							

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System				✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle				✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components				✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake				✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake				✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake				✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)				✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System				✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance				✓
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)				✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components				✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System				✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓		
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓	
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification
The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8795967) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/10/15	D1043	21027	

Customer Acknowledgment	
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.	Date (Year/Month/Day) 2026/10/15 Customer Signature 