



CV8562359



80087100008562359

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	Rick's Oilfield Hauling		
Address:	P.O. Box 979		
City:	Redwater	Province:	AB
		Postal Code:	T0A2W0
Telephone Number:	(780) 942-2932		
Vehicle Identification Number:	2TLBL4038DB005313		
Make:	Tremcar	Model:	B Train Lead
Year:	2013	Unit Number:	T168L
Odometer:	51592 KM	Licence Plate Number:	6PZ413
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
223786 Alberta Ltd.	21514
Inspection Technician Name:	Technician Number:
John Pointer	B8013
Inspection Technician Signature:	
Inspection Date:	2026/04/22



COMMERCIAL VEHICLE RECORD OF INSPECTION **TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered														
Trailer										kg														
Vehicle Information																								
VIN	2	T	L	B	L	4	0	3	8	D	B	0	0	5	3	1	3							
Unit Number T168L					Year 2013					Make Tremcar					Model B Train Lead					Odometer 51,592				
Registered Owner's Name Rick's Oilfield Hauling															Plate Number 6PZ413									
Address P.O. Box 979										Postal Code T0A2W0					Phone Number (780) 942-2932									
Drum Brakes:										Disc Brakes: E-Limited Inspection														

		LEFT		FRONT		RIGHT			
100 psi	100 psi	42 mm	mm	Drums/Rotors	43.82 mm	43.82 mm	mm	100 psi	100 psi
9 mm	14 mm	19.3 mm	mm	Linings/Pads	16.35 mm	16.35 mm	mm	9 mm	10 mm
		n/a mm	mm	Push Rod Travel	n/a mm	n/a mm	mm		
100 psi	100 psi	44.7 mm	mm	Drums/Rotors	45.2 mm	45.2 mm	mm	100 psi	100 psi
9 mm	9 mm	16.45 mm	mm	Linings/Pads	16.3 mm	16.3 mm	mm	5 mm	9 mm
		n/a mm	mm	Push Rod Travel	n/a mm	n/a mm	mm		
100 psi	100 psi	41.05 mm	mm	Drums/Rotors	43.5 mm	43.5 mm	mm	100 psi	100 psi
15 mm	15 mm	13.2 mm	mm	Linings/Pads	20.7 mm	20.7 mm	mm	15 mm	15 mm
		n/a mm	mm	Push Rod Travel	n/a mm	n/a mm	mm		
psi	psi	mm	mm	Drums/Rotors	mm	mm	mm	psi	psi
mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	mm
		mm	mm	Push Rod Travel	mm	mm	mm		
psi	psi	mm	mm	Drums/Rotors	mm	mm	mm	psi	psi
mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	mm
		mm	mm	Push Rod Travel	mm	mm	mm		
psi	psi	mm	mm	Drums/Rotors	mm	mm	mm	psi	psi
mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	mm
		mm	mm	Push Rod Travel	mm	mm	mm		

Park Brake Lining	Left	n/a	mm	Right	n/a	mm	Trans	n/a	mm
Wheel Torque Checked	✓	Inner	n/a	ft lbs	Outer	480	ft lbs		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle		✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓	
2.4. Spring & Spring Attachment	✓					

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components		✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components		✓
3H.8. Vacuum System			✓	3H.19. Brake Performance		✓
3H.9. Air-Boosted Trailer Brake System			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System		✓
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components	✓	
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓	
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)		✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance		✓
3A.15. Drum Brake System Components			✓			

NOTES:

2nd axle RH brake chamber power spring is broken. (CORRECTED)

1st axle RH brake caliper will not adjust. (CORRECTED)

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle		✓
4.4. Kingpin			✓			

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door	✓			8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel	✓			8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

2nd axle RH inner tire is cupped. (CORRECTED)

Various tires under inflated. (CORRECTED)

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.8. Oscillating Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8562359) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection

Technician Number

Facility Number

Signature

2026/04/22

B8013

21514



Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/04/22

Customer Signature

