


**CERTIFICATE NUMBER**
Commercial Vehicle Inspection Certificate
Traffic Safety Act
PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	Rick's Oilfield Hauling		
Address:	P.O. Box 979		
City:	Redwater	Province:	AB
		Postal Code:	T0A2W0
Telephone Number:	(780) 942-2932		
Vehicle Identification Number:	2TLBL3123DB005316		
Make:	Tremcar	Model:	B train Pup
Year:	2013	Unit Number:	T171P
Odometer:	KM	Licence Plate Number:	6JG783
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
223786 Alberta Ltd.	12695
Inspection Technician Name:	Technician Number:
John Pointer	B8013
Inspection Technician Signature:	
Inspection Date:	2026/05/01



COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle												Gross Vehicle Weight registered																																																																																																																																																																																																									
Trailer												kg																																																																																																																																																																																																									
Vehicle Information																																																																																																																																																																																																																					
VIN	2	T	L	B	L	3	1	2	3	D	B	0	0	5	3	1	6																																																																																																																																																																																																				
Unit Number				Year				Make				Model				Odometer																																																																																																																																																																																																					
T171P				2013				Tremcar				B train Pup																																																																																																																																																																																																									
Registered Owner's Name																Plate Number																																																																																																																																																																																																					
Rick's Oilfield Hauling																6JG783																																																																																																																																																																																																					
Address												Postal Code				Phone Number																																																																																																																																																																																																					
P.O. Box 979												T0A2W0				(780) 942-2932																																																																																																																																																																																																					
Drum Brakes:												Disc Brakes: D-Full Inspection Wheel Removed																																																																																																																																																																																																									
<table border="1"><thead><tr><th colspan="2"></th><th colspan="2">LEFT</th><th colspan="2">FRONT</th><th colspan="2">RIGHT</th><th colspan="2"></th></tr></thead><tbody><tr><td>105 psi</td><td>105 psi</td><td>1.72</td><td>in</td><td>Drums/Rotors</td><td>1.61</td><td>in</td><td>100 psi</td><td>100 psi</td><td></td></tr><tr><td>13/32 in</td><td>13/32 in</td><td>5/8</td><td>in</td><td>Linings/Pads</td><td>7/8</td><td>in</td><td>12/32 in</td><td>13/32 in</td><td></td></tr><tr><td></td><td></td><td>n/a</td><td>in</td><td>Push Rod Travel</td><td>n/a</td><td>in</td><td></td><td></td><td></td></tr><tr><td>105 psi</td><td>104 psi</td><td>1.7</td><td>in</td><td>Drums/Rotors</td><td>1.78</td><td>in</td><td>105 psi</td><td>100 psi</td><td></td></tr><tr><td>11/32 in</td><td>11/32 in</td><td>11/16</td><td>in</td><td>Linings/Pads</td><td>7/8</td><td>in</td><td>11/32 in</td><td>11/32 in</td><td></td></tr><tr><td></td><td></td><td>n/a</td><td>in</td><td>Push Rod Travel</td><td>n/a</td><td>in</td><td></td><td></td><td></td></tr><tr><td>psi</td><td>psi</td><td></td><td>in</td><td>Drums/Rotors</td><td></td><td>in</td><td>psi</td><td>psi</td><td></td></tr><tr><td>in</td><td>in</td><td></td><td>in</td><td>Linings/Pads</td><td></td><td>in</td><td>in</td><td>in</td><td></td></tr><tr><td></td><td></td><td></td><td>in</td><td>Push Rod Travel</td><td></td><td>in</td><td></td><td></td><td></td></tr><tr><td>psi</td><td>psi</td><td></td><td>in</td><td>Drums/Rotors</td><td></td><td>in</td><td>psi</td><td>psi</td><td></td></tr><tr><td>in</td><td>in</td><td></td><td>in</td><td>Linings/Pads</td><td></td><td>in</td><td>in</td><td>in</td><td></td></tr><tr><td></td><td></td><td></td><td>in</td><td>Push Rod Travel</td><td></td><td>in</td><td></td><td></td><td></td></tr><tr><td>psi</td><td>psi</td><td></td><td>in</td><td>Drums/Rotors</td><td></td><td>in</td><td>psi</td><td>psi</td><td></td></tr><tr><td>in</td><td>in</td><td></td><td>in</td><td>Linings/Pads</td><td></td><td>in</td><td>in</td><td>in</td><td></td></tr><tr><td></td><td></td><td></td><td>in</td><td>Push Rod Travel</td><td></td><td>in</td><td></td><td></td><td></td></tr><tr><td>psi</td><td>psi</td><td></td><td>in</td><td>Drums/Rotors</td><td></td><td>in</td><td>psi</td><td>psi</td><td></td></tr><tr><td>in</td><td>in</td><td></td><td>in</td><td>Linings/Pads</td><td></td><td>in</td><td>in</td><td>in</td><td></td></tr><tr><td></td><td></td><td></td><td>in</td><td>Push Rod Travel</td><td></td><td>in</td><td></td><td></td><td></td></tr></tbody></table>																										LEFT		FRONT		RIGHT				105 psi	105 psi	1.72	in	Drums/Rotors	1.61	in	100 psi	100 psi		13/32 in	13/32 in	5/8	in	Linings/Pads	7/8	in	12/32 in	13/32 in				n/a	in	Push Rod Travel	n/a	in				105 psi	104 psi	1.7	in	Drums/Rotors	1.78	in	105 psi	100 psi		11/32 in	11/32 in	11/16	in	Linings/Pads	7/8	in	11/32 in	11/32 in				n/a	in	Push Rod Travel	n/a	in				psi	psi		in	Drums/Rotors		in	psi	psi		in	in		in	Linings/Pads		in	in	in					in	Push Rod Travel		in				psi	psi		in	Drums/Rotors		in	psi	psi		in	in		in	Linings/Pads		in	in	in					in	Push Rod Travel		in				psi	psi		in	Drums/Rotors		in	psi	psi		in	in		in	Linings/Pads		in	in	in					in	Push Rod Travel		in				psi	psi		in	Drums/Rotors		in	psi	psi		in	in		in	Linings/Pads		in	in	in					in	Push Rod Travel		in			
		LEFT		FRONT		RIGHT																																																																																																																																																																																																															
105 psi	105 psi	1.72	in	Drums/Rotors	1.61	in	100 psi	100 psi																																																																																																																																																																																																													
13/32 in	13/32 in	5/8	in	Linings/Pads	7/8	in	12/32 in	13/32 in																																																																																																																																																																																																													
		n/a	in	Push Rod Travel	n/a	in																																																																																																																																																																																																															
105 psi	104 psi	1.7	in	Drums/Rotors	1.78	in	105 psi	100 psi																																																																																																																																																																																																													
11/32 in	11/32 in	11/16	in	Linings/Pads	7/8	in	11/32 in	11/32 in																																																																																																																																																																																																													
		n/a	in	Push Rod Travel	n/a	in																																																																																																																																																																																																															
psi	psi		in	Drums/Rotors		in	psi	psi																																																																																																																																																																																																													
in	in		in	Linings/Pads		in	in	in																																																																																																																																																																																																													
			in	Push Rod Travel		in																																																																																																																																																																																																															
psi	psi		in	Drums/Rotors		in	psi	psi																																																																																																																																																																																																													
in	in		in	Linings/Pads		in	in	in																																																																																																																																																																																																													
			in	Push Rod Travel		in																																																																																																																																																																																																															
psi	psi		in	Drums/Rotors		in	psi	psi																																																																																																																																																																																																													
in	in		in	Linings/Pads		in	in	in																																																																																																																																																																																																													
			in	Push Rod Travel		in																																																																																																																																																																																																															
psi	psi		in	Drums/Rotors		in	psi	psi																																																																																																																																																																																																													
in	in		in	Linings/Pads		in	in	in																																																																																																																																																																																																													
			in	Push Rod Travel		in																																																																																																																																																																																																															
Park Brake Lining Left n/a in Right n/a in Trans n/a in																																																																																																																																																																																																																					
Wheel Torque Checked ☒ Inner n/a ft lbs Outer 480 ft lbs																																																																																																																																																																																																																					

COMMERCIAL VEHICLE RECORD OF INSPECTION **TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

1st axle driver side lower shock mount bolt loose. (CORRECTED)

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System			✓
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components	✓		
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓		
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance			✓
3A.15. Drum Brake System Components			✓				

NOTES:

Emergency shut off for air valves is leaking air. (CORRECTED)

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓
4.4. Kingpin			✓				

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door	✓			8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel	✓			8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Hose tray mount is cracked. (CORRECTED)

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8233878) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection

Technician Number


Facility Number

Signature

2026/05/01

B8013

12695



Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/05/01

Customer Signature

