



CERTIFICATE NUMBER
**Commercial Vehicle Inspection Certificate
Traffic Safety Act**
**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	Providence Grain Group Inc.		
Address:	55503 RR211		
City:	Fort Saskatchewan	Province:	AB
		Postal Code:	T8L4B1
Telephone Number:	(780) 997-0212		
Vehicle Identification Number:	2DEGBSE3XL2040708		
Make:	Doepker	Model:	Super B
Year:	2020	Unit Number:	60A
Odometer:	KM	Licence Plate Number:	5WY542
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE
PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Daysland Transport Corporation	20479
Inspection Technician Name:	Technician Number:
Harjinder Boparai	C3184
Inspection Technician Signature:	
Inspection Date:	2026/04/13



COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle												Gross Vehicle Weight registered																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Trailer												kg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Vehicle Information																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
VIN		2	D	E	G	B	S	E	3	X	L	2	0	4	0	7	0	8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Unit Number				Year				Make				Model				Odometer																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
60A				2020				Doepker				Super B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Registered Owner's Name																		Plate Number																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Providence Grain Group Inc.																		5WY542																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Address												Postal Code						Phone Number																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
55503 RR211												T8L4B1						(780) 997-0212																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Drum Brakes: A-Full Inspection with Drum Removed Disc Brakes:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
<table border="1"><thead><tr><th colspan="4">LEFT</th><th colspan="4">FRONT</th><th colspan="4">RIGHT</th></tr></thead><tbody><tr><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td></tr><tr><td>10 mm</td><td>10 mm</td><td>10 mm</td><td>Linings/Pads</td><td>11 mm</td><td>10 mm</td><td>10 mm</td><td>11 mm</td><td>Linings/Pads</td><td>11 mm</td><td>10 mm</td><td>10 mm</td><td>13 mm</td><td>Linings/Pads</td><td>11 mm</td><td>10 mm</td><td>10 mm</td><td>13 mm</td><td>Linings/Pads</td><td>11 mm</td><td>10 mm</td><td>10 mm</td><td>13 mm</td><td>Linings/Pads</td><td>11 mm</td></tr><tr><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>32.50 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>32.50 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>32.50 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>32.50 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>32.50 mm</td></tr><tr><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td></tr><tr><td>14 mm</td><td>14 mm</td><td>14 mm</td><td>Linings/Pads</td><td>11 mm</td><td>14 mm</td><td>14 mm</td><td>11 mm</td><td>Linings/Pads</td><td>11 mm</td><td>14 mm</td><td>14 mm</td><td>7 mm</td><td>Linings/Pads</td><td>11 mm</td><td>14 mm</td><td>14 mm</td><td>8 mm</td><td>Linings/Pads</td><td>11 mm</td><td>14 mm</td><td>14 mm</td><td>7 mm</td><td>Linings/Pads</td><td>11 mm</td></tr><tr><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>34.93 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>34.93 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>34.93 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>34.93 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>34.93 mm</td></tr><tr><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td><td>100 psi</td><td>100 psi</td><td>419.00 mm</td><td>Drums/Rotors</td><td>419.00 mm</td></tr><tr><td>11 mm</td><td>10 mm</td><td>14 mm</td><td>Linings/Pads</td><td>11 mm</td><td>11 mm</td><td>10 mm</td><td>11 mm</td><td>Linings/Pads</td><td>11 mm</td><td>11 mm</td><td>10 mm</td><td>9 mm</td><td>Linings/Pads</td><td>11 mm</td><td>11 mm</td><td>10 mm</td><td>9 mm</td><td>Linings/Pads</td><td>11 mm</td><td>11 mm</td><td>10 mm</td><td>9 mm</td><td>Linings/Pads</td><td>11 mm</td></tr><tr><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>32.50 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>32.50 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>32.50 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>32.50 mm</td><td></td><td></td><td>32.50 mm</td><td>Push Rod Travel</td><td>32.50 mm</td></tr><tr><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td></tr><tr><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td></tr><tr><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td></tr><tr><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td></tr><tr><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td></tr><tr><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td></tr></tbody></table>																								LEFT				FRONT				RIGHT				100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	10 mm	10 mm	10 mm	Linings/Pads	11 mm	10 mm	10 mm	11 mm	Linings/Pads	11 mm	10 mm	10 mm	13 mm	Linings/Pads	11 mm	10 mm	10 mm	13 mm	Linings/Pads	11 mm	10 mm	10 mm	13 mm	Linings/Pads	11 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	14 mm	14 mm	14 mm	Linings/Pads	11 mm	14 mm	14 mm	11 mm	Linings/Pads	11 mm	14 mm	14 mm	7 mm	Linings/Pads	11 mm	14 mm	14 mm	8 mm	Linings/Pads	11 mm	14 mm	14 mm	7 mm	Linings/Pads	11 mm			32.50 mm	Push Rod Travel	34.93 mm			32.50 mm	Push Rod Travel	34.93 mm			32.50 mm	Push Rod Travel	34.93 mm			32.50 mm	Push Rod Travel	34.93 mm			32.50 mm	Push Rod Travel	34.93 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	11 mm	10 mm	14 mm	Linings/Pads	11 mm	11 mm	10 mm	11 mm	Linings/Pads	11 mm	11 mm	10 mm	9 mm	Linings/Pads	11 mm	11 mm	10 mm	9 mm	Linings/Pads	11 mm	11 mm	10 mm	9 mm	Linings/Pads	11 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm
LEFT				FRONT				RIGHT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
10 mm	10 mm	10 mm	Linings/Pads	11 mm	10 mm	10 mm	11 mm	Linings/Pads	11 mm	10 mm	10 mm	13 mm	Linings/Pads	11 mm	10 mm	10 mm	13 mm	Linings/Pads	11 mm	10 mm	10 mm	13 mm	Linings/Pads	11 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
14 mm	14 mm	14 mm	Linings/Pads	11 mm	14 mm	14 mm	11 mm	Linings/Pads	11 mm	14 mm	14 mm	7 mm	Linings/Pads	11 mm	14 mm	14 mm	8 mm	Linings/Pads	11 mm	14 mm	14 mm	7 mm	Linings/Pads	11 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		32.50 mm	Push Rod Travel	34.93 mm			32.50 mm	Push Rod Travel	34.93 mm			32.50 mm	Push Rod Travel	34.93 mm			32.50 mm	Push Rod Travel	34.93 mm			32.50 mm	Push Rod Travel	34.93 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm	100 psi	100 psi	419.00 mm	Drums/Rotors	419.00 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
11 mm	10 mm	14 mm	Linings/Pads	11 mm	11 mm	10 mm	11 mm	Linings/Pads	11 mm	11 mm	10 mm	9 mm	Linings/Pads	11 mm	11 mm	10 mm	9 mm	Linings/Pads	11 mm	11 mm	10 mm	9 mm	Linings/Pads	11 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm			32.50 mm	Push Rod Travel	32.50 mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	Drums/Rotors	mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	Linings/Pads	mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm			mm	Push Rod Travel	mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Park Brake Lining Left NA mm Right NA mm Trans NA mm																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Wheel Torque Checked ☒ Inner NA ft lbs Outer 475 ft lbs																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle		✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓	
2.4. Spring & Spring Attachment			✓			

NOTES:

2.7-#2 axle both sides shock absorbers leaking./// R&R #2 axle both sides shock absorbers.

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components		✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components		✓
3H.8. Vacuum System			✓	3H.19. Brake Performance		✓
3H.9. Air-Boosted Trailer Brake System			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓	
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components		✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓	
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)		✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓	
3A.15. Drum Brake System Components	✓					

NOTES:

3A.15- #1,2,3 axle both sides drums excessive cracks./// R&R #1,2,3 axle both sides drums.

3A.16- #2,3 axle LHS S-cams excessive play./// R&R #2,3 axle LHS S-cams.

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle		✓
4.4. Kingpin			✓			

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

6.1- Front bottom both sides amber marker lamps inoperative./// R&R front bottom both sides marker lamps.

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door	✓			8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			✓	8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

9.5- #3 axle RHS wheel seal leaking./// R&R #3 axle RHS wheel seal.

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8200146) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/04/13	C3184	20479	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/04/13

Customer Signature

