R11-11
208-2

Alberta Government

CV8707625

80087100008707625

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	**Seating Capacity:**			
GVW:	kg	**Brake Type:**	Air		
Owner Name:	C HERMAN TRUCKING LTD				
Address:	PO BOX 1132				
City:	SLAVE LAKE	**Province:**	AB	**Postal Code:**	T0G 2A0
Telephone Number:	(780) 849-5399				
Vehicle Identification Number:	5KKJALAV75PU00714				
Make:	**Western Star**	**Model:**	**Conventional**		
Year:	**2005**	**Unit Number:**	**09**		
Odometer:	710952 ML	**Licence Plate Number:**	F46042	**Province:**	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	**Facility Number:**
SPILAKS TANK TRUCK SERVICE LTD.	**19039**
Inspection Technician Name:	**Technician Number:**
Trevor Reay	**C4273**

Inspection Technician Signature:	
Inspection Date:	**2026/06/18**

Version No:1

R11-11

Alberta Government

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle	Gross Vehicle Weight registered
Truck	kg

Vehicle Information

VIN	5	K	K	J	A	L	A	V	7	5	P	U	0	0	7	1	4

Unit Number	Year	Make	Model	Odometer
09	2005	Western Star	Conventional	710,952

Registered Owner's Name	Plate Number
C HERMAN TRUCKING LTD	F46042

Address	Postal Code	Phone Number
PO BOX 1132	T0G 2A0	(780) 849-5339

Drum Brakes: A-Full Inspection with Drum Removed Disc Brakes:

	LEFT		FRONT		RIGHT		
100 psi 18 mm	420.02	mm	Drums/Rotors	419.28	mm	100 psi 14 mm
	21.69	mm	Linings/Pads	18.92	mm	
	NA	mm	Push Rod Travel	NA	mm	
100 psi 24 mm / 100 psi 24 mm	421.83	mm	Drums/Rotors	419.26	mm	100 psi 24 mm / 100 psi 24 mm
	18.88	mm	Linings/Pads	17.84	mm	
	NA	mm	Push Rod Travel	NA	mm	
100 psi 24 mm / 100 psi 24 mm	420.42	mm	Drums/Rotors	420.07	mm	100 psi 24 mm / 100 psi 24 mm
	18.13	mm	Linings/Pads	18.17	mm	
	NA	mm	Push Rod Travel	NA	mm	
___ psi ___ mm / ___ psi ___ mm	___	mm	Drums/Rotors	___	mm	___ psi ___ mm / ___ psi ___ mm
	___	mm	Linings/Pads	___	mm	
	___	mm	Push Rod Travel	___	mm	
___ psi ___ mm / ___ psi ___ mm	___	mm	Drums/Rotors	___	mm	___ psi ___ mm / ___ psi ___ mm
	___	mm	Linings/Pads	___	mm	
	___	mm	Push Rod Travel	___	mm	
___ psi ___ mm / ___ psi ___ mm	___	mm	Drums/Rotors	___	mm	___ psi ___ mm / ___ psi ___ mm
	___	mm	Linings/Pads	___	mm	
	___	mm	Push Rod Travel	___	mm	

Park Brake Lining Left NA mm Right NA mm Trans NA mm

Wheel Torque Checked ☑ Inner NA ft lbs Outer 600 ft lbs

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:
ACCELERATOR PEDAL STICKY - REPLACED.
NO FREE PLAY AT BEGINNING OF PRESSING DOWN CLUTCH PEDAL - ADJUSTED.

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:
#3LHS SUSPENSION BUSHING WORN BEYOND SPEC.
#3RHS SUSPENSION BUSHING WORN BEYOND SPEC.
BOTH #3 AIRBAGS CRACKED.

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System			✓
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓		

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓
3A.11. Parking Brake & Emergency Application	✓						

NOTES:
#3RHS S-CAM SUPPORT BRACKET BENT AND U-BOLT BROKEN.
ABS LIGHT STAYS ON.
MISSING YELLOW BRAKE RELEASE BUTTON IN CAB.
LHS REAR AIRTANK DRAIN VALVE LEAKING.
#3LHS BRAKE POT FULL OF DIRT.
BOTH #2 SLACK ADJUSTERS RATCHETING MECHANISM BROKEN.
#3LHS SLACK ADJUSTER RATCHETING MECHANISM BROKEN.
AIR DRYER DIDN'T POP BUT COMPRESSOR CUIT AT 125PSI - CHECKED.

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓		
5.7. Windshield Wiper/Washer	✓						

NOTES:
WINDSHIELD WIPERS AND WASHER FLUID DOES NOT WORK.
HEATER/WINDSHIELD DEFROSTER DOESN'T WORK.
MISSING FIRE EXTINGUISHER AND ROAD HAZARD KIT.
HEADACHE RACK CRACKED.

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:
LHS CAB SKIRT MARKER LIGHT OUT.
LHS BRIGHTS DON'T WORK AND BRIGHTS TURN OFF DRLS.
BACK-UP LIGHTS DON'T WORK.
RHS CABINET LIGHT DOES NOT COME ON.
NEEDS REAR MUDFLAP REFLECTORS.
RHS REAR LIGHT BOX FALLING OFF.

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:
CAB MOUNTS WORN BEYOND SPEC.
CRACKS AT BOTH REAR FENDER BRACKETS.
LHS REAR FENDER BRACKET BOLT MISSING HALF A WASHER.
FRONT LHS FENDER LOOSE.
FRONT RHS FENDER MUDFLAP LOOSE BOLT.
CRACK ON PLATFORM ACROSS REAR.

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:
#1RHS WHEEL SEAL LEAKING.
#1LHS WHEEL SEAL LEAKING.

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:
ALL REPAIRS MADE.

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8707625)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual

Date of Inspection	Technician Number	Facility Number	Signature
2026/06/18	C4273	19039	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)
2026/06/18

Customer Signature