010-4

Alberta Government

CV8701941

80087800008701941

CERTIFICATE NUMBER

# Commercial Vehicle Inspection Certificate
# Traffic Safety Act

## PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

| | | | | | |
|---|---|---|---|---|---|
| **Vehicle Type:** | Truck | **Seating Capacity:** | | | |
| **GVW:** | 45500 kg | **Brake Type:** | Air | | |
| **Owner Name:** | SRP PROJECTS LTD | | | | |
| **Address:** | 151-7620 ELBOW DR SW | | | | |
| **City:** | CALGARY | **Province:** | AB | **Postal Code:** | T2V1K2 |
| **Telephone Number:** | (403) 650-6491 | | | | |
| **Vehicle Identification Number:** | 1M1AN07Y8GM022011 | | | | |
| **Make:** | **Mack** | **Model:** | **600** | | |
| **Year:** | **2016** | **Unit Number:** | **22** | | |
| **Odometer:** | 839710 KM | **Licence Plate Number:** | CVY2561 | **Province:** | AB |

**IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE**

## PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

| | |
|---|---|
| **Inspection Facility Name:** | **Facility Number:** |
| **DRB Mechanical Inc.** | **13000** |
| **Inspection Technician Name:** | **Technician Number:** |
| **Jonathan Rullan** | **B3293** |
| **Inspection Technician Signature:** | Jonathan Rullan |
| **Inspection Date:** | **2026/05/27** |

Version No:1

Alberta Government

# COMMERCIAL VEHICLE RECORD OF INSPECTION
# TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

| Type of Vehicle | Gross Vehicle Weight registered |
|---|---|
| Truck | 45500 kg |

**Vehicle Information**

| VIN | 1 | M | 1 | A | N | 0 | 7 | Y | 8 | G | M | 0 | 2 | 2 | 0 | 1 | 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| Unit Number | Year | Make | Model | Odometer |
|---|---|---|---|---|
| 22 | 2016 | Mack | 600 | 839,710 |

| Registered Owner's Name | Plate Number |
|---|---|
| SRP PROJECTS LTD | CVY2561 |

| Address | Postal Code | Phone Number |
|---|---|---|
| 151-7620 ELBOW DR SW | T2V1K2 | (403) 650-6491 |

Drum Brakes: A-Full Inspection with Drum Removed  Disc Brakes:

| | LEFT | | FRONT | RIGHT | | |
|---|---|---|---|---|---|---|
| 100 psi / 11 mm | 420.11 | mm | Drums/Rotors | 420.02 | mm | 102 psi / 11 mm |
| | 16 | mm | Linings/Pads | 16 | mm | |
| | 40 | mm | Push Rod Travel | 40 | mm | |
| 100 psi / 15 mm ; 100 psi / 15 mm | 420.39 | mm | Drums/Rotors | 419.12 | mm | 100 psi / 12 mm ; 100 psi / 14 mm |
| | 19 | mm | Linings/Pads | 21 | mm | |
| | 40 | mm | Push Rod Travel | 40 | mm | |
| 100 psi / 13 mm ; 100 psi / 13 mm | 420.41 | mm | Drums/Rotors | 419.12 | mm | 100 psi / 13 mm ; 100 psi / 13 mm |
| | 18 | mm | Linings/Pads | 21 | mm | |
| | 40 | mm | Push Rod Travel | 40 | mm | |
| ___ psi / ___ mm ; ___ psi / ___ mm | | mm | Drums/Rotors | | mm | ___ psi / ___ mm ; ___ psi / ___ mm |
| | | mm | Linings/Pads | | mm | |
| | | mm | Push Rod Travel | | mm | |
| ___ psi / ___ mm ; ___ psi / ___ mm | | mm | Drums/Rotors | | mm | ___ psi / ___ mm ; ___ psi / ___ mm |
| | | mm | Linings/Pads | | mm | |
| | | mm | Push Rod Travel | | mm | |
| ___ psi / ___ mm ; ___ psi / ___ mm | | mm | Drums/Rotors | | mm | ___ psi / ___ mm ; ___ psi / ___ mm |
| | | mm | Linings/Pads | | mm | |
| | | mm | Push Rod Travel | | mm | |

Park Brake Lining  Left NA mm  Right NA mm  Trans NA mm

Wheel Torque Checked ☑ Inner NA ft lbs  Outer 500 ft lbs

# COMMERCIAL VEHICLE RECORD OF INSPECTION
# TRUCK AND TRUCK-TRACTOR

| Section 1 - Power Train | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 1.1. Accelerator Pedal/Throttle Actuator | ✓ | | | 1.8. Engine Start Safety Feature | ✓ | | |
| 1.2. Exhaust System | ✓ | | | 1.9. Gear Position Indicator | ✓ | | |
| 1.3. Emission Control Systems and Devices | ✓ | | | 1.10. Engine or Accessory Drive Belt | ✓ | | |
| 1.4. Drive Shaft | ✓ | | | 1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System | | | ✓ |
| 1.5. Clutch and Clutch Pedal | ✓ | | | 1.12. Gasoline or Diesel Fuel System | ✓ | | |
| 1.6. Engine/Transmission Mount | ✓ | | | 1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A* | | | ✓ |
| 1.7. Engine/Shut Down | ✓ | | | | | | |

**NOTES:**
EXHAUST LEAKS AT DPF CLAMPS. REPLACED CLAMPS AND GASKETS.
ADJUST CLUTCH. ADJUSTED CLUTCH.

| APPENDIX "A" | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System | | | ✓ | A.3. Liquefied Natural Gas (LNG) Fuel System | | | ✓ |
| A.2. Compressed Natural Gas (CNG) Fuel System | | | ✓ | | | | |

**NOTES:**

| Section 2 - Suspension | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 2.1. Suspension & Frame Attachments | ✓ | | | 2.5. Air Suspension | ✓ | | |
| 2.2. Axle Attaching & Tracking Components | ✓ | | | 2.6. Self-Steer and Controlled-Steer Axle | ✓ | | |
| 2.3. Axle & Axle Assembly | ✓ | | | 2.7. Shock Absorber/Strut Assembly | ✓ | | |
| 2.4. Spring & Spring Attachment | ✓ | | | | | | |

**NOTES:**
AXLE 3 PASSENGER SIDE TOP OF SHOCK MOUNTING BOLT LOOSE. TIGHTENED BOLT.

| Section 3H - Hydraulic Brakes | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 3H.1. Hydraulic System Components | | | ✓ | 3H.13. Disc Brake System Components | | | ✓ |
| 3H.2. Brake Pedal/Actuator | | | ✓ | 3H.14. Mechanical Parking Brake | | | ✓ |
| 3H.3. Vacuum Assist (Boost) System | | | ✓ | 3H.15. Spring-Applied Air-Released Parking Brake | | | ✓ |
| 3H.4. Hydraulic Assist (Boost) System | | | ✓ | 3H.16. Spring-Applied Hydraulic-Released Parking Brake | | | ✓ |
| 3H.5. Air Assist (Boost) System | | | ✓ | 3H.17. Anti-Lock Brake System (ABS) | | | ✓ |
| 3H.6. Air-Over-Hydraulic Brake System | | | ✓ | 3H.18. Stability Control System | | | ✓ |
| 3H.11. Brake System Indicator Lamps | | | ✓ | 3H.19. Brake Performance | | | ✓ |
| 3H.12. Drum Brake System Components | | | ✓ | | | | |

**NOTES:**

| Section 3A - Air Brakes | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 3A.1. Air Compressor | ✓ | | | 3A.13. Air System Components | ✓ | | |
| 3A.2. Air Supply System | ✓ | | | 3A.14. Brake Chamber | ✓ | | |
| 3A.4. Air Tank | ✓ | | | 3A.15. Drum Brake System Components | ✓ | | |
| 3A.5. Air Tank Check Valves | ✓ | | | 3A.16. S-Cam Drum Brake System | ✓ | | |
| 3A.6. Brake Pedal/Actuator | ✓ | | | 3A.17. Brake Shoe Travel (Wedge Brakes) | | | ✓ |
| 3A.7. Treadle Valve and Trailer Hand Valve | ✓ | | | 3A.18. Disc Brake System Components | | | ✓ |
| 3A.8. Brake Valves & Controls | ✓ | | | 3A.19. Anti-Lock Brake System (ABS) | ✓ | | |
| 3A.9. Proportioning, Inversion or Modulation Valve | ✓ | | | 3A.21. Stability Control System | ✓ | | |
| 3A.10. Towing Vehicle (Tractor) Protection System | ✓ | | | 3A.23. Brake Performance | ✓ | | |

# COMMERCIAL VEHICLE RECORD OF INSPECTION
# TRUCK AND TRUCK-TRACTOR

| Section 3A - Air Brakes | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 3A.11. Parking Brake & Emergency Application | ✓ | | | | | | |

**NOTES:**
REPLACE BRAKES ON AXLE 2 AND 3 PASSENGER SIDE. REPLACED BRAKE SHOES AND DRUMS ON AXLE 2 AND 3 PASSENGER SIDE.
REPLACE SLACK ADJUSTER ON AXLE 1 PASSENGER SIDE AND BOTH ON AXLE 3. REPLACED 3 SLACK ADJUSTERS.

| Section 4 - Steering | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 4.1. Steering Control and Linkage | ✓ | | | 4.4. Kingpin | ✓ | | |
| 4.2. Power Steering System (Hydraulic and Electric) | ✓ | | | 4.5. Self-Steer and Controlled-Steer Axle | ✓ | | |
| 4.3. Steering Operation (Active Steer Axle) | ✓ | | | | | | |

**NOTES:**
POWER STEERING LEAK AT HOSE THAT GOES FROM POWER STEERING BOX TO COOLER. CLEANED AND TIGHTENED CLAMPS.
POWER STEERING LEAK BOTTOM OF RESERVOIR. CLEANED AND TIGHTENED HOSE CLAMP.

| Section 5 - Instruments and Auxiliary Equipment | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 5.1. Fire Extinguisher | ✓ | | | 5.8. Heater & Windshield Defroster | ✓ | | |
| 5.2. Hazard Warning Kit | ✓ | | | 5.9. Fuel-Burning Auxiliary Heater | ✓ | | |
| 5.3. Horn | ✓ | | | 5.10. Chain/"Headache" Rack | | | ✓ |
| 5.5. Speedometer | ✓ | | | 5.11. Auxiliary Controls and Devices | ✓ | | |
| 5.6. Odometer | ✓ | | | 5.12. Auxiliary Drive Controls | ✓ | | |
| 5.7. Windshield Wiper/Washer | ✓ | | | | | | |

**NOTES:**

| Section 6 - Lamps | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 6.1. Required Lamps | ✓ | | | 6.4. Instrument Panel Lamps | ✓ | | |
| 6.2. Reflex Reflector | ✓ | | | 6.5. Headlamp Aim | ✓ | | |
| 6.3. Retro-Reflective Marking | ✓ | | | | | | |

**NOTES:**
MISSING RED REFLECTORS ON REAR OF BOX. INSTALLED REFLECTORS.

| Section 7 - Electrical System | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 7.1. Wiring | ✓ | | | 7.3. Trailer Cord (output to towed vehicle) | ✓ | | |
| 7.2. Battery | ✓ | | | | | | |

**NOTES:**
TIGHTEN BATTERY HOLD DOWN. TIGHTENED BATTERY HOLD DOWN.

| Section 8 - Body | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 8.1. Hood or Engine Enclosure | ✓ | | | 8.12. Bumper | ✓ | | |
| 8.2. Tilt Cab | ✓ | | | 8.13. Windshield | ✓ | | |
| 8.3. Air-Suspended Cab | ✓ | | | 8.14. Side Windows | ✓ | | |
| 8.4. Cab and Passenger-Vehicle Body | ✓ | | | 8.15. Rear Window | ✓ | | |
| 8.5. Cargo Body | ✓ | | | 8.16. Interior Sun Visor | ✓ | | |
| 8.6. Frame, Rails & Mounts | ✓ | | | 8.17. Exterior Windshield Sun Visor | ✓ | | |
| 8.7. Unitized Body Elements | ✓ | | | 8.18. Rear-View Mirror | ✓ | | |

# COMMERCIAL VEHICLE RECORD OF INSPECTION
# TRUCK AND TRUCK-TRACTOR

| Section 8 - Body | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 8.8. Cab or Cargo Door | ✓ | | | 8.19. Seat | ✓ | | |
| 8.9. Cargo Tank or Vessel | | | ✓ | 8.20. Seat Belt/Occupant Restraint | ✓ | | |
| 8.10. Body, Device or Equipment Attached or Mounted to the Vehicle | ✓ | | | 8.21. Fender/Mud Flap | ✓ | | |
| 8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU)) | | | ✓ | 8.24. Aerodynamic Device & Attachment | ✓ | | |

**NOTES:**

| Section 9 - Tires and Wheels | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 9.1. Tire Tread Depth | ✓ | | | 9.7. Wheel/Rim (Applies to all wheel types) | ✓ | | |
| 9.2. Tire Tread Condition | ✓ | | | 9.8. Multi-Piece Wheel/Rim | | | ✓ |
| 9.3. Tire Sidewall & Manufacturer Markings | ✓ | | | 9.9. Spoke Wheel/Demountable Rim System | | | ✓ |
| 9.4. Tire Inflation Pressure | ✓ | | | 9.10. Disc Wheel System | ✓ | | |
| 9.5. Wheel Hub | ✓ | | | 9.11. Wheel Fasteners (Nuts, Bolts and Studs) | ✓ | | |
| 9.6. Wheel Bearing | ✓ | | | | | | |

**NOTES:**

| Section 10 - Couplers and Hitches | | | | | | | |
|---|---|---|---|---|---|---|---|
| Component | P | F | NA | Component | P | F | NA |
| 10.1. Hitch Assembly, Structure & Attaching Components | ✓ | | | 10.5. Roll-Coupling Hitch | | | ✓ |
| 10.2. Secondary Attachment (Safety Chain or Cable) | ✓ | | | 10.6. Automated Coupling Device | | | ✓ |
| 10.3. Pintle Hook, Pin Hitch, or Coupler Hitch | ✓ | | | 10.7. Fifth Wheel Coupler | | | ✓ |
| 10.4. Ball Type Hitch | | | ✓ | 10.8. Oscillating Fifth Wheel Coupler | | | ✓ |

**NOTES:**

**Certification**

**The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8701941) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.**

| Date of Inspection | Technician Number | Facility Number | Signature |
|---|---|---|---|
| 2026/05/27 | B3293 | 13000 | |

**Customer Acknowledgment**

**I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.**

Date (Year/Month/Day)
2026/05/27

Customer Signature