010-13

Alberta Government

CV8634073

8008720000863 4073

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	**Seating Capacity:**			
GVW:	48000 kg	**Brake Type:**	Air		
Owner Name:	SRP PROJECTS LTD.				
Address:	Calgary, AB #151, 7620 Elbow Drive SW				
City:	Calgary	**Province:**	AB	**Postal Code:**	T2V 1K2
Telephone Number:	(403) 650-6491				
Vehicle Identification Number:	5KJJAVDV9GPHP2766				
Make:	**Western Star**	**Model:**	**Conventional**		
Year:	**2016**	**Unit Number:**	**12**		
Odometer:	89209 KM	**Licence Plate Number:**	CVK4190	**Province:**	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	**Facility Number:**
DRB Mechanical Inc.	**13000**
Inspection Technician Name:	**Technician Number:**
Philippe Lauzier	**C8157**
Inspection Technician Signature:	Philippe Lauzier
Inspection Date:	**2026/03/03**

Version No:1

Alberta Government

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle	Gross Vehicle Weight registered
Truck	48000 kg

Vehicle Information

VIN	5	K	J	J	A	V	D	V	9	G	P	H	P	2	7	6	6

Unit Number	Year	Make	Model	Odometer
12	2016	Western Star	Conventional	89,209

Registered Owner's Name	Plate Number
SRP PROJECTS LTD.	CVK4190

Address	Postal Code	Phone Number
Calgary, AB #151, 7620 Elbow Drive SW	T2V 1K2	(403) 650-6491

Drum Brakes: A-Full Inspection with Drum Removed Disc Brakes:

	LEFT		FRONT	RIGHT		
95 psi / 10 mm	419.62	mm	Drums/Rotors	419.59	mm	95 psi / 10 mm
	20	mm	Linings/Pads	20	mm	
	38.10	mm	Push Rod Travel	38.10	mm	
100 psi / 13 mm; 100 psi / 13 mm	420.29	mm	Drums/Rotors	420.62	mm	100 psi / 14 mm; 100 psi / 12 mm
	16	mm	Linings/Pads	16	mm	
	38.10	mm	Push Rod Travel	38.10	mm	
100 psi / 20 mm; 100 psi / 13 mm	420.45	mm	Drums/Rotors	420.66	mm	100 psi / 11 mm; 100 psi / 9 mm
	16	mm	Linings/Pads	16	mm	
	38.10	mm	Push Rod Travel	38.10	mm	
___ psi / ___ mm; ___ psi / ___ mm		mm	Drums/Rotors		mm	___ psi / ___ mm; ___ psi / ___ mm
		mm	Linings/Pads		mm	
		mm	Push Rod Travel		mm	
___ psi / ___ mm; ___ psi / ___ mm		mm	Drums/Rotors		mm	___ psi / ___ mm; ___ psi / ___ mm
		mm	Linings/Pads		mm	
		mm	Push Rod Travel		mm	
___ psi / ___ mm; ___ psi / ___ mm		mm	Drums/Rotors		mm	___ psi / ___ mm; ___ psi / ___ mm
		mm	Linings/Pads		mm	
		mm	Push Rod Travel		mm	

Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm

Wheel Torque Checked ☑ Inner N/A ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train							
Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

APPENDIX "A"							
Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension							
Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:
#3 AXLE RIGHT SIDE AIR BAG SHOWING CORDS . **AIR BAG WAS REPLACED**

Section 3H - Hydraulic Brakes							
Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.8. Brake Valves & Controls	✓		
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.9. Proportioning, Inversion or Modulation Valve	✓		
3A.11. Parking Brake & Emergency Application	✓			3A.15. Drum Brake System Components	✓		
3A.13. Air System Components	✓			3A.16. S-Cam Drum Brake System	✓		
3A.14. Brake Chamber	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.2. Air Supply System	✓			3A.18. Disc Brake System Components			✓
3A.4. Air Tank	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.5. Air Tank Check Valves	✓			3A.21. Stability Control System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.7. Treadle Valve and Trailer Hand Valve	✓						

NOTES:
AIR LEAK INSIDE DASH. **AIR LEAK IN DASH WAS REPAIRED**

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓		
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓		
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))	✓			8.24. Aerodynamic Device & Attachment	✓		

NOTES:
LEFT SIDE SIDE BOARD BROKEN. **SIDE BOARD WAS REPLACED**

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:
#3 AXLE LEFT SIDE WHEEL SEAL LEAKING. **LEAKING WHEEL SEAL WAS REPLACED**

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8634073) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/03/03	C8157	13000	Philippe Lauzon

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)
2026/03/03

Customer Signature