



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

B06-3

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	FLUIDPRO OILFIELD SERVICES LTD		
Address:	9701 99 STREET		
City:	CLAIRMONT	Province:	AB
		Postal Code:	T8X 5A8
Telephone Number:	(780) 533-3338		
Vehicle Identification Number:	1XKWD40X1KJ946709		
Make:	Kenworth	Model:	Construct
Year:	2019	Unit Number:	380
Odometer:	523105 KM	Licence Plate Number:	E60062
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Fluidpro Oilfield Services Ltd.	Facility Number:	18788
Inspection Technician Name:	Peter Gillis	Technician Number:	D3390
Inspection Technician Signature:	<i>Peter Gillis</i>		
Inspection Date:	2025/11/17		



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered																									
Truck										63500 kg																									
Vehicle Information																																			
VIN		1		X		K		W		D		4		0		X		1		K		J		9		4		6		7		0		9	
Unit Number				Year				Make				Model				Odometer																			
380				2019				Kenworth				Construct				523,105																			
Registered Owner's Name																Plate Number																			
FLUIDPRO OILFIELD SERVICES LTD																E60062																			
Address												Postal Code				Phone Number																			
9701 99 STREET												T8X 5A8				(780) 533-3338																			

Drum Brakes: **B-Wheel-on Full Inspection**

Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>				
100 psi	18 mm	NA	mm	Drums/Rotors	NA	mm	NA	mm	100 psi	18 mm
		17	mm	Linings/Pads	17	mm	17	mm		
		36	mm	Push Rod Travel	36	mm	36	mm		
100 psi	100 psi	NA	mm	Drums/Rotors	NA	mm	NA	mm	100 psi	100 psi
6 mm	6 mm	15	mm	Linings/Pads	21	mm	21	mm	7 mm	7 mm
		38	mm	Push Rod Travel	38	mm	38	mm		
100 psi	100 psi	NA	mm	Drums/Rotors	NA	mm	NA	mm	100 psi	100 psi
17 mm	16 mm	14	mm	Linings/Pads	21	mm	21	mm	14 mm	15 mm
		38	mm	Push Rod Travel	38	mm	38	mm		
psi	psi		mm	Drums/Rotors		mm		mm	psi	psi
mm	mm		mm	Linings/Pads		mm		mm	mm	mm
			mm	Push Rod Travel		mm		mm		
psi	psi		mm	Drums/Rotors		mm		mm	psi	psi
mm	mm		mm	Linings/Pads		mm		mm	mm	mm
			mm	Push Rod Travel		mm		mm		
psi	psi		mm	Drums/Rotors		mm		mm	psi	psi
mm	mm		mm	Linings/Pads		mm		mm	mm	mm
			mm	Push Rod Travel		mm		mm		

Park Brake Lining Left NA mm Right NA mm Trans NA mm

Wheel Torque Checked Inner NA ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator			✓	
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:

STACK BUSHING PASSENGER SIDE REPAIR/REPLACED
EXHAUST LEAK REPAIR/REPLACED
1ST DIFF INPUT JOINT WORN REPAIR/REPLACED

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

DRIVE AXLE SHOCKS WORN REPAIR/REPLACED
J-BAR BUSHING WORN REPAIR/REPLACED
WISHBONE NO GOOD REPAIR/REPLACED

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.15. Drum Brake System Components	✓			
3A.2. Air Supply System	✓			3A.8. Brake Valves & Controls	✓			
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.16. S-Cam Drum Brake System			✓	
3A.11. Parking Brake & Emergency Application	✓			3A.9. Proportioning, Inversion or Modulation Valve	✓			
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)	✓			
3A.5. Air Tank Check Valves	✓			3A.18. Disc Brake System Components			✓	
3A.13. Air System Components	✓			3A.19. Anti-Lock Brake System (ABS)	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.6. Brake Pedal/Actuator	✓			3A.21. Stability Control System			✓	
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓			
3A.7. Treadle Valve and Trailer Hand Valve	✓							

NOTES:

AIR LEAK AT DRIVER SIDE TANK REPAIRED/REPLACED
2ND & 3RD AXLE PASSENGER SIDE SHOES FAULTY
2ND AXLE BRAKE POT FAULTY
DUST SHIELD MISSING

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓	
4.3. Steering Operation (Active Steer Axle)	✓							

NOTES:

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓			
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓			
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓			
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓			
5.7. Windshield Wiper/Washer	✓							

NOTES:

FIRE EXTINGUISHER EXPIRED REPLACED
ESPAR NOT WORKING "5.9" REPAIRED/REPLACED

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓			
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓			
6.3. Retro-Reflective Marking	✓							

NOTES:

1 REVERSE LIGHT OUT ON DRIVERSIDE REPAIR/REPLACED
AIR FILTER LIGHT OUT (2) REPAIR/REPLACED

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓			
7.2. Battery	✓							

NOTES:

LOOSE WIRING AT 1ST & 2ND DIFF REPAIR/REPLACED
LOOSE BATTERY CONNECTIONS REPAIR/REPLACED

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓			
8.2. Tilt Cab			✓	8.13. Windshield	✓			
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓			
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓	
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror			✓
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	✓		

NOTES:

HOOD SPRING AND CABLE FAULTY REPLACE/REPAIRED
 SIDE WINDOWS LOOSE REPAIRED
 SEAT, SEAT BELT & ARM REST WORN REPAIR/REPLACED
 MISSING ANTI SAIL/MUD FLAP REPLACED
 HOOD PIN BUSHING REPLACE/REPAIR
 VISOR LOOSE REPAIRED

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

STEER TIRES FAULTY REPLACED

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8442088)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/11/17	D3390	18788	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/11/17

Customer Signature



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered																									
Truck										63500 kg																									
Vehicle Information																																			
VIN		1		X		K		W		D		4		0		X		1		K		J		9		4		6		7		0		9	
Unit Number					Year					Make					Model					Odometer															
380					2019					Kenworth					Construct					523,105															
Registered Owner's Name															Plate Number																				
FLUIDPRO OILFIELD SERVICES LTD															E60062																				
Address										Postal Code					Phone Number																				
9701 99 STREET										T8X 5A8					(780) 533-3338																				

Drum Brakes: **B-Wheel-on Full Inspection**

Disc Brakes:

		LEFT	FRONT	RIGHT		
100 psi	18 mm	NA mm	Drums/Rotors	NA mm	100 psi	18 mm
		17 mm	Linings/Pads	17 mm		
		36 mm	Push Rod Travel	36 mm		
100 psi	100 psi	NA mm	Drums/Rotors	NA mm	100 psi	100 psi
6 mm	6 mm	15 mm	Linings/Pads	21 mm	7 mm	7 mm
		38 mm	Push Rod Travel	38 mm		
100 psi	100 psi	NA mm	Drums/Rotors	NA mm	100 psi	100 psi
17 mm	16 mm	14 mm	Linings/Pads	21 mm	14 mm	15 mm
		38 mm	Push Rod Travel	38 mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		

Park Brake Lining Left NA mm Right NA mm Trans NA mm

Wheel Torque Checked Inner NA ft lbs Outer 500 ft lbs