

## CERTIFICATE OF CONFORMITY

## CERTIFICATE OF CONFORMITY

1.	Number of axles and wheels:	2 / 6	18.4.	Un-braked trailer:	750	kg
1.1.	Number and position of axles with twin wheels:	1 / 2nd Axle	19.	Technically permissible maximum static mass at the coupling point:	10453	kg
2.	Steered axles (number, position):	1, 1st Axle	20.	Manufacturer of the engine:	FORD	
3.	Powered axles (number, position, interconnection):	1 / 2nd Axle	21.	Engine code as marked on the engine:	FH06	
3.1.	Specify if the vehicle is non-automated/automated/fully automated:	Non-Automated	22.	Working principle:	Compression ignition / Four stroke	
4.	Wheelbase:	3590	23.	Pure electric:	No	
4.1.	Axle spacing: 1-2 / 2-3 / 3-4 / 4-5	3590	23.1.	Class of Hybrid [electric] vehicle:	Not Applicable	
5.	Length:	5915	24.	Number and arrangement of cylinders:	6 / In line	
5.2.	Elongated Cabs complying with Article 9a of Directive 96/53/EC:		25.	Engine capacity:	12740	cm <sup>3</sup>
5.3.	Vehicle equipped with aerodynamic device or equipment on the front/rear/not equipped	Not Equipped	26.	Fuel:	Diesel	
6.	Width:	2540	26.1.	Mono fuel/Bi fuel/Flex fuel/Dual-fuel:	Mono fuel	
7.	Height:	3925	27.	Maximum power		
8.	Fifth wheel lead for semi-trailer towing vehicle (maximum and minimum):	N/A / 505,5	27.1.	Maximum net power (internal combustion engine):	368 kW at 1400-1850	kW
9.	Distance between the front end of the vehicle and the centre of the coupling device:	4540	27.3.	Maximum net power (electric motor):		kW
11.	Length of the loading area:		27.4.	Maximum 30min power (electric motor):		
12.	Rear overhang:	875	28.	Gearbox (type):	Automatic	km/h
13.	Mass in running order:	8547	29.	Maximum speed:	90	
13.1.	Distribution of this mass amongst the axles: 1 / 2 / 3 / 4 / 5.	5941 / 2606 0 0	31.	Position of lift axle(s):	N/A	
13.2.	Actual mass of the vehicle:	8547	32.	Position of loadable axle(s):	N/A	
13.3.	Additional mass for alternative propulsion:	N/A	33.	Drive axle(s) fitted with air suspension or equivalent:	Yes	
16.	Technically permissible maximum masses		35.	Tyre/wheel combination:		
16.1.	Technically permissible maximum laden mass:	19000		Axle 1st	31S/70 R 22.5 156/150L	
16.2.	Technically permissible mass on each axle: 1 / 2 / 3 / 4 / 5.	8000 / 12000 0		Axle 2nd	9.00x22.5 161±3 mm	
16.3.	Technically permissible mass on each axle group: 1 / 2 / 3.	0		Axle 3rd	31S/70 R 22.5 154/150L	
16.4.	Technically permissible maximum mass of the combination:	44000			9.00x22.5 161±3 mm	
17.	Intended registration/in service maximum permissible masses in national/international traffic		36.	Trailer brake connections:	Pneumatic	
17.1.	Intended registration/in service maximum permissible laden mass:		37.	Pressure in feed line for trailer braking system:	870	kPa
17.2.	Intended registration/in service maximum permissible laden mass on each axle: 1 / 2 / 3 / 4 / 5.	/	38.	Code for bodywork:	BC - Yarı Römork İçin Çekici	
17.3.	Intended registration/in service maximum permissible laden mass on each axle group: 1 / 2 / 3.		41.	Number and configuration of doors:	2 / 1:1	
17.4.	Intended registration/in service maximum permissible mass of the combination:		42.	Number of seating positions (including the driver):	2	
18.	Technically permissible maximum towable mass in case of:		45.1.	Characteristics values: D/V/J/S/JU.	E1-55R-010116	
18.1.	Drawbar trailer:		46.	Sound level	152 20	dB(A)
18.2.	Semi-trailer:	35453		Stationary:	85	dB(A)
18.3.	Centre-axle trailer:			at engine speed: 1380	81	dB(A)
18.3.1.	Rigid drawbar trailer:		47.	Exhaust emission level: Euro	Euro VI E	