


Zulassungsbescheinigung Teil I
(Fahrzeugschein)

B-S-2-023/24-01679

Europäische Gemeinschaft (D) Bundesrepublik Deutschland

Zulassungsbescheinigung Teil I / Permiso de circulación. Parte I / Osvedčenie o registrácii - Časť I / Registreringsattest. Del I / Rekisteröintitodistus. Osa I / Άδεια κυκλοφορίας/Πιστοποιητικό ταυτότητας. Registreringsbevis, del I / Registration certificate, Part I / Certificat d'immatriculation. Partie I / Άτρος I / Registration certificate, Part I / Certificat d'immatriculation. Partie I / Prometna dovoljenja / Časť I / Carta di circolazione, Parte I / Registracijas apliecība. Prometna dovoljenja, del I / Dalis I / Forgalmi engedély. I. Rész / Certifikat I. daļa / Registracijos liudijimas, I dalis / Forgalmi engedély. I. Rész / Dowód Rejestracyjny. Część I / Certificado de matrícula, Parte I / Certificat de inmatriculare Partea I / Osvedčenie o evidencii, Časť I / Prometno dovoljenje, Del I / Registreringsbevis, del I

A Amtliches Kennzeichen:

B GO 486 E

C.1.1 Name oder Firmenname

EUROCARRENT GmbH

C.1.2 Vorname(n)

C.1.3 Anschrift

[redacted]

X Nächste HU (Monat und Jahr):

01/2025

I Datum:

23.01.2024

C.4c Der Inhaber der Zulassungsbescheinigung wird nicht als Eigentümer des Fahrzeugs ausgewiesen. 1

B	23.01.2024	2.1	0901	2.2	00000000		
J	L7e-CP	4	–	3	–		
E	ZP6Y02A01NA003314						
D.1	XEV,X,XEV,YOYO						
	Y01						
D.2	A0						
	1						
	–						
D.3	XEV,X,XEV YOYO						
2	XEV (I)						
5	Schwer.Vierradmob.z.Pers.bef						
	–						
V.9	–						
14	–						
P.3	ELEKTRO						
10	0004	14.1	–	11	–		
22	ZU 151:A.GEN.155/60R15 (74M OD.74T)*ZU 15.2:A.GEN.1556						
	0R15 (74M OD.74T)*						

L	2	9	–	P.2 P.4	8/---	T	70
18	2530-2530					19	1500-1500
20	1560-1560					G	449-449
12	–		13	–		Q	–
V.7	–		F.1	774		F.2	774
7.1	342		7.2	432		7.3	–
8.1	342		8.2	432		8.3	–
U.1	–		U.2	–		U.3	–
O.1	–		O.2	–		S.1	2 S.2 –
15.1	155/65R14 (75T)						
15.2	155/65R14 (75T)						
15.3	–						
R	–					11	–
K	E9*168/2013*11721*00						
6	04.04.2021					17 K	16 GT568109
21	Selbstfahrermietfahrzeug						

B 4.0-3

Europäische Gemeinschaft
Bundesrepublik Deutschland
Zulassungsbescheinigung Teil II

(Fahrzeugbrief)

D

MM 426
B403

Свидетелство за регистрация - Част II / Permiso de circulación. Parte II / Osvědčení o registraci - Část II / Registreringsattest. Del II / Registreerimistunnistus. Osa II / Άδεια κυκλοφορίας/Πιστοποιητικό Εγγραφής. Μέρος II / Registration certificate. Part II / Certificat d'immatriculation. Partie II / Prometna dozvola II / Carta di circolazione. Parte II / Reģistrācijas apliecība. II. daļa / Registracijos liudijimas. II dalis / Forgalmi engedély. II. Rész / Certifikat tat-Registrazzjoni. It-II Parti / Kentekenbewijs. Deel II / Dowód Rejestracyjny. Część II / Certificado de matrícula. Parte II / Certificat de înmatriculare. Partea II / Osvedčenie o evidencii. Časť II / Prometno dovoljenje. Del II / Rekisteröintitodistus. Osa II / Registreringsbevis. Del II

Diese Bescheinigung nicht im Fahrzeug aufbewahren!

A	Amtliches Kennzeichen	B GO 486 E					
B	Datum der Erstzulassung des Fahrzeugs	23.01.2024	(1)	Anzahl der Vorhalter	0	(1)	Anzahl der Vorhalter
C.3.1 C.6.1	Name oder Firmenname	[redacted]					
C.3.2 C.6.2	Vorname(n)						
C.3.3 C.6.3	Anschrift zum Zeitpunkt der Ausstellung der Bescheinigung						
C.4c		Der Inhaber der Zulassungsbescheinigung wird nicht als Eigentümer des Fahrzeugs ausgewiesen.					
I	Datum	23.01.2024				Datum	

ZxNE5qn370

Berlin Bundeshauptstadt
Im Auftrag

⇦ Nur zur Nutzung des Sicherheitscodes im internetbasierten Zulassungsverfahren freilegen. Dokument nur unbeschädigt gültig.

GT568109
(Nummer der Zulassungsbescheinigung)

(Fahrzeug-Identifizierungsnummer als Barcode)

D.1	Marke	XEV,X,XEV,YOYO			
D.2	Typ	Y01			
	Variante	A0			
	Version	1			
D.3	Handelsbezeichnung(en)	XEV,X,XEV YOYO			
(2)	Hersteller-Kurzbezeichnung	XEV (I)			
(2.1)	Code zu (2)	0901	(2.2)	Code zu D.2 bzw. Prüfziffer	00000000
E	Fahrzeug-Identifizierungsnummer	ZP6Y02A01NA003314	(3)	Prüfziffer zur Fahrzeug-Identifizierungsnr.	–
J	Fahrzeugklasse	L7e-CP	(4)	Prüfziffer Fahrzeugklasse	–
(5)	Bezeichnung der Fahrzeugklasse und des Aufbaus	Schwer.Vierradmob.z.Pers.bef.			
		–			
R	Farbe des Fahrzeugs	–	(11)	Code zu R	–
P.1	Hubraum in cm³	–	P.2 P.4	Bezeichnung in kW Höchstdrehzahl bei min⁻¹	8/---
P.3	Kraftstoffart oder Energiequelle	ELEKTRO	(10)	Code zu P.3	0004
K	Nummer der EG-Typgenehmigung oder ABE	E9*168/2013*11721*00	(6)	Datum	04.04.2021
(17)	Merkmal zur Betriebserlaubnis	K			

(23) Raum für interne Vermerke des Herstellers

(24) Diese Bescheinigung wurde für das nebenstehend beschriebene Fahrzeug ausgegeben durch (Zulassungsbehörde bzw. Genehmigungsinhaber):
Berlin Bundeshauptstadt
Im Auftrag

Datum: 23.01.2024

Unterschrift:

(25) Zusätzliche Vermerke der Zulassungsbehörde:

(maschinenlesbare Nummer der Zulassungsbescheinigung)

COMPLETE VEHICLE
EU CERTIFICATE OF CONFORMITY

The undersigned, Mr. TIK LOU, Legal Person
Hereby certifies that the following complete vehicle:

0.1. Make (trade name of the manufacturer): XEV, X, XEV YOYO

0.2. Type: Y01 (CV * Type): N.A.

0.2.1. Variant: A0 (CV * Variant): N.A.

0.2.2. Version: 1 (CV * Version): N.A.

0.2.3. Commercial name (if available): XEV, X, XEV YOYO
(CV * Commercial name (if available)): N.A.

0.3. Category, subcategory and sub-subcategory of vehicle: L7e-CP
(CV * Category, subcategory and sub-subcategory of vehicle): N.A.

0.4. Company name and address of manufacturer:
XEV S.R.L.
CORSO GIACOMO MATTEOTTI 42, TORINO (TO) CAP 10121, ITALY

0.4.2. Name and address of manufacturer's authorised representative (if any):
Not applicable

0.5.1. Location of the manufacturer's statutory plate(s): R, x 70, y 345, z 762

0.5.2. Method of attachment of the manufacturer's statutory plate(s): By laser printing sticker

0.6. Location of the vehicle identification number: R, x 841, y 230, z 117

1. Vehicle identification number: ☆ZP6Y02A01NA003314☆

conforms in all respects to the type described in EU type-approval e9*168/2013*11721*00 (type-approval number including extension number) (CV* type-approval number including extension number) issued on 04.04.2021 (date of issue) (CV* date of issue) and

can be permanently registered in Member States having right/~~left~~ (1) -hand traffic and using metric/~~imperial~~ (1) units for the speedometer.

TORINO, ITALY
(place)

29, 12, 2023
(date)

Lou Tik
(signature)

Zulassungsbescheinigung
Teil II (Fahrzeugbrief) Nr. ST568109

ausgegeben am 23. Jan. 2024

General construction characteristics

1.3. Number of axles: 2 and wheels: 4
1.3.1. Axles with twinned wheels: N.A.
1.3.2. Powered axles: R
6.2.4. Advanced braking system: ~~ABS / CBS /~~ Both ABS and CBS ~~/ None: None~~

Main dimensions

2.2.1.	Length:	2530 mm
2.2.2.	Width:	1500 mm
2.2.3.	Height:	1560 mm
2.2.4.	Wheelbase:	1680 mm
2.2.4.1.	Wheelbase sidecar:	N.A.
2.2.5.	Track width	
2.2.5.1.	Track width front:	1320 mm
2.2.5.2.	Track width rear:	1320 mm
2.2.5.3.	Track width sidecar:	N.A.
2.2.10.6	Ground clearance between the axles:	N.A.
2.2.15.	Wheelbase to ground clearance ratio:	N.A.
2.2.17	Seat height:	N.A.

Masses

2.1.1.	Mass in running order:	449 kg
2.1.2.	Actual mass:	664 kg
2.1.3.	Technically permissible maximum laden mass:	774 kg
2.1.3.1.	Technically permissible maximum mass on front axle:	342 kg
2.1.3.2.	Technically permissible maximum mass on rear axle:	432 kg
2.1.3.3.	Technically permissible maximum mass on sidecar axle:	N.A.
2.1.7.	Technically permissible maximum towable mass:	
	Braked: N.A. Unbraked:	N.A.
2.1.7.1.	Technically permissible maximum laden mass of the combination:	N.A.
2.1.7.2.	Technically permissible maximum mass at the coupling point:	N.A.

Powertrain

3.1.1.1. Manufacturer: N.A.
3.1.1.2. Engine code (as marked on the engine or other means of identification): N.A.
3.2.1.2. Working principle of the combustion engine: ~~internal combustion engine (ICE)/positive ignition/compression ignition/external combustion engine (ECE)/turbine/compressed air~~ : N.A.
3.2.1.4.1. Number of cylinders: N.A.
3.2.1.4.2. Arrangement of cylinders: ~~LI / V / O / S~~ N.A.
3.2.1.5. Engine capacity: N.A.
1.9. Maximum net power:
N.A. (CV*: N.A.)
1.10. Ratio maximum net power/mass of the vehicle in running order:
N.A. (CV*: N.A.)

3.2.3.1. Fuel type: N.A.
3.2.3.2. Vehicle fuel combination: ~~mono-fuel/bi-fuel/flex-fuel~~
3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N.A.

3.1.2.1. Manufacturer: Hefei Yoyao Technology Co.,LTD
3.1.2.2. Electric motor code (as marked on the engine or other means of identification): TZ155CA05DYYGA / DA202007N1A00029
3.3.3.4. ~~15/~~30 minutes power: 7.5 kW
3.1.3.1. Manufacturer: N.A.
3.1.3.2. Application code (as marked on the engine or other means of identification): N.A.
3.3.1. Electric vehicle configuration: pure electric~~/hybrid electric/manpower electric~~
3.3.5.2. Category of hybrid electric vehicle: ~~off-vehicle charging/not off-vehicle charging~~
3.9.2. Maximum assistance factor: N.A.

Maximum speed

1.8. Maximum speed of vehicle: 70 km/h (CV*: N.A.)
3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N.A.

Drive-train and control

3.5.3.9. Transmission (type): O
3.5.4. Gear ratios: 7.961
3.5.4.1. Final drive ratio: 7.961
3.5.4.2. Overall gear ratio in highest gear: N.A.

Installation of tyres

6.18.1.1. Tyre size designation:

	Axle 1:	Axle 2:
	155/65R14 (75T) or 155/60R15 (74M or 74T)	155/65R14 (75T) or 155/60R15 (74M or 74T)
Minimum Load capacity index:		
	47	55
Minimum speed category symbol:		
	F	F
Recommended pressure:		
	220 kPa	230 kPa
Rim size:		
	14×5J or 15×5J	14×5J or 15×5J

Sidecar wheel: N.A.

Bodywork

6.20.2.1. Door configuration and number of doors: 1L, 1R
6.16.1. Number of seating positions: 2
6.16.1.1. Location and arrangement: r1:1R, 1L

Coupling devices

7.2.8. Type-approval number of coupling-device: N.A.

Environmental performance

4.0.1. Environmental step: Euro 5 (~~3~~/4/5/~~5+~~)
4.0.6. Sound level measured according to: N.A.
4.0.6.1. Stationary: N.A. (CV*: N.A.) at engine speed: N.A. (CV*: N.A.)
4.0.6.2. Drive-by: N.A. (CV*: N.A.)
4.0.6.3. Limit value for L_{urban}: N.A. (CV*: N.A.)

3.2.15. Exhaust emissions measured according to: N.A.
3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:

CO:	...	N.A.	(CV*: N.A.)
THC:	...	N.A.	(CV*: N.A.)
NMHC :	...	N.A.	(CV*: N.A.)
NOx :	...	N.A.	(CV*: N.A.)
HC+NOx :		N.A.	(CV*: N.A.)
PM :	...	N.A.	(CV*: N.A.)

3.2.15.2 Type II test: tailpipe emissions at (increased) idle and free acceleration:
HC: --- ppm at normal idling speed and: --- ppm at high idle speed (CV*: N.A.)
CO: --- % vol at normal idling speed and: --- %vol at high idle speed (CV*: N.A.)
3.2.15.3. Smoke corrected absorption coefficient: N.A. (CV*: N.A.)

Energy efficiency

4.0.2. Fuel consumption: N.A. (CV*: N.A.)
4.0.3. CO_2 emissions: N.A. (CV*: N.A.)
4.0.4. Energy consumption: 74 Wh/km (CV*: N.A.)
4.0.5. Electric range: 160 km (CV*: N.A.)

Conversion of the performance of the vehicle:

8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A2 and (L3e/L4e)-A3 and vice versa: ~~yes~~/no

Additional information:

9.1. Remarks: N.A.
9.2. Exemptions: N.A.

3.2.3.1. Fuel type: N.A.
3.2.3.2. Vehicle fuel combination: ~~mono-fuel/bi-fuel/flex-fuel~~
3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N.A.

3.1.2.1. Manufacturer: Hefei Yoyao Technology Co.,LTD
3.1.2.2. Electric motor code (as marked on the engine or other means of identification):
TZ155CA05DYYGA/**DA202007N1A00029**
3.3.3.4. ~~15~~/30 minutes power: 7.5 kW
3.1.3.1. Manufacturer: N.A.
3.1.3.2. Application code (as marked on the engine or other means of identification): N.A.
3.3.1. Electric vehicle configuration: pure electric/~~hybrid electric/manpower electric~~
3.3.5.2. Category of hybrid electric vehicle: ~~off-vehicle charging/not off-vehicle charging~~
3.9.2. Maximum assistance factor: N.A.

Maximum speed

1.8. Maximum speed of vehicle: 70 km/h (CV*: N.A.)
3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N.A.

Drive-train and control

3.5.3.9. Transmission (type): O
3.5.4. Gear ratios: 7.961
3.5.4.1. Final drive ratio: 7.961
3.5.4.2. Overall gear ratio in highest gear: N.A.

Installation of tyres

6.18.1.1. Tyre size designation:
Axle 1: 155/65R14 (75T) Axle 2: 155/65R14 (75T)
Minimum Load capacity index:
Axle 1: 47 Axle 2: 55
Minimum speed category symbol:
Axle 1: F Axle 2: F
Recommended pressure:
Axle 1: 220 kPa Axle 2: 230 kPa
Rim size:
Axle 1: 14×5J Axle 2: 14×5J
Sidecar wheel: N.A.

Bodywork

6.20.2.1. Door configuration and number of doors: 1L, 1R
6.16.1. Number of seating positions: 2
6.16.1.1. Location and arrangement: r1:1R, 1L

Coupling devices

7.2.8. Type-approval number of coupling-device: N.A.

Environmental performance

4.0.1. Environmental step: Euro 5 (~~3/4/5/5+~~)
4.0.6. Sound level measured according to: N.A.
4.0.6.1. Stationary: N.A. (CV*: N.A.) at engine speed: N.A. (CV*: N.A.)
4.0.6.2. Drive-by: N.A. (CV*: N.A.)
4.0.6.3. Limit value for L_{urban}: N.A. (CV*: N.A.)

3.2.15. Exhaust emissions measured according to: N.A.
3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:

CO:	...	N.A.	(CV*: N.A.)
THC:	...	N.A.	(CV*: N.A.)
NMHC :	...	N.A.	(CV*: N.A.)
NOx :	...	N.A.	(CV*: N.A.)
HC+NOx :		N.A.	(CV*: N.A.)
PM :	...	N.A.	(CV*: N.A.)

3.2.15.2 Type II test: tailpipe emissions at (increased) idle and free acceleration:
HC: --- ppm at normal idling speed and: --- ppm at high idle speed (CV*: N.A.)
CO: --- % vol at normal idling speed and: --- %vol at high idle speed (CV*: N.A.)
3.2.15.3. Smoke corrected absorption coefficient: N.A. (CV*: N.A.)

Energy efficiency

4.0.2. Fuel consumption: N.A. (CV*: N.A.)
4.0.3. CO_2 emissions: N.A. (CV*: N.A.)
4.0.4. Energy consumption: 74 Wh/km (CV*: N.A.)
4.0.5. Electric range: 160 km (CV*: N.A.)

Conversion of the performance of the vehicle:

8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A2 and (L3e/L4e)-A3 and vice versa: ~~yes~~/no

Additional information:

9.1. Remarks: N.A.
9.2. Exemptions: N.A.

COMPLETE VEHICLE
EU CERTIFICATE OF CONFORMITY

The undersigned, Mr. TIK LOU, Legal Person
Hereby certifies that the following complete vehicle:

0.1. Make (trade name of the manufacturer): XEV, X, XEV YOYO

0.2. Type: Y01 (CV * Type): N.A.

0.2.1. Variant: A0 (CV * Variant): N.A.

0.2.2. Version: 1 (CV * Version): N.A.

0.2.3. Commercial name (if available): XEV, X, XEV YOYO
(CV * Commercial name (if available)): N.A.

0.3. Category, subcategory and sub-subcategory of vehicle: L7e-CP
(CV * Category, subcategory and sub-subcategory of vehicle): N.A.

0.4. Company name and address of manufacturer:
XEV S.R.L.
CORSO GIACOMO MATTEOTTI 42, TORINO (TO) CAP 10121, ITALY

0.4.2. Name and address of manufacturer's authorised representative (if any):
Not applicable

0.5.1. Location of the manufacturer's statutory plate(s): R, x 70, y 345, z 762

0.5.2. Method of attachment of the manufacturer's statutory plate(s): By laser printing sticker

0.6. Location of the vehicle identification number: R, x 841, y 230, z 117

1. Vehicle identification number: ☆**ZP6Y02A01NA003314**☆

conforms in all respects to the type described in EU type-approval e9*168/2013*11721*00 (type-approval number including extension number) (CV* type-approval number including extension number) issued on 17/09/2021 (date of issue) (CV* date of issue) and

can be permanently registered in Member States having right~~/left~~ (1) -hand traffic and using metric~~/imperial~~ (1) units for the speedometer.

TORINO, ITALY

(place)

08, 02, 2022

(date)

Lou Tik

(signature)

General construction characteristics

1.3. Number of axles: 2 and wheels: 4
1.3.1. Axles with twinned wheels: N.A.
1.3.2. Powered axles: R
6.2.4. Advanced braking system: ~~ABS / CBS /~~ Both ABS and CBS ~~/ None/ None~~

Main dimensions

2.2.1.	Length:	2530 mm
2.2.2.	Width:	1500 mm
2.2.3.	Height:	1560 mm
2.2.4.	Wheelbase:	1680 mm
2.2.4.1.	Wheelbase sidecar:	N.A.
2.2.5.	Track width	
2.2.5.1.	Track width front:	1320 mm
2.2.5.2.	Track width rear:	1320 mm
2.2.5.3.	Track width sidecar:	N.A.
2.2.10.6	Ground clearance between the axles:	N.A.
2.2.15.	Wheelbase to ground clearance ratio:	N.A.
2.2.17	Seat height:	N.A.

Masses

2.1.1.	Mass in running order:	449 kg
2.1.2.	Actual mass:	664 kg
2.1.3.	Technically permissible maximum laden mass:	774 kg
2.1.3.1.	Technically permissible maximum mass on front axle:	342 kg
2.1.3.2.	Technically permissible maximum mass on rear axle:	432 kg
2.1.3.3.	Technically permissible maximum mass on sidecar axle:	N.A.
2.1.7.	Technically permissible maximum towable mass:	
	Braked: N.A. Unbraked:	N.A.
2.1.7.1.	Technically permissible maximum laden mass of the combination:	N.A.
2.1.7.2.	Technically permissible maximum mass at the coupling point:	N.A.

Powertrain

3.1.1.1.	Manufacturer: N.A.	
3.1.1.2.	Engine code (as marked on the engine or other means of identification): N.A.	
3.2.1.2.	Working principle of the combustion engine: ~~internal combustion engine (ICE)/positive ignition/compression ignition/external combustion engine (ECE)/turbine/compressed air~~ : N.A.	
3.2.1.4.1.	Number of cylinders:	N.A.
3.2.1.4.2.	Arrangement of cylinders:	~~LI / V / O / S~~ N.A.
3.2.1.5.	Engine capacity:	N.A.
1.9.	Maximum net power:	
	N.A.	(CV*: N.A.)
1.10.	Ratio maximum net power/mass of the vehicle in running order:	
	N.A.	(CV*: N.A.)