



PACCAR Trucks Melbourne A030
355 Fitzgerald Road

GDP ASSETS PTY LTD
P.O. BOX 277

Derrimut, Victoria Australia 3030
Phone:
Fax:
Email:

CRESWICK, Victoria Australia 3363
Phone: 0407700257
Fax: 53458064
Contact Email:
Prepared for: GREG PRESTON

Customer Truck Purchase Order

	Unit	Chassis
Model:	T403	Fr Axle Load (kg): 6500
Type:	Prime Mover	Max Front Load (kg): 6500
Description:	T403 ISXe5	Distance at Max Load (%): 100
		Rr Axle Load (kg): 16500
Intended Serv.:	Farm Produce	Max Rear Load (kg): 17000
Commodity:	Farm Product	Distance at Max Rear Load (%): 50
		G.C.M. (kg): 43000
		Max G.C.M. Load (kg): 48000
		Requested G.C.M. Load (kg): 50000
		Distance at Max G.C.M. Load (%): 50
Type:		Wheelbase (mm): 5000
Length (mm):	0	Fr Axle to BOC (mm): 2,470
Height (mm):	0	Cab to Axle (mm): 2,530
Body Weight (kg):	0	Cab to EOF (mm): 3,900
Body Width (mm):	0	
	Trailer	Road Conditions:
No. of Trailer Axles:		Class A (I'state hwy/Roads): 96
Type:	Dry Van	Class B (Well maintained): 4
Length (mm):	21690	Class C (Poorly maintained): 0
Height (mm):	4300	Class D (Off-Road): 0
Kingpin Inset (mm):	1430	Maximum Grade: 8
Corner Radius (mm):	0	Length Max Grade (km): 2
Trailer Width (mm):	2500	Normal Grade (%): 6
		Length Normal Grade (km): 2
		Annual Distance (km): 250000
Length (mm):	26000	
Width (mm):	2500	
Height (mm):	4300	

Special Req.

Australia Wide

Approved by: _____

Date: _____

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 19/12/2013 11:20:57 AM
Effective Date: Feb 1, 2014
Prepared by: ID: Kurt Berry

Complete

Model Number: T403
Quote/DTPO/CO: Q31403007
Version Number: 25.02

PACCAR Trucks Melbourne A030
355 Fitzgerald Road

GDP ASSETS PTY LTD
P.O. BOX 277

Derrimut, Victoria Australia 3030
Phone:
Fax:
Email:

CRESWICK, Victoria Australia 3363
Phone: 0407700257
Fax: 53458064
Contact Email:
Prepared for: **GREG PRESTON**

Data	Code	Description	Weight
Model			
00004030	S	T403 Includes silicon radiator/heater hoses, front axle shock absorbers, PVC covered chassis wiring, grab handles for cab access & at rear of cab/sleeper, fuel tank steps, front tow hitch/hook, rear axle park brakes, colour coded polyester nylon cab & chassis airlines.	7,786
Kits			
11000007	S	Non-fuel haul	0
13000001	S	Standard Service kit	0
Engine & Equipment			
21012549	O	Cummins ISXe5 ADR80/03 450.465hp @ 1600rpm, 1650lbft torque @ 1150rpm. 15.0 litre displacement. Six cylinder in-line turbocharged air-to-air aftercooled, 813mm diameter fan. Aluminium flywheel housing. Fleetguard combination full flow & by-pass oil filters & integral oil cooler. Includes 2000rpm max, Cummins road speed limiter, KW spin on water filter. (THIS ENGINE IS NOT ABLE TO BE UP-RATED)	-79
21301610	O	ISX/Signature engine warranty 15000 hours, 1000000kms, 500000L fuel burn, 4 years coverage)	0
21500067	O	EGP mtd in chassis. Dual cab mtd exhaust - In chassis EGP mounted RHS.	48
22000017	O	Dual SS exhaust shield (no letters) - Polished shield.	0
22500311	O	Dual curved chrome 5" tailpipe - max height	4
23000003	O	Standard exhaust elbows - dual	0
23500009	S	Fuel filter/water separator	0
24000040	S	Cummins 8.8l/s (18.7cfm) compressor	0
25000001	S	12 volt starter with key start switch	0
25500027	S	Donaldson 2540 aircleaner. Engine mtd	0
26000001	S	Inline Precleaner	0
26200020	O	160A non isolated alternator (ISX/Signature/QSK)	2
26500001	S	12 volt cab/chassis electrics	0
26500010	O	Urea metering device to suit SCR engine	0
27000075	O	Cummins dash mounted engine brake	0
27500001	O	Radiator bug screen	1
28500001	S	Horton fan clutch	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	19/12/2013 11:20:57 AM	Complete	Model Number:	T403
Effective Date:	Feb 1, 2014		Quote/DTPO/CO:	Q31403007
Prepared by:	ID: Kurt Berry		Version Number:	25.02



Data	Code	Description	Weight
29000020	S	Barry type rear engine mounts (GCM 110T & less)	0
Transmission & Clutch			
31024500	O	Eaton FO-16E318B-MXP UltraShift Plus transmission, 1650lbft torque, 18 speed overdrive.	24
32028200	O	ECA clutch to suit Ultra-shift plus transmission	0
34020002	O	Meritor RPL25 Driveline with one centre bearing	52
34500100	O	Meritor RPL20 interaxle driveline (tandem)	13
35000001	O	Extended grease line to clutch bearing	1
35000002	O	Extended grease line to clutch shaft	1
35000010	S	Transmission oil cooler	0
37000010	S	Transmission mounted breather	0
38000010	O	Hill Start Assist	0
Axles & Equipment			
41022021	S	Dana E-1462I 6.6t capacity fo T6 & T4	0
41226010	S	Meritor 16.5" x 5" LA (Q+) front drum brakes (sin (T3-A models will have type 24 brake chambers)	0
41500165	S	Front springs, 7.2t taper leaf (w/9" susp)	0
41800002	S	2 steel piloted front hubs & drums - 285 PCD (FG/E1462)	0
42000020	S	TRW Ross TAS 85 power steering	0
42500008	O	Automatic Slack Adjusters (single steer)	1
42900411	O	REAR AXLE RATIO-4.11	0
43022285	O	Dana DD/RDH40P Tandem drive, diff locks to both axles. 18.1t GAW.	8
43226001	S	16.5"x7"Meritor Q+ rear drum brakes(tandem) (T350A/T358A models will have type 24 brake chambers)	0
43502231	S	AIRGLIDE 400, 2 alloy ped, 9" ride height. 18.1t tandem.	0
43700100	S	Rear Axle spacing 1321mm NOTE - axles are located by suspension components which may move longitudinally with variances of vertical load or installation angles.	0
43800004	S	4 Alum piloted rear hubs & drums - 285PCD (R-series)	0
43900010	S	Interaxle diff lock	0
44000008	O	Automatic slack adjusters - tandem rear axle tandem	2
44200001	S	Diff breather(s) on axle housing	0
Tyres & Wheels			
46050145	S	Bridgestone 295/80 R22.5 R150-II - 2 steer	0
46250040	S	Bridgestone 11R22.5 M722	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 19/12/2013 11:20:57 AM
Effective Date: Feb 1, 2014
Prepared by: ID: Kurt Berry

Complete

Model Number: T403
Quote/DTPO/CO: Q31403007
Version Number: 25.02

Data	Code	Description	Weight
47000006	O	Alcoa 8.25x22.5 285PCD - 2 steer hub pilot. (Includes SS hub covers)	-24
47200002	O	Alcoa 8.25x22.5 285PCD hub pilot	-136
47500003	O	2 Durabrite polished wheels - single steer (only required with Alcoa steer wheels/rims)	0
47600022	O	4 Durabrite Polished, 4 Clean Buff finishes - rear (only required with Alcoa drive wheels/rims)	0
Frame & Equipment			
51000210	S	270mm x 89mm x8mm rails up to 7700mm (0.0521kg/mm/pair of rails)	39
51500006	S	Suspension insert	0
52000006	S	Tractor taper / Light duty crossmember	0
53000027	O	FUPS aerodynamic polished bullbar	94
54000004	S	4 battery box LHR ISLe5 will have 3 batteries in box	0
54140160	O	Loc code - 170L 625mm diam DEF tank RHR	0
54200040	S	4 x 12 volt, heavy duty Kenworth batteries	0
55000004	O	Reversing alarm	1
56000110	O	Spraysafe Tandem plastic mudguards - Red	0
56500010	O	Spray Suppressant mudflaps- front (single steer)	1
56600010	O	Spray Suppressant mudflaps - rear	6
57000110	O	Aluminium Walkway - 800mm (clamped)	4
58000006	O	100/90w (50mm evens) fifth wheel angles for GCM greater than 150T.	10
59040001	S	Customer installed fifth wheel	0
59100200	O	5th Wheel setting Positive 200mm	0
59500041	O	KW rear cab/sleeper air suspension for integrated sleepers only	0
Cab & Equipment			
61000405	O	T403 cab, engine mounted air cleaner, integrated Huckbolted steel & aluminium cab frame with steel, aluminium & fibreglass cab construction using aerospace technology. Aluminium bulkhead-type doors with continuous piano-type hinges. LED warning light cluster located in dash, low air warnig buzzer, fuel level gauge, speedometer, tachometer, air system pressure gauges, manual reset circuit breakers on essential circuits with fuses on non-essential circuits, interior sunvisors, cab interior light, door courtesy lights, card holder in driver's door, seat mounted inertia reel seat belts to driver & rider seats, directional/hazard lights front & rear, front outline LED marker lights on mirrors, vinyl floor mats, dual electric horns.	0
61300400	S	Aerodynamic hood, T403, under hood air cleaner , engine mounted	0
61500168	O	Shiraz cab trim, HD studded vinyl (4811)	0
62000720	O	Burgundy, HD Xtreme air suspended driver's seat	33

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	19/12/2013 11:20:57 AM	Complete	Model Number:	T403
Effective Date:	Feb 1, 2014		Quote/DTPO/CO:	Q31403007
Prepared by:	ID: Kurt Berry		Version Number:	25.02

Data	Code	Description	Weight
62001343	O	Burgundy, KAB fixed rider's seat w/lap sash belt with high back (N/A with arm rest) - NZ registration requirement	0
62500080	S	Provision for 2 CB style radios (unless CB and/or UHF radio/s are factory fitted)	0
62500090	S	FM/AM radio aerial - roof mounted	0
62500116	O	FM/AM radio & CD, 4 speakers, 2 tweeters	2
63000002	S	Kenworth integral heater/airconditioner	0
63300100	S	One piece curved windscreen - tinted, laminated safety glass with dual electric variable speed windscreen wipers (conventional models) or with three electric variable speed windscreen wipers (COE only)	0
63400003	O	Peeper window - LH door	0
63500032	S	Daylite II door with electric lift window to LHS	0
63500033	S	Daylite II door with electric lift window to RHS	0
63800010	S	Dual airhorn, 572mm & 648mm mounted on roof	0
64000001	S	Flat mirrors - heated	0
64100001	O	Spotter mirrors below main(2)	0
64500060	S	Two spare switches in main switch panel (where space permits)	0
64700001	S	Cigarette lighter and ashtray	0
64800120	S	Dual round headlights - 7"	0
64800130	S	Headlight covers - aerodynamic	0
65000325	O	Mirror mounted rear facing loading lights (not with aero mirrors)	2
65000520	S	Door courtesy lights	0
65000536	S	LED stop/tail lights (incl. reverse lights)	0
65200060	S	5 LED marker lights (subject to layout)	0
65400220	O	Exterior sunvisor - painted	5
65500140	O	Oil temperature gauge - engine	1
65500150	O	Oil temperature gauge - transmission	1
65500170	O	Oil temperature gauge - tandem axles	1
65500190	O	SCR fluid gauge	0
65500231	O	80mm pyrometer	2
65500250	O	VDO analogue clock	1
65500261	S	Tachometer with integrated engine hourmeter	0
65500270	O	Turbo boost gauge	1
65500290	O	Bogaard engine timer	0
65500320	O	Air suspension pressure gauges (2 gauges)	1
65500371	O	Cummins Road Relay	1
65500900	S	Engine coolant temperature gauge	0
65500910	S	Engine oil pressure gauge	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	19/12/2013 11:20:57 AM	Complete	Model Number:	T403
Effective Date:	Feb 1, 2014		Quote/DTPO/CO.	Q31403007
Prepared by:	ID: Kurt Berry		Version Number:	25.02

Data	Code	Description	Weight
65500990	S	Low transmission oil pressure warning light (w/neutral interlock)	0
65501000	O	Gold bezel gauges	0
65600235	O	Cummins dash mounted cruise control	0
65700100	S	Adjustable steering column with 460mm wheel (Excludes column mounted engine brake control for T359 & T359A)	0
65900020	S	20t hydraulic jack & wheelbrace	0
66000070	S	Integral two cup drink holder in dash	0
66000561	S	Aluminium grille mesh to front of cab/hood	0
66000575	S	Radiator mounted condensor	0
66000700	S	Central Locking	0
66000795	S	Interior grab handles fitted to A-pillar	0
66200017	S	Single hood hooks	0
67000420	O	Aero roof 36" integrated sleeper, recessed rear panel (140mm recess). Access door with step & grab handle to LHS. Two section tool compartment with external doors. 790mm inner spring mattress. Sleeper restraint belts. Vista roof windows. Two upper internal storage compartments. Including sleeper curtain.	200
67500130	O	Flywire screen on LH sleeper door	1
67600710	O	Stainless steel vanity skirts to sleeper including steps where applicable.	5
67700220	O	Roof mtd deflector - Aero including side extenders & continuation tabs. For T4 models	30
68000001	S	Kenworth driver's information pack with driver's handbook	0
68000010	S	Kenworth customised maintenance manual - CD	0
Air Equipment			
71000012	S	Semi trailer kit	0
71200001	S	PBR air line couplings	0
71400001	S	Semi trailer fixed coiled air lines	0
71600001	S	Semi trailer fixed light line - 7 pin plug straight light line, conforms with AS2513.	0
71800001	S	Hosetenna right hand side - fixed	0
72000010	S	Manual air tank drain valves	0
73000010	O	Chicago Rawhide Turbo 2000 air dryer	7
75000020	O	Trailer release valve	1
75400060	O	EBSS 1: Prime Mover (ABS+ATC+DTC)	28
75600005	S	No ABS semi trailer lead or No ABS full truck socket.	0

Fuel Tanks & Equip

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 19/12/2013 11:20:57 AM
Effective Date: Feb 1, 2014
Prepared by: ID: Kurt Berry

Complete

Model Number: T403
Quote/DTPO/CO: Q31403007
Version Number: 25.02

Data	Code	Description	Weight
80500001	S	Aluminium Note: each fuel tank specified is filled with 200L fuel when it leaves the KW factory. Tanks with capacity less than 200L will be filled	0
81010240	S	400L 625mm dia fuel tank LHF (rpl)	0
81510243	O	400L 625mm dia fuel tank RHF (add)	89
84400049	O	170L 625mm diam AdBlue tank RHR (stainless steel) for ISXe5 (60L AdBlue supplied at factory)	75
84449900	U	230L 625MM DIA OIL TANK LHRR	244
85000002	O	Cross-over line shut-off fuel taps(2)	2
85500002	O	Fuel tap shields(2)	2
87500005	S	No aerodynamic fuel tank side fairings	0
88000020	S	Fuel cooler with single fuel pickup & return	0
89599000	U	NO AIR TANKS TO BE MOUNTED BETWEEN DRIV E MUDGUARDS	0
89999999	U	LOCATE AIR OUTSIDE CHASSIS RHS AFTER UR EA TANK. NO AIR TANKS INSIDE CHASSIS FOR PTO FITTINGS.	0
Paint			
91000000	O	Paint cab stock Ice White (417KEA.KMV2)	0
92200001	O	Paint integrated sleeper 1 colour	0
92500001	S	Chassis painted black	0
97000000	O	PAINT COLOR NUMBER N97020 COLOUR A 417KEA.KMV2 ICE WHITE N97600 AIR SHIELD 417KEA.KMV2 ICE WHITE N97700 SUNVISOR 417KEA.KMV2 ICE WHITE N97350 CHASSIS 416AFL.KT79 C S R / BLACK	0
Miscellaneous			
99899899	U	1	0
Total Weight			8594kg

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	19/12/2013 11:20:57 AM	Complete	Model Number:	T403
Effective Date:	Feb 1, 2014		Quote/DTPO/CO:	Q31403007
Prepared by:	ID: Kurt Berry		Version Number:	25.02



PACCAR Trucks Melbourne A030
355 Fitzgerald Road

GDP ASSETS PTY LTD
P.O. BOX 277

Derrimut, Victoria Australia 3030
Phone:
Fax:
Email:

CRESWICK, Victoria Australia 3363
Phone: 0407700257
Fax: 53458064
Contact Email:
Prepared for: GREG PRESTON

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 19/12/2013 11:20:57 AM
Effective Date: Feb 1, 2014
Prepared by: ID: Kurt Berry

Complete

Model Number: T403
Quote/DTPO/CO: Q31403007
Version Number: 25.02

GENERAL CONDITIONS

1. THE Vendor shall not be responsible for failure or delay in shipment or delivery due to fires, floods, strikes, transportation difficulties, shortage of or inability to obtain necessary materials or labour, or any other causes beyond the Vendor's reasonable control. The existence of any such cause of delay shall extend the time for performance to such extent as may be necessary to enable the Vendor by the exercise of reasonable diligence to make delivery, provided however, that if such delay shall exceed thirty days from the preferred delivery date, the Vendor may cancel this order and the Vendor shall then have no other or further liabilities to the Purchase other than to return to the Purchaser any deposit made by the Purchaser to the Vendor.
2. THE total net purchase price shown on this Order (subject to clause 6 herein and to subsequent changes by agreement) shall be due and payable to the Vendor by the Purchaser at the time the goods are collected from the Vendor or at such time as the Purchaser is notified that they are available for collection whichever is the earlier date subject to any contrary written arrangement signed or otherwise accepted by the Vendor and the Purchaser.
3. FOR breach of any agreement herein contained on the part of the Purchaser, the Vendor may at its option terminate this Contract and may sue the Purchaser for damages and may retain any deposit made by the Purchaser on account thereof, or the Vendor may enforce the terms hereof. The Purchaser agrees that the venue of any suit or action of this agreement may be selected by the Vendor and the Purchaser agrees to submit to the exclusive jurisdiction.
4. IN the event that the total net purchase price for the equipment covered by this order is not to paid at the time of delivery, the Vendor shall be entitled to require the Purchaser to sign a registrable Bill of Sale over the equipment to secure payment of the balance of the purchase price and all stamp duty, legal costs, insurance charges and other expenses shall be paid by the Purchaser or added to the balance of the purchase price.
5. ALL prices are subject to increase or decrease in the amount of any existing new or changed taxes imposed by Federal or State and/or Municipal authorities upon the manufacture transportation and/or sales of the commodities named. The Purchaser agrees to pay the amount of any such tax in addition to the price herein provided.
6. ALL quotations of prices are bases on estimates of present cost of labour and material. To the extent that the Vendor is unable to secure firm prices from its suppliers the Vendor reserves the right to make price increases or decreases should cost change so as to necessitate price adjustment between date of this order and the time of manufacture. The Purchaser agrees that it is responsible for payment in full at the time of delivery in respect of any cost increases including any cost increases required by the changes to specification whether or not the same originate from the Purchaser or the Vendor providing that the Purchaser has accepted the same as forming part of this Contract.
7. IF any material is furnished by the Purchaser for use in the manufacture of the vehicle purchased herein, the Purchaser indemnifies and agrees to keep indemnified the Vendor from all costs claims or damages whatsoever arising from any defect in the same, or failure of same to operate properly.
8. THE Vendor undertakes that it will warrant to the first user thereof under Kenworth standard Warranty, but Kenworth makes no warranties whatsoever to the Purchaser hereunder respecting the Goods, whether express or implied and in particular, Kenworth makes no express warranty of merchantability or fitness for a particular purpose.
9. IN regards to any claim for breach of implied conditions under the Trade Practices Act Kenworth Trucks limits its liability to replacement or repair of the motor vehicle or payment of the cost of replacement or repair.
10. THE Vendor collects the information on this form in order to forward it to Kenworth Trucks. Kenworth will then use the information for the purpose of manufacturing/providing a truck for your use. The Vendor may also forward the information on this form to a finance company for the purpose of offering assistance to you in arranging finance for your truck purchase. If you do not want any personal information forwarded to a finance company, please tick the box - ☐. The Vendor, Kenworth Trucks, and all finance companies with which the Vendor conducts business, comply with the provisions of the Privacy Act 1988.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 19/12/2013 11:20:57 AM
Effective Date: Feb 1, 2014
Prepared by: ID: Kurt Berry

Complete

Model Number: T403
Quote/DTPO/CO: Q31403007
Version Number: 25 02



PACCAR Trucks Melbourne A030
355 Fitzgerald Road

GDP ASSETS PTY LTD
P.O. BOX 277

Derrimut, Victoria Australia 3030
Phone:
Fax:
Email:

CRESWICK, Victoria Australia 3363
Phone: 0407700257
Fax: 53458064
Contact Email:
Prepared for: GREG PRESTON

Typical accuracy of a weight estimate is +/- 2% and does not include the weight of fuel.
There is no guarantee as to the accuracy of the weight estimate of this specification.

This order is given and accepted subject to the Sales Engineering Data contained herein and the General Conditions contained herein, and is not binding on the Vendor until accepted by the Manufacturer.

Signed by, or on behalf of, the Purchaser

Signed: _____ Date: _____
Signature of Purchaser or their Authorised Representative

Name: _____
Print and specify designation/position (e.g. Director, Agent, Manager)

Submitted by Dealer's Sales Representative:

Signature: _____ Date: _____

Accepted by or on Behalf of the Vendor:

Signature: _____ Date: _____

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 19/12/2013 11:20:57 AM
Effective Date: Feb 1, 2014
Prepared by: ID: Kurt Berry

Complete

Model Number: T403
Quote/DTPO/CO: Q31403007
Version Number: 25.02