

CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
 Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
 IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	Mur-Cal Services Ltd		
Address:	P.O. Box 1308		
City:	Grande Prairie	Province:	AB
		Postal Code:	T8V4Z1
Telephone Number:	(780) 539-0928		
Vehicle Identification Number:	1XPTP4EX1LD684638		
Make:	Peterbilt	Model:	Conventional
Year:	2020	Unit Number:	534
Odometer:	277444 KM	Licence Plate Number:	0BD270
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Mur-Cal Services Ltd.	17190
Inspection Technician Name:	Technician Number:
Bradley Reyda	C1290
Inspection Technician Signature:	
Inspection Date:	2025/10/18



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered											
Truck										63500 kg											
Vehicle Information																					
VIN	1	X	P	T	P	4	E	X	1	L	D	6	8	4	6	3	8				
Unit Number 534				Year 2020				Make Peterbilt				Model Conventional				Odometer 277,444					
Registered Owner's Name Mur-Cal Services Ltd																Plate Number 0BD270					
Address P.O. Box 1308												Postal Code T8V4Z1				Phone Number (780) 539-0928					

Drum Brakes: C-Limited Inspection	Disc Brakes:
--	---------------------

		LEFT	FRONT	RIGHT		
100 psi 14 mm		N/A mm	Drums/Rotors	N/A mm		100 psi 14 mm
		16 mm	Linings/Pads	16 mm		
		34 mm	Push Rod Travel	35 mm		
100 psi 24 mm	100 psi 24 mm	N/A mm	Drums/Rotors	N/A mm	100 psi 24 mm	100 psi 25 mm
		17 mm	Linings/Pads	17 mm		
		33 mm	Push Rod Travel	34 mm		
100 psi 25 mm	100 psi 25 mm	N/A mm	Drums/Rotors	N/A mm	100 psi 25 mm	100 psi 25 mm
		17 mm	Linings/Pads	17 mm		
		32 mm	Push Rod Travel	32 mm		
100 psi 24 mm	100 psi 24 mm	N/A mm	Drums/Rotors	N/A mm	100 psi 24 mm	100 psi 25 mm
		17 mm	Linings/Pads	17 mm		
		33 mm	Push Rod Travel	32 mm		
psi mm	psi mm	mm	Drums/Rotors	mm	psi mm	psi mm
		mm	Linings/Pads	mm		
		mm	Push Rod Travel	mm		
psi mm	psi mm	mm	Drums/Rotors	mm	psi mm	psi mm
		mm	Linings/Pads	mm		
		mm	Push Rod Travel	mm		

Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm

Wheel Torque Checked Inner N/A ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

REPLACE ENGINE AIR FILTERS
MADE PRIOR TO PERFORMING CVIP
REPLACE CRACKED ENGINE OIL PAN
REPLACE CAB AND SLEEPER FILTERS
REPLACE FUEL TANKS
NEW YOKE NUT AND STRAP #1 DIFF INPUT
NEW DRIVESHAFT BETWEEN #1 DIFF
REPLACED ALL DIFF OILS AND FILTERS

REPLACE TRANSMISSION OIL
SECURE LOOSE BELLOW CLAMPS
REPLACE STACK EXHAUST CLAMP RHS
GREASE

ALL REPAIRS

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

REPLACE STEER AXEL SPRING PINS AND BUSHINGS
REPLACE RIDE HIEGHT VALVE

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓		
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

REPAIR ABS
REPLACE AIR DRYER FITLER
REPLACE RHS #3 AXEL MAXI POT

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

REPAIR POWER STEERING LEAK

Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxillary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxillary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxillary Drive Controls	✓		
5.7. Windshield Wiper/Washer	✓						

NOTES:

INSTALL NEW FIRE EXTINGUISHER
REPLACE SIGHT GLASS FOR HYDRAULIC TANK

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector			✓	6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

REPLACE HEAD ACHE RACK LIGHTS
REPAIR FRONT SIGNALS
INSTALL NEW BUMPER SIGNAL LIGHTS

Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

REPLACED BATTERIES
RE WIRE TAIL LIGHT HOUSING LHS RHS REAR
INSTALL NEW TRAILER CORD AUX

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓			
8.2. Tilt Cab			✓	8.13. Windshield	✓			
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓			
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓			
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓			
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓			
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓			
8.8. Cab or Cargo Door	✓			8.19. Seat	✓			
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓			
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓			
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	✓			

NOTES:

REPAIR FENDERS AND BUILD BRACKETS TO TAILLIGHT HOUSING
 RHS CAB BUSHINGS
 BOTH SLEEPER SHOCKS
 D/S WINDSHIELD REPLACED
 REPLACE FRONT D/S FENDER
 REPLACE FRONT MUDFLAPS
 INSTALL REAR MUDFLAPS

Section 9 - Tires and Wheels								
Component	P	F	NA	Component	P	F	NA	
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓			
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓	
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓	
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓			
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓			
9.6. Wheel Bearing	✓							

NOTES:

Section 10 - Couplers and Hitches								
Component	P	F	NA	Component	P	F	NA	
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓	
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓	
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓			
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓	

NOTES:

ADJUSTED AND LUBED

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Certification			
The Vehicle for which this Record of Inspection is Issued has PASSED (Certificate #8407626) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.			
Date of Inspection 2025/10/18	Technician Number C1290	Facility Number 17190	Signature 
Customer Acknowledgment			
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day) 2025/10/18
			Customer Signature 