



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	Mur-Cal Services Ltd		
Address:	P.O. Box 1308		
City:	Grande Prairie	Province:	AB
		Postal Code:	T8V4Z1
Telephone Number:	(780) 539-0928		
Vehicle Identification Number:	1XPTP4TX5JD474835		
Make:	Peterbilt	Model:	Conventional
Year:	2018	Unit Number:	531
Odometer:	450130 KM	Licence Plate Number:	E05313
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Mur-Cal Services Ltd.	17190
Inspection Technician Name:	Technician Number:
Bradley Reyda	C1290
Inspection Technician Signature:	
Inspection Date:	2025/11/22



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 63500 kg									
Vehicle Information																			
VIN		1	X	P	T	P	4	T	X	5	J	D	4	7	4	8	3	5	
Unit Number 531				Year 2018				Make Peterbilt				Model Conventional				Odometer 450,130			
Registered Owner's Name Mur-Cal Services Ltd																Plate Number E05313			
Address P.O. Box 1308												Postal Code T8V4Z1				Phone Number (780) 539-0928			

Drum Brakes: C-Limited Inspection	Disc Brakes:
--	---------------------

		LEFT	FRONT	RIGHT		
100 psi	17 mm	N/A mm	Drums/Rotors	N/A mm	100 psi	17 mm
		18 mm	Linings/Pads	18 mm		
		30 mm	Push Rod Travel	30 mm		
100 psi	100 psi	N/A mm	Drums/Rotors	N/A mm	100 psi	100 psi
13 mm	13 mm	18 mm	Linings/Pads	18 mm	12 mm	13 mm
		30 mm	Push Rod Travel	30 mm		
100 psi	100 psi	N/A mm	Drums/Rotors	N/A mm	100 psi	100 psi
13 mm	12 mm	18 mm	Linings/Pads	18 mm	12 mm	12 mm
		28 mm	Push Rod Travel	28 mm		
100 psi	100 psi	N/A mm	Drums/Rotors	N/A mm	100 psi	100 psi
14 mm	14 mm	21 mm	Linings/Pads	21 mm	14 mm	14 mm
		30 mm	Push Rod Travel	30 mm		
__ psi	__ psi	__ mm	Drums/Rotors	__ mm	__ psi	__ psi
__ mm	__ mm	__ mm	Linings/Pads	__ mm	__ mm	__ mm
		__ mm	Push Rod Travel	__ mm		
__ psi	__ psi	__ mm	Drums/Rotors	__ mm	__ psi	__ psi
__ mm	__ mm	__ mm	Linings/Pads	__ mm	__ mm	__ mm
		__ mm	Push Rod Travel	__ mm		

Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm

Wheel Torque Checked Inner N/A ft lbs Outer N/A ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:

REPLACE OIL PAN AND GASKET PERFORMING CVIP
 REPLACE GEAR SHIFTER KNOB
 NEW COOLANT SENSOR
 TRANSMISSION OIL
 CHANGE OIL
 REPLACE ENGINE AIR FILTERS

REPLACE CAB AND SLEEPER FILTER
 EXHAUST CLAMP UNDER SLEEPER
 DIFF OILS
 DRIVE SHAFT BEHIND TRANSMISSION REPLACED AND U JOINTS
 #2 DIFF BOTTOM GEAR COVER RE SEAL

REPAIRS ALL MADE PRIOR TO

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓
3A.11. Parking Brake & Emergency Application	✓						

NOTES:
REPLACE AIR DRYER CARTIDGE
#4 AXEL REAR BRAKES
R3 DUST SHEILD

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxillary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxillary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxillary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:
REPLACE WIPER SIGNAL STAT

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector			✓	6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:
REPAIR HEADACHE RACK LIGHTS

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements			✓	8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

TIGHTEN LOOSE FUEL TANK STRAPS
P/S INTERIOR LIGHT
D/S STACK BUSHING
RH MID ANTI SAIL BRACKET

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System	✓		
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

FIFTH WHEEL ADJUSTED
GREASE

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8407635) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/11/22	Technician Number C1290	Facility Number 17190	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/11/22

Customer Signature
