

Col-138



80087700008174460

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate  
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	Mur-Cal Services Ltd		
Address:	P.O. Box 1308		
City:	Grande Prairie	Province:	AB
		Postal Code:	T8V4Z1
Telephone Number:	(780) 539-0928		
Vehicle Identification Number:	1XPTP4TX1JD474833		
Make:	Peterbilt	Model:	Conventional
Year:	2018	Unit Number:	529
Odometer:	462872 KM	Licence Plate Number:	0DX453
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Mur-Cal Services Ltd.	17190
Inspection Technician Name:	Technician Number:
Bradley Reyda	C1290
Inspection Technician Signature:	
Inspection Date:	2025/09/09

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b>						<b>Gross Vehicle Weight registered</b>											
Truck						63500 kg											
<b>Vehicle Information</b>																	
<b>VIN</b>	<b>1</b>	<b>X</b>	<b>P</b>	<b>T</b>	<b>P</b>	<b>4</b>	<b>T</b>	<b>X</b>	<b>1</b>	<b>J</b>	<b>D</b>	<b>4</b>	<b>7</b>	<b>4</b>	<b>8</b>	<b>3</b>	<b>3</b>
<b>Unit Number</b>			<b>Year</b>			<b>Make</b>			<b>Model</b>			<b>Odometer</b>					
529			2018			Peterbilt			Conventional			462,872					
<b>Registered Owner's Name</b>														<b>Plate Number</b>			
Mur-Cal Services Ltd														0DX453			
<b>Address</b>									<b>Postal Code</b>			<b>Phone Number</b>					
P.O. Box 1308									T8V4Z1			(780) 539-0928					

Drum Brakes: **A-Full Inspection with Drum Removed**

Disc Brakes:

		<u>LEFT</u>	<u>FRONT</u>	<u>RIGHT</u>			
100 psi	12 mm	420.21 mm	Drums/Rotors	420.29 mm	100 psi	13 mm	
		16 mm	Linings/Pads	16 mm			
		25 mm	Push Rod Travel	25 mm			
100 psi	100 psi	420.83 mm	Drums/Rotors	420.50 mm	100 psi	100 psi	
18 mm	16 mm	18 mm	Linings/Pads	17 mm	15 mm	16 mm	
		30 mm	Push Rod Travel	30 mm			
100 psi	100 psi	420.33 mm	Drums/Rotors	420.50 mm	100 psi	100 psi	
15 mm	15 mm	21 mm	Linings/Pads	21 mm	15 mm	16 mm	
		33 mm	Push Rod Travel	35 mm			
100 psi	100 psi	420.68 mm	Drums/Rotors	420.44 mm	100 psi	100 psi	
18 mm	18 mm	18 mm	Linings/Pads	18 mm	18 mm	20 mm	
		30 mm	Push Rod Travel	30 mm			
_ psi	_ psi	_ mm	Drums/Rotors	_ mm	_ psi	_ psi	
_ mm	_ mm	_ mm	Linings/Pads	_ mm	_ mm	_ mm	
		_ mm	Push Rod Travel	_ mm			
_ psi	_ psi	_ mm	Drums/Rotors	_ mm	_ psi	_ psi	
_ mm	_ mm	_ mm	Linings/Pads	_ mm	_ mm	_ mm	
		_ mm	Push Rod Travel	_ mm			
Park Brake Lining		Left	N/A mm	Right	N/A mm	Trans	N/A mm
Wheel Torque Checked		<input checked="" type="checkbox"/>	Inner	N/A	ft lbs	Outer	500 ft lbs

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

**NOTES:**

NEW EXHAUST BELLOW  
 REPLACE REAR STRUCTURE, NEW CLUTCH, NEW INPUTSHAFT&BEARING      ALL REPAIRS MADE PRIOR TO  
 PERFORMING CVIP  
 NEW OIL PAN GASKET  
 NEW FAN HUB TENSIONOR AND BELTS  
 COOLANT LEAK ABOVE TRANSMISSION REPAIRED

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

**NOTES:**

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

**NOTES:**

FRONT SHOCKS REPLACED

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

**NOTES:**

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓			
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓	
3A.11. Parking Brake & Emergency Application	✓							

**NOTES:**  
REPAIR AIR LEAKS ABOVE TRANSMISSION  
REPLACE AIR DRYER  
NEW GLAD HANDS FOR TRAILER CORDS

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓			
4.3. Steering Operation (Active Steer Axle)	✓							

**NOTES:**  
STEERING PUMP GASKET

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓	
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓			
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓	
5.7. Windshield Wiper/Washer	✓							

**NOTES:**  
REPLACE FIRE EXTINGUISHER  
REPLACE STEERING WHEEL AND REPAIR HORN  
RH REAR VIEW MIRROR REPAIR WIRING  
LHS CONVEX MIRROR

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓			
6.2. Reflex Reflector			✓	6.5. Headlamp Aim	✓			
6.3. Retro-Reflective Marking	✓							

**NOTES:**

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓			
7.2. Battery	✓							

**NOTES:**  
REPLACE BATTERIES

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓			
8.2. Tilt Cab			✓	8.13. Windshield	✓			
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓			

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror			✓
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

**NOTES:**

REPAIR FENDERS  
 REPLACE LH ANTI SAIL BRACKET  
 REPLACE MUDFLAP BEHIND FUEL TANK  
 FUEL TANK RUBBERS REPLACED  
 REBUILD CABINET TOOL BOXES  
 R4&R3 DUST SHEILDS  
 NEW BRAKE SHOES 3RD AXEL  
 NEW POGO STICK

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

**NOTES:**

L3 WHEEL SEAL

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

**NOTES:**

FIFTH WHEEL ADJUST AND GREASE

Certification			
<p>The Vehicle for which this Record of Inspection is issued has <b>PASSED</b> (Certificate #8174460) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.</p>			
Date of Inspection	Technician Number	Facility Number	Signature
2025/09/09	C1290	17190	
Customer Acknowledgment			
<p>I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.</p>		Date (Year/Month/Day)	
		2025/09/09	
		Customer Signature	
			