


CERTIFICATE NUMBER
**Commercial Vehicle Inspection Certificate
Traffic Safety Act**
**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	Mur-Cal Services Ltd		
Address:	P.O. Box 1308		
City:	Grande Prairie	Province:	AB
Postal Code:	T8V4Z1		
Telephone Number:	(780) 539-0928		
Vehicle Identification Number:	1XPTP4EX2DD195599		
Make:	Peterbilt	Model:	Conventional
Year:	2013	Unit Number:	516
Odometer:	7666160 KM	Licence Plate Number:	L18240
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE
PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Mur-Cal Services Ltd.	17190
Inspection Technician Name:	Technician Number:
Bradley Reyda	C1290
Inspection Technician Signature:	
Inspection Date:	2026/01/21

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 63500 kg									
Vehicle Information																			
VIN	1	X	P	T	P	4	E	X	2	D	D	1	9	5	5	9	9		
Unit Number 516				Year 2013				Make Peterbilt				Model Conventional				Odometer 7,666,160			
Registered Owner's Name Mur-Cal Services Ltd																Plate Number L18240			
Address P.O. Box 1308												Postal Code T8V4Z1				Phone Number (780) 539-0928			

Drum Brakes:	A-Full Inspection with Drum Removed	Disc Brakes:
---------------------	-------------------------------------	---------------------

		LEFT	FRONT	RIGHT		
100 psi	12 mm	419.83 mm	Drums/Rotors	419.99 mm	100 psi	11 mm
		15 mm	Linings/Pads	14 mm		
		27 mm	Push Rod Travel	27 mm		
100 psi	15 mm	419.00 mm	Drums/Rotors	419.00 mm	100 psi	10 mm
100 psi	15 mm	18 mm	Linings/Pads	16 mm	100 psi	10 mm
		29 mm	Push Rod Travel	29 mm		
100 psi	14 mm	420.08 mm	Drums/Rotors	419.18 mm	100 psi	11 mm
100 psi	10 mm	18 mm	Linings/Pads	18 mm	100 psi	11 mm
		31 mm	Push Rod Travel	29 mm		
100 psi	11 mm	420.04 mm	Drums/Rotors	420.41 mm	100 psi	12 mm
100 psi	10 mm	18 mm	Linings/Pads	18 mm	100 psi	12 mm
		31 mm	Push Rod Travel	31 mm		
psi	mm	mm	Drums/Rotors	mm	psi	mm
		mm	Linings/Pads	mm		
		mm	Push Rod Travel	mm		
psi	mm	mm	Drums/Rotors	mm	psi	mm
		mm	Linings/Pads	mm		
		mm	Push Rod Travel	mm		
Park Brake Lining Left <u>N/A</u> mm Right <u>N/A</u> mm Trans <u>N/A</u> mm Wheel Torque Checked ☒ Inner <u>N/A</u> ft lbs Outer <u>500</u> ft lbs						

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train									
Component	P	F	NA	Component	P	F	NA		
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓				
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓				
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓				
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System				✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓				
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*				✓	
1.7. Engine/Shut Down	✓								

NOTES:

REPLACE TURBO EXHAUST GASKET
PRIOR TO CVIP
REPLACE INPUT TRANSMISSION U JOINT
CLUTCH ADJUST

ALL REPAIRS MADE

APPENDIX "A"									
Component	P	F	NA	Component	P	F	NA		
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓		
A.2. Compressed Natural Gas (CNG) Fuel System			✓						

NOTES:

Section 2 - Suspension									
Component	P	F	NA	Component	P	F	NA		
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓				
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓				
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓				
2.4. Spring & Spring Attachment	✓								

NOTES:

Section 3H - Hydraulic Brakes									
Component	P	F	NA	Component	P	F	NA		
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓		
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓		
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓		
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓		
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓		
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓		
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓		
3H.12. Drum Brake System Components			✓						

NOTES:

Section 3A - Air Brakes									
Component	P	F	NA	Component	P	F	NA		
3A.1. Air Compressor	✓			3A.13. Air System Components	✓				
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓				
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓				
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓				
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓		
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓		
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓				

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓			
3A.11. Parking Brake & Emergency Application	✓							

NOTES:

TIGHTEN LOOSE MAXI POT LHS #3 AXEL
REPLACE STEER AXEL LHS DUSTSHIELD
INSTALL DUST SHIELD RHS #3 AXEL
INSTALL DUST SHIELD LHS#4 AXEL
NEW DRUMS #2 AXEL BOTH SIDES

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓			
4.3. Steering Operation (Active Steer Axle)	✓							

NOTES:

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓	
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓			
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓	
5.7. Windshield Wiper/Washer	✓							

NOTES:

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓			
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓			
6.3. Retro-Reflective Marking	✓							

NOTES:

INSTALL REAR REFLECTIVE ON MUD FLAPS

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓			
7.2. Battery	✓							

NOTES:

REPLACE ALL BATTERIES

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓			
8.2. Tilt Cab			✓	8.13. Windshield	✓			
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓			
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓			
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓			
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓			
8.8. Cab or Cargo Door	✓			8.19. Seat	✓			
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓			
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			✓	8.21. Fender/Mud Flap	✓			
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment				✓

NOTES:

REPAIR REAR FENDERS
MUD FLAP HANGER
CAB SHOCKS
REPLACE A/C COMPRESSOR
INTERIOR LIGHTS

Section 9 - Tires and Wheels								
Component	P	F	NA	Component	P	F	NA	
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓			
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim				✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System	✓			
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓			
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓			
9.6. Wheel Bearing	✓							

NOTES:

STEER AXEL LHS WHEEL SEAL

Section 10 - Couplers and Hitches								
Component	P	F	NA	Component	P	F	NA	
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch				✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device				✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓			
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler				✓

NOTES:

FIFTH WHEEL ADJUST

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8407593) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/01/21	C1290	17190	BR

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/01/21

Customer Signature

BR