



**Commercial Vehicle Inspection Certificate  
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE  
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	Mur-Cal Services Ltd		
Address:	P.O. Box 1308		
City:	Grande Prairie	Province:	AB
		Postal Code:	T8V4Z1
Telephone Number:	(780) 539-0928		
Vehicle Identification Number:	1XPTP4EX0DD195598		
Make:	Peterbilt	Model:	Conventional
Year:	2013	Unit Number:	517
Odometer:	704812 KM	Licence Plate Number:	K02380
		Province:	AB

**IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE**

**PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Mur-Cal Services Ltd.	17190
Inspection Technician Name:	Technician Number:
Bradley Reyda	C1290
Inspection Technician Signature:	<i>BR</i>
Inspection Date:	2026/01/23



## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b> Truck										<b>Gross Vehicle Weight registered</b> 63500 kg									
<b>Vehicle Information</b>																			
VIN	1	X	P	T	P	4	E	X	0	D	D	1	9	5	5	9	8		
<b>Unit Number</b> 517				<b>Year</b> 2013				<b>Make</b> Peterbilt				<b>Model</b> Conventional				<b>Odometer</b> 704,812			
<b>Registered Owner's Name</b> Mur-Cal Services Ltd														<b>Plate Number</b> K02380					
<b>Address</b> P.O. Box 1308										<b>Postal Code</b> T8V4Z1					<b>Phone Number</b> (780) 539-0928				

<b>Drum Brakes:</b> C-Limited Inspection	<b>Disc Brakes:</b>
--	---------------------

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>					
100 psi 12 mm	_____	N/A	mm	Drums/Rotors	_____	N/A	mm	100 psi 12 mm	_____		
	_____	19	mm	Linings/Pads	_____	19	mm		_____		
	_____	32	mm	Push Rod Travel	_____	32	mm		_____		
100 psi 24 mm	100 psi 24 mm	_____	N/A	mm	Drums/Rotors	_____	N/A	mm	100 psi 24 mm	100 psi 24 mm	
		_____	18	mm	Linings/Pads	_____	18	mm			_____
		_____	29	mm	Push Rod Travel	_____	32	mm			_____
100 psi 24 mm	100 psi 24 mm	_____	N/A	mm	Drums/Rotors	_____	N/A	mm	100 psi 24 mm	100 psi 24 mm	
		_____	18	mm	Linings/Pads	_____	16	mm			_____
		_____	32	mm	Push Rod Travel	_____	29	mm			_____
100 psi 24 mm	100 psi 24 mm	_____	N/A	mm	Drums/Rotors	_____	N/A	mm	100 psi 24 mm	100 psi 24 mm	
		_____	18	mm	Linings/Pads	_____	19	mm			_____
		_____	32	mm	Push Rod Travel	_____	32	mm			_____
___ psi ___ mm	___ psi ___ mm	_____	mm	Drums/Rotors	_____	mm	mm	___ psi ___ mm	___ psi ___ mm		
		_____	mm	Linings/Pads	_____	mm	mm			_____	
		_____	mm	Push Rod Travel	_____	mm	mm			_____	
___ psi ___ mm	___ psi ___ mm	_____	mm	Drums/Rotors	_____	mm	mm	___ psi ___ mm	___ psi ___ mm		
		_____	mm	Linings/Pads	_____	mm	mm			_____	
		_____	mm	Push Rod Travel	_____	mm	mm			_____	

Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm  
 Wheel Torque Checked  Inner N/A ft lbs Outer 500 ft lbs

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down			✓					

**NOTES:**  
CRANK CASE FILTER REPLACED  
EXHAUST TIP REPLACED

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

**NOTES:**

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

**NOTES:**

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

**NOTES:**

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓	

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))	✓			8.24. Aerodynamic Device & Attachment			✓

**NOTES:**  
LHS STACK BUSHINGS

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System	✓		
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

**NOTES:**  
REPALCE STEER AXEL HUB PLUGS

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

**NOTES:**

**Certification**

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8407595)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection <b>2026/01/23</b>	Technician Number <b>C1290</b>	Facility Number <b>17190</b>	Signature 
---	-----------------------------------	---------------------------------	--

**Customer Acknowledgment**

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/01/23

Customer Signature



## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

**NOTES:**

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

**NOTES:**

Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓		
5.7. Windshield Wiper/Washer	✓						

**NOTES:**

REPLACED WIPER BLADES

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

**NOTES:**

Section 7 - Electrical System							
Component.	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

**NOTES:**

SECURE LOOSE BATTERIES

TIE UP WIRING IN FRAME

REPLACED RHS HOOD SIGNAL/CLEARANCE LIGHT

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Utilized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		