



COI-150

CV8356118



80087100008356118

## CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate  
Traffic Safety Act****PART 1 - VEHICLE OWNER AND VEHICLE  
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	MUR-CAL SERVICES LTD		
Address:	PO BOX 1308 STN. MAIN		
City:	GRANDE PRAIRIE	Province:	AB
Postal Code:	T8V 4Z1		
Telephone Number:	(780) 402-1547		
Vehicle Identification Number:	1XPTP4TX8DD192497		
Make:	Peterbilt	Model:	Conventional
Year:	2013	Unit Number:	514
Odometer:	625179 KM	Licence Plate Number:	A51676
Province:	AB		

**IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE****PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Pro-Ex Equipment Repairs Ltd.	12897
Inspection Technician Name:	Technician Number:
Simon Spenner	D2697
Inspection Technician Signature:	
Inspection Date:	2026/01/06

COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		Gross Vehicle Weight registered															
Truck		63500 kg															
Vehicle Information																	
VIN	1	X	P	T	P	4	T	X	8	D	D	1	9	2	4	9	7
Unit Number	Year			Make			Model			Odometer							
514	2013			Peterbilt			Conventional			625,179							
Registered Owner's Name															Plate Number		
MUR-CAL SERVICES LTD															A51676		
Address										Postal Code					Phone Number		
PO BOX 1308 STN. MAIN										T8V 4Z1					(780) 402-1547		
Drum Brakes: A-Full Inspection with Drum Removed								Disc Brakes:									
100 psi 18 mm		LEFT			FRONT			RIGHT			100 psi 18 mm						
100 psi 18 mm		419.65	mm	Drums/Rotors	419.73	mm	100 psi 18 mm										
100 psi 18 mm		19	mm	Linings/Pads	19	mm	100 psi 18 mm										
100 psi 18 mm		38	mm	Push Rod Travel	38	mm	100 psi 18 mm										
100 psi 18 mm		419.57	mm	Drums/Rotors	419.29	mm	100 psi 21 mm										
100 psi 18 mm		21	mm	Linings/Pads	21	mm	100 psi 21 mm										
100 psi 18 mm		38	mm	Push Rod Travel	38	mm	100 psi 21 mm										
100 psi 21 mm		419.49	mm	Drums/Rotors	419.41	mm	100 psi 20 mm										
100 psi 21 mm		20	mm	Linings/Pads	20	mm	100 psi 20 mm										
100 psi 21 mm		38	mm	Push Rod Travel	38	mm	100 psi 20 mm										
100 psi 20 mm		419.39	mm	Drums/Rotors	419.58	mm	100 psi 19 mm										
100 psi 20 mm		20	mm	Linings/Pads	19	mm	100 psi 19 mm										
100 psi 20 mm		38	mm	Push Rod Travel	38	mm	100 psi 19 mm										
psi mm		mm	mm	Drums/Rotors	mm	mm	psi mm										
psi mm		mm	mm	Linings/Pads	mm	mm	psi mm										
psi mm		mm	mm	Push Rod Travel	mm	mm	psi mm										
psi mm		mm	mm	Drums/Rotors	mm	mm	psi mm										
psi mm		mm	mm	Linings/Pads	mm	mm	psi mm										
psi mm		mm	mm	Push Rod Travel	mm	mm	psi mm										
Park Brake Lining				Left	N/A	mm	Right	N/A	mm	Trans	N/A	mm					
Wheel Torque Checked				<input checked="" type="checkbox"/>	Inner	N/A	ft lbs	Outer	500	ft lbs							

# COMMERCIAL VEHICLE RECORD OF INSPECTION

## TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train							
Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature		✓	
1.2. Exhaust System	✓			1.9. Gear Position Indicator		✓	
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt		✓	
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System		✓	
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)			✓
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*			

**NOTES:**

EXHAUST LEAK UNDER TRUCK. REPAIRED.

### APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System		✓		A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

**NOTES:**

### Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension		✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle		✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly		✓	
2.4. Spring & Spring Attachment	✓						

**NOTES:**

D/S #2 AXLE AIR BAG FAULTY. REPAIRED.

### Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

**NOTES:**

### Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components		✓	
3A.2. Air Supply System	✓			3A.14. Brake Chamber		✓	
3A.4. Air Tank	✓			3A.15. Drum Brake System Components		✓	
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System		✓	
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)		✓	
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System		✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRUCK AND TRUCK-TRACTOR**

**Section 3A - Air Brakes**

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

**NOTES:**

ABS LIGHT ON. REPAIRED.  
D/S #2 AXLE MISSING DUST SHIELD. REPAIRED.  
P/S #4 AXLE MISSING DUST SHIELD. REPAIRED.  
P/S #2 AXLE BRAKE POT FAULTY. REPAIRED.

**Section 4 - Steering**

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			
4.3. Steering Operation (Active Steer Axle)	✓						

**NOTES:**

**Section 5 - Instruments and Auxiliary Equipment**

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			
5.3. Horn	✓			5.10. Chain/"Headache" Rack			
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			
5.7. Windshield Wiper/Washer	✓						

**NOTES:**

**Section 6 - Lamps**

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps			
6.2. Reflex Reflector	✓			6.5. Headlamp Aim			
6.3. Retro-Reflective Marking	✓						

**NOTES:**

P/S FRONT BUMPER SIGNAL/MARKER FAULTY. REPAIRED.  
P/S REAR OUTTER TAIL LIGHT FAULTY. REPAIRED.  
P/S REAR HEADACHE LIHGT FAULTY. REPAIRED.

**Section 7 - Electrical System**

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			
7.2. Battery	✓						

**NOTES:**

**Section 8 - Body**

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper			
8.2. Tilt Cab		✓		8.13. Windshield			
8.3. Air-Suspended Cab	✓			8.14. Side Windows			
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			
8.5. Cargo Body	✓			8.16. Interior Sun Visor			
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor			

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

## Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))				✓ 8.24. Aerodynamic Device & Attachment			✓

**NOTES:**

## Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

**NOTES:**

BOTH STEER AXLE WHEEL SEALS FAULTY. REPAIRED.

AXLE #4 AXLE GASKET LEAKING. REPAIRED.

## Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.6. Automated Coupling Device	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch	✓			10.8. Oscillating Fifth Wheel Coupler			✓

**NOTES:**

FIFTH WHEEL PLATE WORN OUT. REPAIRED.

### Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8356118) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/01/06	D2697	12897	

### Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/01/06

Customer Signature