

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

9 TIRES NEED REPLACING DUE TO STONE DRILLING. - ALL DAMAGED TIRES REPLACED.
 AXLE 2 R/H WHEEL SEAL LEAKING. - CLEAN HUB AND REPLACE SEAL
 AXLE 4 R/H AND L/H WHEEL SEAL LEAKING. - CLEAN HUBS AND REPLACE SEALS

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

NOTES:

KING PIN ON FRONT NECK WORN
 UPPER COUPLER PLATE ON FRONT NECK WORN. - REMOVE KING PIN, RE-PLATE UPPER COUPLE PLATE AND
 INSTALL NEW KING PIN ASSEMBLY

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8601760) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/03/23	A4638	12897	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/03/23

Customer Signature

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.4. Kingpin			✓				

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

D/S REAR SIGNAL LIGHT NOT FUNCTIONING. - REPLACE LIGHT
 P/S REAR SIGNAL LIGHT MISSING. - INSTALL MISSING LIGHT
 P/S SWING OUT LIGHTS TORN BRACKETS. - REPLACE SWING OUT LIGHT BRACKETS AND WIRE IN NEW LIGHTS
 LICENSE PLATE LIGHT MISSING. - INSTALL LICENSE PLATE LIGHT
 REFLECTIVE TAPE MISSING. - REPLACE ALL MISSING REFLECTIVE TAPE

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Utilized Body Elements			✓	8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			✓	8.25. Rear Impact Guard (RIG)	✓		

NOTES:

NUMEROUS CRACKS AROUND SUSPENSION AND FRONT NECK OF THE TRAILER. - GOUGE OUT CRACKS AND RE-WELD AS REQUIRED

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment			✓				

NOTES:
ALL TRI FUNTIONAL BUSHINGS WORN. - ALL TRI FUNTIONAL SUISPENSION BUSHING CHANGED

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓		
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)			✓
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓		
3A.15. Drum Brake System Components	✓						

NOTES:
 AXLE 1 L/H AND R/H SHOES AND DRUM NEED REPLACING. - REPLACED SHOES AND DRUMS
 AXLE 2 R/H SHOES AND DRUM NEED REPLACING. - REPLACED SHOES AND DRUMS
 AXLE 3 R/H SHOES AND DRUM NEED REPLACING. - REPLACED SHOES AND DRUMS
 AXLE 4 L/H AND R/H SHOES AND DRUMS NEED REPLACING. - REPLACED SHOES AND DRUMS
 AXLE 2 R/H DUSH SHEILD MISSING. - INSTALL DUST SHIELD
 AXLE 3 R/H DUST SHEILD MISSING. - INSTALL DUST SHIELD

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Trailer										Gross Vehicle Weight registered kg														
Vehicle Information																								
VIN	2	A	9	L	B	6	0	4	9	J	N	1	2	5	0	5	9							
Unit Number 1109L					Year 2018					Make Aspen					Model FG60-16					Odometer				
Registered Owner's Name MUR-CAL SERVICES LTD															Plate Number 6UV375									
Address PO BOX 1308 STN. MAIN										Postal Code T8V 4Z1					Phone Number (780) 402-1547									

Drum Brakes: **A-Full Inspection with Drum Removed**

Disc Brakes:

		LEFT		FRONT		RIGHT			
100 psi	100 psi	419.10 mm	Drums/Rotors	419.10 mm		419.10 mm		100 psi	100 psi
12 mm	12 mm	21 mm	Linings/Pads	21 mm		21 mm		16 mm	16 mm
		40 mm	Push Rod Travel	40 mm		40 mm			
100 psi	100 psi	419.26 mm	Drums/Rotors	419.10 mm		419.10 mm		100 psi	100 psi
16 mm	16 mm	15 mm	Linings/Pads	21 mm		21 mm		16 mm	16 mm
		40 mm	Push Rod Travel	40 mm		40 mm			
100 psi	100 psi	419.87 mm	Drums/Rotors	419.10 mm		419.10 mm		100 psi	100 psi
16 mm	16 mm	21 mm	Linings/Pads	21 mm		21 mm		16 mm	16 mm
		40 mm	Push Rod Travel	40 mm		40 mm			
100 psi	100 psi	419.10 mm	Drums/Rotors	419.10 mm		419.10 mm		100 psi	100 psi
16 mm	16 mm	21 mm	Linings/Pads	21 mm		21 mm		16 mm	16 mm
		40 mm	Push Rod Travel	40 mm		40 mm			
psi	psi	mm	Drums/Rotors	mm		mm		psi	psi
mm	mm	mm	Linings/Pads	mm		mm		mm	mm
		mm	Push Rod Travel	mm		mm			
psi	psi	mm	Drums/Rotors	mm		mm		psi	psi
mm	mm	mm	Linings/Pads	mm		mm		mm	mm
		mm	Push Rod Travel	mm		mm			
Park Brake Lining Left <u>N/A</u> mm Right <u>N/A</u> mm Trans <u>N/A</u> mm									
Wheel Torque Checked <input checked="" type="checkbox"/> Inner <u>N/A</u> ft lbs Outer <u>500</u> ft lbs									



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

C01-3

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	MUR-CAL SERVICES LTD		
Address:	PO BOX 1308 STN. MAIN		
City:	GRANDE PRAIRIE	Province:	AB
		Postal Code:	T8V 4Z1
Telephone Number:	(780) 402-1547		
Vehicle Identification Number:	2A9LB6049JN125059		
Make:	Aspen	Model:	FG60-16
Year:	2018	Unit Number:	1109L
Odometer:	KM	Licence Plate Number:	6UV375
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Pro-Ex Equipment Repairs Ltd.	12897
Inspection Technician Name:	Technician Number:
Miles Payeur	A4638
Inspection Technician Signature:	
Inspection Date:	2026/03/23