

#1501LT



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	MUR-CAL SERVICES LTD.		
Address:	PO BOX 1308		
City:	GRANDE PRAIRIE	Province:	AB
		Postal Code:	T8V4Z1
Telephone Number:	(780) 539-0928		
Vehicle Identification Number:	2D9GB46C1X1004281		
Make:	Delup	Model:	PF
Year:	1999	Unit Number:	1501LT
Odometer:	KM	Licence Plate Number:	6KV114
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Pro-Ex Equipment Repairs Ltd.	12897
Inspection Technician Name:	Technician Number:
Miles Payeur	A4638
Inspection Technician Signature:	
Inspection Date:	2025/09/02



**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Trailer										kg									
Vehicle Information																			
VIN	2	D	9	G	B	4	6	C	1	X	1	0	0	4	2	8	1		
Unit Number			Year			Make			Model			Odometer							
1501LT			1999			Delup			PF										
Registered Owner's Name												Plate Number							
MUR-CAL SERVICES LTD.												6KV114							
Address								Postal Code				Phone Number							
PO BOX 1308								T8V4Z1				(780) 539-0928							

Drum Brakes:

Disc Brakes:

		LEFT		FRONT		RIGHT				
100 psi	100 psi	419.25 mm	Drums/Rotors	419.86 mm		419.86 mm		100 psi	100 psi	
15 mm	15 mm	19 mm	Linings/Pads	18 mm		18 mm		15 mm	15 mm	
		32 mm	Push Rod Travel	32 mm		32 mm				
100 psi	100 psi	419.10 mm	Drums/Rotors	419.10 mm		419.10 mm		100 psi	100 psi	
15 mm	15 mm	19 mm	Linings/Pads	18 mm		18 mm		15 mm	15 mm	
		32 mm	Push Rod Travel	32 mm		32 mm				
100 psi	100 psi	419.10 mm	Drums/Rotors	419.10 mm		419.10 mm		100 psi	100 psi	
14 mm	13 mm	20 mm	Linings/Pads	19 mm		19 mm		17 mm	13 mm	
		32 mm	Push Rod Travel	32 mm		32 mm				
psi	psi	mm	Drums/Rotors	mm		mm		psi	psi	
mm	mm	mm	Linings/Pads	mm		mm		mm	mm	
		mm	Push Rod Travel	mm		mm				
psi	psi	mm	Drums/Rotors	mm		mm		psi	psi	
mm	mm	mm	Linings/Pads	mm		mm		mm	mm	
		mm	Push Rod Travel	mm		mm				
psi	psi	mm	Drums/Rotors	mm		mm		psi	psi	
mm	mm	mm	Linings/Pads	mm		mm		mm	mm	
		mm	Push Rod Travel	mm		mm				
Park Brake Lining		Left	N/A	mm	Right	N/A	mm	Trans	N/A	mm
Wheel Torque Checked		<input checked="" type="checkbox"/>	Inner	N/A	ft lbs	Outer	500	ft lbs		

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 1 - Power Train							
Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"							
Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension							
Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment			✓				

NOTES:

Suspension bushings on front axle worn. - Drop axle and replace both suspension bushings. Do wheel alignment

Section 3H - Hydraulic Brakes							
Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓		
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓		
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓		
3A.15. Drum Brake System Components	✓						

NOTES:

Air tank drain on air tank above Axle 1 leaking. - Replace tank drain.
Axle 3 L/H s-cam seized. - Remove and replace assembly as required.

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓
4.4. Kingpin			✓				

NOTES:

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Right rear brake light not working. - Remove and replace light

Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring			✓	7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery			✓				

NOTES:

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogle)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

All 8 tires on axle 1 and axle 2 replaced with new.

Wheel seals leaking on axle 1 L/H axle 2 L/H and axle 3 L/h and R/H. - Remove hubs and replace wheel seals and torque wheel ends to spec

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is Issued has PASSED (Certificate #8356043) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/09/02	A4638	12897	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/09/02

Customer Signature