



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	MUR-CAL SERVICES LTD		
Address:	PO BOX 1308 STN. MAIN		
City:	GRANDE PRAIRIE	Province:	AB
Postal Code:	T8V 4Z1		
Telephone Number:	(780) 402-1547		
Vehicle Identification Number:	2C9GSS3Z6GM183975		
Make:	Cross Country	Model:	King B
Year:	2016	Unit Number:	1514LT
Odometer:	KM	Licence Plate Number:	5CC190
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Pro-Ex Equipment Repairs Ltd.	12897
Inspection Technician Name:	Technician Number:
Miles Payeur	A4638
Inspection Technician Signature:	
Inspection Date:	2025/09/24

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Trailer												Gross Vehicle Weight registered kg					
Vehicle Information																	
VIN	2	C	9	G	S	S	3	Z	6	G	M	1	8	3	9	7	5
Unit Number 1514LT			Year 2016			Make Cross Country			Model King B			Odometer					
Registered Owner's Name MUR-CAL SERVICES LTD												Plate Number 5CC190					
Address PO BOX 1308 STN. MAIN									Postal Code T8V 4Z1			Phone Number (780) 402-1547					

Drum Brakes: A-Full Inspection with Drum Removed Disc Brakes:

		LEFT	FRONT	RIGHT		
100 psi	100 psi	419.60 mm	Drums/Rotors	419.57 mm	100 psi	100 psi
12 mm	12 mm	19 mm	Linings/Pads	18 mm	11 mm	10 mm
		35 mm	Push Rod Travel	35 mm		
100 psi	100 psi	419.87 mm	Drums/Rotors	419.60 mm	100 psi	100 psi
11 mm	9 mm	18 mm	Linings/Pads	18 mm	9 mm	11 mm
		32 mm	Push Rod Travel	32 mm		
100 psi	100 psi	419.44 mm	Drums/Rotors	419.63 mm	100 psi	100 psi
12 mm	11 mm	18 mm	Linings/Pads	18 mm	13 mm	17 mm
		32 mm	Push Rod Travel	32 mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		

Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm
 Wheel Torque Checked Inner N/A ft lbs Outer 500 ft lbs

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle		✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/S strut Assembly	✓	
2.4. Spring & Spring Attachment	✓					

NOTES:

SHOCK ON LEFT HAND SIDE AXLE 2 LEAKING. - Replaced shock
AIR BAGS ON BOTH SIDES AXLE 1 AND AXLE 2 SHOWING CORDS - Replaced all 4 air bags

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components		✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components		✓
3H.8. Vacuum System			✓	3H.19. Brake Performance		✓
3H.9. Air-Boosted Trailer Brake System			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓	
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components		✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓	
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)		✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓	
3A.15. Drum Brake System Components	✓					

NOTES:

NUMEROUS AIR LEAKS ABOVE THE SUSPENSION - Soap test and repair all leaks
ABS LIGHT DOES NOT WORK - Replaced the light and the pigtail
ABS CABLES HANGING DOWN- Replace both ABS sensors and extension cables

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle		✓
4.4. Kingpin			✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

Section 5 - Instruments and Auxillary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

REFLECTIVE TAPE ON REAR NEEDS REPLACING - Replace reflective tape
FRONT RIGHT HAND CORNER MARKER LIGHTS OUT - Replaced lights and pigtails
RIGHT HAND MID MARKER LIGHT OUT - Rewired light as required

Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

NOTES:

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body			✓	8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Utilized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogle)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

NOTES:

MAIN CROSSMEMBERS ABOVE AXLE 1 AND AXLE 2 SUSPENSION HANGERS CRACKED UP. - Remove and replace both crossmembers

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

AXLE 3 RIGHT HAND OUTSIDE TIRE HAS SIDE CRACKING - Got new tire installed for axle 3 right hand outside tire

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch				10.8. Oscillating Fifth Wheel Coupler			
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

NOTES:

FIFTH WHEEL PLATE NSEIZED UP AND WOULD NOT ADJUST UP FAR ENOUGH
PINS IN FIFTH WHEEL BADLY WORN - Remove and replace fifth wheel top plate, pins and bushings. Grease top plate.

Certification

The Vehicle for which this Record of Inspection is Issued has **PASSED** (Certificate #8356062) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/09/24	Technician Number A4638	Facility Number 12897	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/09/24

Customer Signature