



**Commercial Vehicle Inspection Certificate  
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	MUR-CAL SERVICES LTD		
Address:	PO BOX 1308 STN. MAIN		
City:	GRANDE PRAIRIE	Province:	AB
		Postal Code:	T8V 4Z1
Telephone Number:	(780) 402-1547		
Vehicle Identification Number:	2L9A15385FH004043		
Make:	Gerry's	Model:	Tridem King BL
Year:	2015	Unit Number:	1508 LT
Odometer:	KM	Licence Plate Number:	5AW160
		Province:	AB

**IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE**

**PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Pro-Ex Equipment Repairs Ltd.	12897
Inspection Technician Name:	Technician Number:
Miles Payeur	A4638
Inspection Technician Signature:	
Inspection Date:	2025/10/01

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b>												<b>Gross Vehicle Weight registered</b>												
Trailer												kg												
<b>Vehicle Information</b>																								
VIN		2	L	9	A	1	5	3	8	5	F	H	0	0	4	0	4	3						
Unit Number				Year				Make				Model				Odometer								
1508 LT				2015				Gerry's				Tridem King BL												
Registered Owner's Name																		Plate Number						
MUR-CAL SERVICES LTD																		5AW160						
Address												Postal Code						Phone Number						
PO BOX 1308 STN. MAIN												T8V 4Z1						(780) 402-1547						

Drum Brakes: A-Full Inspection with Drum Removed      Disc Brakes:

		LEFT		FRONT		RIGHT			
100 psi	100 psi	420.10 mm	mm	Drums/Rotors		419.58 mm	mm	100 psi	100 psi
13 mm	12 mm	18 mm	mm	Linings/Pads		16 mm	mm	12 mm	15 mm
		32 mm	mm	Push Rod Travel		32 mm	mm		
100 psi	100 psi	419.22 mm	mm	Drums/Rotors		419.28 mm	mm	100 psi	100 psi
13 mm	13 mm	18 mm	mm	Linings/Pads		20 mm	mm	100 psi	100 psi
		35 mm	mm	Push Rod Travel		35 mm	mm	10 mm	12 mm
100 psi	100 psi	419.20 mm	mm	Drums/Rotors		420.43 mm	mm	100 psi	100 psi
13 mm	15 mm	19 mm	mm	Linings/Pads		21 mm	mm	100 psi	100 psi
		32 mm	mm	Push Rod Travel		32 mm	mm	14 mm	14 mm
psi	psi	mm	mm	Drums/Rotors		mm	mm	psi	psi
mm	mm	mm	mm	Linings/Pads		mm	mm	mm	mm
		mm	mm	Push Rod Travel		mm	mm		
psi	psi	mm	mm	Drums/Rotors		mm	mm	psi	psi
mm	mm	mm	mm	Linings/Pads		mm	mm	mm	mm
		mm	mm	Push Rod Travel		mm	mm		
psi	psi	mm	mm	Drums/Rotors		mm	mm	psi	psi
mm	mm	mm	mm	Linings/Pads		mm	mm	mm	mm
		mm	mm	Push Rod Travel		mm	mm		

Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm  
 Wheel Torque Checked  Inner N/A ft lbs Outer 500 ft lbs

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	

**NOTES:**

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

**NOTES:**

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

**NOTES:**

P/S FRONT AIR BAG DRY ROT. - Replace air bag at the time of the inspection.

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓	
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓	
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓	
3H.9. Air-Boosted Trailer Brake System			✓					

**NOTES:**

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓			
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓	
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓			
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓	
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓			
3A.15. Drum Brake System Components	✓							

**NOTES:**

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓	
4.4. Kingpin			✓					

**NOTES:**

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

## Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

**NOTES:**

## Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps				6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

**NOTES:**

## Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring				7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

**NOTES:**

## Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door				8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)			✓

**NOTES:**

## Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

**NOTES:**

TIRES ON AXLE 1 HAD TREADS PEELING. - Tires replaced at the time of the inspection.  
L/H AXLE 3 WHEEL SEAL LEAKING. - Wheel seal replaced at the time of inspection.

## Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

**Certification**

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8356066) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/10/01	A4638	12897	

**Customer Acknowledgment**

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/10/01

Customer Signature