

C12-1



CV8407624



80087700008407624

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Electric
Owner Name:	Mur-Cal Services Ltd		
Address:	P.O. Box 1308		
City:	Grande Prairie	Province:	AB
		Postal Code:	T8V4Z1
Telephone Number:	(780) 539-0928		
Vehicle Identification Number:	5R8GF3222RM115002		
Make:	Maxey	Model:	LHX10240
Year:	2024	Unit Number:	62
Odometer:	KM	Licence Plate Number:	5EE949
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Mur-Cal Services Ltd.	17190
Inspection Technician Name:	Technician Number:
Bradley Reyda	C1290
Inspection Technician Signature:	
Inspection Date:	2025/10/01



COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle												Gross Vehicle Weight registered																																																																							
Trailer												kg																																																																							
Vehicle Information																																																																																			
VIN	5	R	8	G	F	3	2	2	2	R	M	1	1	5	0	0	2																																																																		
Unit Number 62		Year 2024		Make Maxey				Model LHX10240				Odometer																																																																							
Registered Owner's Name Mur-Cal Services Ltd														Plate Number 5EE949																																																																					
Address P.O. Box 1308										Postal Code T8V4Z1				Phone Number (780) 539-0928																																																																					
Drum Brakes: C-Limited Inspection																		Disc Brakes:																																																																	
<table border="1"><thead><tr><th colspan="2">LEFT</th><th colspan="2">FRONT</th><th colspan="2">RIGHT</th></tr></thead><tbody><tr><td>100 psi</td><td>100 psi</td><td>N/A mm</td><td>Drums/Rotors</td><td>N/A mm</td><td>100 psi</td><td>100 psi</td></tr><tr><td>10 mm</td><td>10 mm</td><td>7 mm</td><td>Linings/Pads</td><td>7 mm</td><td>8 mm</td><td>8 mm</td></tr><tr><td></td><td></td><td>N/A mm</td><td>Push Rod Travel</td><td>N/A mm</td><td></td><td></td></tr></tbody></table>																		LEFT		FRONT		RIGHT		100 psi	100 psi	N/A mm	Drums/Rotors	N/A mm	100 psi	100 psi	10 mm	10 mm	7 mm	Linings/Pads	7 mm	8 mm	8 mm			N/A mm	Push Rod Travel	N/A mm			<table border="1"><tbody><tr><td>100 psi</td><td>100 psi</td><td>N/A mm</td><td>Drums/Rotors</td><td>N/A mm</td><td>100 psi</td><td>100 psi</td></tr><tr><td>10 mm</td><td>9 mm</td><td>7 mm</td><td>Linings/Pads</td><td>7 mm</td><td>10 mm</td><td>10 mm</td></tr><tr><td></td><td></td><td>N/A mm</td><td>Push Rod Travel</td><td>N/A mm</td><td></td><td></td></tr></tbody></table>																		100 psi	100 psi	N/A mm	Drums/Rotors	N/A mm	100 psi	100 psi	10 mm	9 mm	7 mm	Linings/Pads	7 mm	10 mm	10 mm			N/A mm	Push Rod Travel	N/A mm		
LEFT		FRONT		RIGHT																																																																															
100 psi	100 psi	N/A mm	Drums/Rotors	N/A mm	100 psi	100 psi																																																																													
10 mm	10 mm	7 mm	Linings/Pads	7 mm	8 mm	8 mm																																																																													
		N/A mm	Push Rod Travel	N/A mm																																																																															
100 psi	100 psi	N/A mm	Drums/Rotors	N/A mm	100 psi	100 psi																																																																													
10 mm	9 mm	7 mm	Linings/Pads	7 mm	10 mm	10 mm																																																																													
		N/A mm	Push Rod Travel	N/A mm																																																																															
<table border="1"><tbody><tr><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td></tr><tr><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td></tr></tbody></table>																		psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm			<table border="1"><tbody><tr><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td></tr><tr><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td></tr></tbody></table>																		psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm								
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																													
		mm	Push Rod Travel	mm																																																																															
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																													
		mm	Push Rod Travel	mm																																																																															
<table border="1"><tbody><tr><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td></tr><tr><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td></tr></tbody></table>																		psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm			<table border="1"><tbody><tr><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td></tr><tr><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td></tr></tbody></table>																		psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm								
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																													
		mm	Push Rod Travel	mm																																																																															
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																													
		mm	Push Rod Travel	mm																																																																															
<table border="1"><tbody><tr><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td></tr><tr><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td></tr></tbody></table>																		psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm			<table border="1"><tbody><tr><td>psi</td><td>psi</td><td>mm</td><td>Drums/Rotors</td><td>mm</td><td>psi</td><td>psi</td></tr><tr><td>mm</td><td>mm</td><td>mm</td><td>Linings/Pads</td><td>mm</td><td>mm</td><td>mm</td></tr><tr><td></td><td></td><td>mm</td><td>Push Rod Travel</td><td>mm</td><td></td><td></td></tr></tbody></table>																		psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm								
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																													
		mm	Push Rod Travel	mm																																																																															
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																													
		mm	Push Rod Travel	mm																																																																															
Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm																																																																																			
Wheel Torque Checked ☒ Inner N/A ft lbs Outer 175 ft lbs																																																																																			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment											
Component			P	F	NA	Component			P	F	NA
5.1. Fire Extinguisher					✓						

NOTES:

Section 6 - Lamps													
Component				P	F	NA	Component				P	F	NA
6.1. Required Lamps				✓			6.3. Retro-Reflective Marking				✓		
6.2. Reflex Reflector						✓							

NOTES:

Section 7 - Electrical System									
Component	P	F	NA	Component	P	F	NA		
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓				
7.2. Battery	✓								

NOTES:

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Utilized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door	✓			8.23. Sliding Axle Assembly (Sliding Bogie)	✓		
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)			✓

NOTES:

REPLACED BATTERY FOR HONDA ENGINE
SERVICE HONDA ENGINE AND FUNCTION TEST RIG UP
LUBE LANDING GEARS

Section 9 - Tires and Wheels													
Component				P	F	NA	Component				P	F	NA
9.1. Tire Tread Depth				✓			9.7. Wheel/Rim				✓		
9.2. Tire Tread Condition				✓			9.8. Multi-Piece Wheel/Rim						✓
9.3. Tire Sidewall & Manufacturer Markings				✓			9.9. Spoke Wheel/Demountable Rim System				✓		
9.4. Tire Inflation Pressure				✓			9.10. Disc Wheel System				✓		
9.5. Wheel Hub				✓			9.11. Wheel Fasteners (Nuts, Bolts,& Studs)				✓		
9.6. Wheel Bearing				✓									

NOTES:

LUBE WHEEL BEARINGS

Section 10 - Couplers and Hitches													
Component				P	F	NA	Component				P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components				✓			10.6. Automated Coupling Device						✓
10.2. Secondary Attachment (Safety Chain or Cable)				✓			10.7. Fifth Wheel Coupler						✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch						✓	10.8. Oscillating Fifth Wheel Coupler						✓
10.4. Ball Type Hitch				✓			10.9. Ball-Bearing Type Turntable on Trailer						✓
10.5. Roll-Coupling Hitch						✓							