

Serial Number Window: ZDRD02941

Build Date 22/Mar/2013

✕	Technical Type	696004043 - MAGNUM 315 PS T4A ROW
✕	Variante	5MC03ZZ02 - 5MC03ZZ02
✕	Variante	5MC27BR - 5MC27BR-5MC27BR
✕	Variante	5MC04GG02 - 5MC04GG02
✕	Variante	5MC27PJ - 5MC27PJ-5MC27PJ
✕	Variante	5MM02FF21 - 5MM02FF21
✕	Variante	5MC21FB03 - 5MC21FB03
✕	Variante	5MC14JA - 5MC14JA-5MC14JA
✕	Variante	X6509RC - X6509RC-X6509RC
✕	Variante	5MC27RW - 5MC27RW-5MC27RW
✕	Variante	5MC01AA55 - 5MC01AA55-5MC01AA55
✕	Variante	5MM18EA01 - 5MM18EA01
✕	Variante	5MC02FF24 - 5MC02FF24
✕	Variante	5MC03ZZ04 - 5MC03ZZ04
✕	Variante	5MC27WS - 5MC27WS-5MC27WS
✕	Variante	5MC27HD - 420529-Cat.III High capacity drawbar

✗	Variante	5MC27FW - 420233-MFD wide front fenders
✗	Variante	5MC26NA - 420701-North American English
✗	Variante	5MC22FM07-TOP LINK SWITCH PLUG
✗	Variante	5MC22FM - 420362-Wide 100.4 in./2550 mm
✗	Variante	5MC21FB03-FUEL TANKS TIER 4 PST
✗	Variante	5MC15ED - 420014-Performance instrument cluster
✗	Variante	5MC14JA01-STD FLOW HYD SYSTEM - PST
✗	Variante	5MC07GD01-DUAL HUB- 4-1/2 INCH - PST
✗	Variante	5MC01AA92-SPILL COLLECTION W/O TRAILER HITCH
✗	Variante	5MC01AA41-MAT, RECIRC SHELF W/O NAO AIR BRAKE
✗	Variante	5MC01AA01-TRANSMISSION HEATER PLUG
✗	Variante	5MM18EA01-TIER 4 EXHAUST
✗	Variante	5MM02FF21-ENGINE W/COMPRESSION BRAKE
✗	Variante	5MC27SV - 420944-Sunvisor
✗	Variante	5MC27SO - 420787-ISO 11783 implement system
✗	Variante	5MC27RW - 420943-Right hand window wiper
✗	Variante	5MC27FW - 420233-MFD wide front fenders
✗	Variante	5MC27BP - 429995-Tire brand preference
✗	Variante	5MC25AA02-NO FRT HITCH/PTO-SADDLE SUSP HYD

✗	Variante	5MC22FM04-REMOTE HITCH NAO ENG DECAL
✗	Variante	5MC21FB-BATTERY BOX
✗	Variante	5MC07GD07-4-1/2 IN.HUB - PST
✗	Variante	5MC06HB03-3PT HITCH SOLID BALL-CAT3 DB PIVOT
✗	Variante	5MC04GG21-NAO - FPS MFH
✗	Variante	5MC03ZZ02-STANDARD CAB FRAME
✗	Variante	5MC03DN - 420012-Deluxe-Cab
✗	Variante	5MC02FF24-PARK BRAKE W/PST
✗	Variante	X6512SD07-D 480/70R34 R1W W/34X15 MI NAR 40KPH
✗	Variante	5MM02FF-MFD, NAO
✗	Variante	5MC27PJ01-AUTOGUIDANCE READY STD CL4 - PST
✗	Variante	5MC27PJ - 420782-Factory guidance ready
✗	Variante	5MC27HE - 420965-43 in. lower links
✗	Variante	5MC27CM - 429321-RH window bar display ready
✗	Variante	5MC21FB01-FUEL TANK PS SUPPORTS
✗	Variante	5MC19NA - 420874-Engine block heater
✗	Variante	5MC03ZZ04-EXTERIOR TRIM -WHEELED
✗	Variante	5MC01AA87-ELBOW, W/O EEC HYD TRLR BRAKE, W/O POWER BEYOND
✗	Variante	5MC01AA63-TOP LINK-REAR HITCH-BALL END

✗	Variante	5MC27CN - 420822-Cloth instructional seat
✗	Variante	5MC19NA - 420874-Engine block heater
✗	Variante	5MC13SC03-4 REM W/TB W/O TL
✗	Variante	5MC02FF02-MAIN HEADLIGHTS
✗	Variante	5MM18EA - 420811-Non-spark arresting muffler
✗	Variante	5MC27SV - 420944-Sunvisor
✗	Variante	5MC27SU01 - 720635-Cab suspension
✗	Variante	5MC27BL - 420025-Single beacon light
✗	Variante	5MC07GD - 420219-Rear axle 4.5in. dia. x120 in.
✗	Variante	5MC04GG10-MFD CLUTCH, CLASS 5 STANDARD
✗	Variante	5MC04GG02-DECAL, 30MPH/50KPH NORTH AMERICA
✗	Variante	5MC03ZZ07-STEPS-WHEELED NA
✗	Variante	5MC02FF04-TRANS CNTRL W/CRP OR OVERDR
✗	Variante	5MM02FF - 5MM02FF
✗	Variante	5MC01AA78 - 5MC01AA78-5MC01AA78
✗	Variante	X6512SD - X6512SD-X6512SD
✗	Variante	5MC24BB01 - 5MC24BB01
✗	Variante	5MC06HB03 - 5MC06HB03
✗	Variante	5MC04GG10 - 5MC04GG10

✗	Variante	5MC01AA92 - 5MC01AA92
✗	Variante	X6512SD07 - X6512SD07
✗	Variante	5MC04GG21 - 5MC04GG21
✗	Variante	5MC27MR01 - 5MC27MR01
✗	Variante	5MM18EA - 5MM18EA-5MM18EA
✗	Variante	5MC27SV - 5MC27SV-5MC27SV
✗	Variante	5MM04GG - 5MM04GG-5MM04GG
✗	Variante	5MC22FM07 - 5MC22FM07
✗	Variante	5MC10CS11 - 5MC10CS11
✗	Variante	5MC07GD01 - 5MC07GD01
✗	Variante	5MC25AA - 5MC25AA-5MC25AA
✗	Variante	5MC02FF04 - 5MC02FF04
✗	Variante	5MC27BP - 5MC27BP-5MC27BP
✗	Variante	5MC27FW - 5MC27FW-5MC27FW
✗	Variante	5MC02FF02 - 5MC02FF02
✗	Variante	5MC26NA - 5MC26NA-5MC26NA
✗	Variante	5MC27SU01 - 5MC27SU01-5MC27SU01
✗	Variante	5MC01AA62 - 5MC01AA62-5MC01AA62
✗	Variante	5MC05PD - 5MC05PD-5MC05PD

✗	Variante	5MC27HD - 5MC27HD-5MC27HD
✗	Variante	5MC15ED - 5MC15ED-5MC15ED
✗	Variante	5MC27BL - 5MC27BL-5MC27BL
✗	Variante	5MC19NA - 5MC19NA-5MC19NA
✗	Variante	5MC22FM04 - 5MC22FM04
✗	Variante	5MC27RB - 5MC27RB-5MC27RB
✗	Variante	5MC13SC03 - 5MC13SC03
✗	Variante	5MC21FB - 5MC21FB
✗	Variante	5MC27EA - 5MC27EA-5MC27EA
✗	Variante	5MC24BB - 5MC24BB-5MC24BB
✗	Variante	5MC27PJ01 - 5MC27PJ01
✗	Variante	5MC07GD - 5MC07GD-5MC07GD
✗	Variante	5MC21FB01 - 5MC21FB01
✗	Variante	5MC22FM - 5MC22FM-5MC22FM
✗	Variante	5MC27FL - 5MC27FL-5MC27FL
✗	Variante	X6512ZZ01 - X6512ZZ01
✗	Variante	5MC01AA01 - 5MC01AA01
✗	Variante	5MC27FW04 - 5MC27FW04
✗	Variante	5MM06HB - 420519-Cat. III/IIIN, 3-point hitch,

✗	Variante	5MC27MR01-PB/MR W/PST-STD
✗	Variante	5MC27EA - 429312-Electrical armrest adjuster
✗	Variante	5MC27BL - 420025-Single beacon light
✗	Variante	5MC24BB01-HYD TB - PST-STD
✗	Variante	5MC13SC - 5MC13SC-5MC13SC
✗	Variante	5MC27CN - 5MC27CN-5MC27CN
✗	Variante	5MC17NA - 5MC17NA-5MC17NA
✗	Variante	5MC14JA01 - 5MC14JA01
✗	Variante	5MC03DN - 5MC03DN-5MC03DN
✗	Variante	5MC27EM - 5MC27EM-5MC27EM
✗	Variante	5MC10CS40 - 5MC10CS40
✗	Variante	5MC14JA - 420301-Standard Hydraulic Pump
✗	Variante	5MC13SC - 420402-4 Electric Remotes
✗	Variante	5MC27FW - 420233-MFD wide front fenders
✗	Variante	5MC07GD07-5MC07GD07
✗	Variante	5MC07GD - 420219-Rear axle 4.5in. dia. x120 in.
✗	Variante	5MC06HB03-5MC06HB03
✗	Variante	5MC21FB01-5MC21FB01
✗	Variante	5MC04GG10-5MC04GG10

✗	Variante	5MC05PD - 420603-540 1000 RPM PTO 1-3/8"
✗	Variante	5MM06HB - 420519-Cat. III/IIIN, 3-point hitch,
✗	Variante	5MC10CS - 429199-Class 5 Suspended Axle
✗	Variante	5MM04GG - 429333-19F Speed Powershift 50KPH
✗	Variante	5MC03DN - 420012-Deluxe-Cab
✗	Variante	5MC27MR01-5MC27MR01
✗	Variante	5MC21FB-5MC21FB
✗	Variante	5MC01AA78 - XT7780X-Standard Controls
✗	Variante	5MC13SC03-5MC13SC03
✗	Variante	5MC01AA62 - XT8965X-Manually adjust top link
✗	Variante	5MC01AA01-5MC01AA01
✗	Variante	5MC01AA55 - XT1943X-Less Auxiliary Fuel Filter
✗	Variante	5MM02FF-5MM02FF
✗	Variante	5MC24BB01-5MC24BB01
✗	Variante	5MC04GG21-5MC04GG21
✗	Variante	5MC07GD01-5MC07GD01
✗	Variante	5MC27WS - 429288-Rear wheel weights - 5000 lbs
✗	Variante	5MC27PJ01-5MC27PJ01
✗	Variante	5MC10CS11-5MC10CS11

✗	Variante	5MC25AA02-5MC25AA02
✗	Variante	5MC27PW - 420395-FWF and 18 front weights
✗	Variante	X6512ZZ01-X6512ZZ01
✗	Variante	X6512SD - 8854537-480/70R34 143D R1W MI
✗	Variante	5MC03ZZ04-5MC03ZZ04
✗	Variante	5MC14JA01-5MC14JA01
✗	Variante	5MC02FF02-5MC02FF02
✗	Variante	X6512SD07-X6512SD07
✗	Variante	5MC27FW06-5MC27FW06
✗	Variante	5MC27SV - 420944-Sunvisor
✗	Variante	5MC02FF24-5MC02FF24
✗	Variante	5MC27SU01 - 720635-Cab suspension
✗	Variante	5MC27SO - 420787-ISO 11783 implement system
✗	Variante	5MC27RW - 420943-Right hand window wiper
✗	Variante	5MC27RB - 429366-AM/FM/WB/CD Bluetooth Radio
✗	Variante	5MC24BB - 420514-Hydraulic Trailer Brakes
✗	Variante	5MC27PJ - 420782-Factory guidance ready
✗	Variante	5MM02FF21-5MM02FF21
✗	Variante	5MC27MR - 429324-Power Beyond/Motor Return Valv

✗	Variante	5MC22FM07-5MC22FM07
✗	Variante	5MC27HE - 420965-43 in. lower links
✗	Variante	5MC27HD - 420529-Cat.III High capacity drawbar
✗	Variante	5MC01AA41-5MC01AA41
✗	Variante	X6509RC - 8468534-520/85R46 155A8/B R1W MI
✗	Variante	5MC27EM - 420820-Electric Adjust Ext Rearview
✗	Variante	5MC27EA - 429312-Electrical armrest adjuster
✗	Variante	5MC27CN - 420822-Cloth instructional seat
✗	Variante	5MC27BR - 420883-Business band radio mount
✗	Variante	5MC27BL - 420025-Single beacon light
✗	Variante	5MC19NA - 420874-Engine block heater
✗	Variante	5MC26NA - 420701-North American English
✗	Variante	5MC22FM04-5MC22FM04
✗	Variante	5MC25AA - XT8100X-No front hitch or PTO
✗	Variante	5MC27FW04-5MC27FW04
✗	Variante	5MC02FF04-5MC02FF04
✗	Variante	5MC22FM - 420362-Wide 100.4 in./2550 mm
✗	Variante	5MC17NA - 420019-Deluxe positive response seat
✗	Variante	5MC15ED - 420014-Performance instrument cluster

✗	Variante	429179-Engine compression brake
✗	Variante	5MC25AA02 - 5MC25AA02
✗	Variante	5MC27SO - 5MC27SO-5MC27SO
✗	Variante	5MC27MR - 5MC27MR-5MC27MR
✗	Variante	5MC27FW06 - 5MC27FW06
✗	Variante	5MC27HE - 5MC27HE-5MC27HE
✗	Variante	5MC07GD07 - 5MC07GD07
✗	Variante	5MC27PW - 5MC27PW-5MC27PW
✗	Variante	5MC03ZZ07 - 5MC03ZZ07
✗	Variante	5MC01AA63 - 5MC01AA63
✗	Variante	5MC01AA87 - 5MC01AA87
✗	Variante	5MC27CM - 5MC27CM-5MC27CM
✗	Variante	5MC10CS - 5MC10CS-5MC10CS
✗	Variante	5MC01AA41 - 5MC01AA41
✗	Variante	5MM06HB - 5MM06HB-5MM06HB
✗	Variante	5MC03ZZ07-5MC03ZZ07
✗	Variante	5MC03ZZ02-5MC03ZZ02
✗	Variante	5MC27FL - 429293-Front and rear HID work lamp
✗	Variante	5MC21FB03-5MC21FB03

✗	Variante	5MM18EA01-5MM18EA01
✗	Variante	5MC27CM - 429321-RH window bar display ready
✗	Variante	5MC27BP - 429995-Tire brand preference
✗	Variante	5MC01AA63-5MC01AA63
✗	Variante	5MM18EA - 420811-Non-spark arresting muffler
✗	Variante	5MC10CS40-5MC10CS40
✗	Variante	5MC04GG02-5MC04GG02
✗	Variante	5MC01AA92-5MC01AA92
✗	Variante	5MC01AA87-5MC01AA87
✗	Engine Serial Number	12H00034078
✗	Transmission Serial Number	AJB0602109