



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	oe:	Trailer	ailer				Сара	acity	' :					
GVW: kg				Brake 7	Гуре:			Air						
Owner Name: Nordic Energy Canada					la Cor	p.								
Address: PO Box 3019														
City: Clairmont				Province: AB			F			Postal Code:		T8X	(OT8	
Telephone Number: (780) 539-4090					90									
Vehicle Identification Number:					1UYVS35336U780907									
Make: utility					Model: n/a									
Year: 2006								Un	it Nu	ımber:		U04		
Odometer: 0 KM Lice			ence	e Plate Number			r: 6BV499			Provinc	e:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

	Facility Number:
oration	18858
):	Technician Number:
	C1426
ture:	at .
2025/04/17	
	e: ature: 2025/04/17



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

ailer ehicle Information							Gross Vehicle Weight registered							
										kg				
'181 8 141 Y	jt.		, * <u>*</u>	kelj is	5 5 3		75333	g grac	r	T	*		Y	
'IN 1 U `	/ V	S 3	5	3	3	6	U	7	8	0	9	0	7	
Unit Number U04	Year 2006		Mai utili				Mod n/				Odometer 0			
		Registere	d Owner	's Name	ı						Plate I	Number		
		Nordic Ene	rgy Can	ada Corp	o.						6BV	/499		
		Address						Postal	Code		Pho	one Nun	nber	
_	PC	Box 3019						T8X0	T8- ~		(780) 539-4	090	
						1_		·			<u>l</u>			
Drum Brakes:	A-Full Inspec	tion with Drum R	emoved		Disc B	rakes:								
		<u>LEFT</u>		FR	RONT		RIGH	<u>T</u>						
100 psi 100 p	si	16.500	in	Drum	s/Rotors	16,585 in			100 psi 100 psi					
11/32 in 11/32 in		13/16	in	Linin	gs/Pads			3/4 In		6 in 6 in				
	-/ [_	1 3/8	in 	Push F	Rod Travel		1 :	3/8 in			<u> </u>		ノ	
100 psi 100 psi	ısi -	16.566	in Drums/Rotors				16.5			10	0 psi	100 p	si)	
10/32 in 10/32 i		3/4	in -		gs/Pads			3/4 in			6 in	6 ir		
		1 7/16	in -	Push F	Rod Travel		17	/16 in					ソ	
	_	16.574	In	Drum	s/Rators		16.5	78 in	\neg					
100 psl 100	osi -	3/4	- In		Linings/Pads			3/4 in			- '	100 p	- 1	
12/32 in 12/32	n -	1 3/8	- În		Rod Travel		1	3/8 in		12/3	2 in \	12/32 lr		
			<u> </u>											
		<u> </u>	in	Drun	ns/Rotors			in			psi	p:	-i	
— . — .	osi		in	Linir	ngs/Pads			in	·	⊣ −	 			
in _	n		in ⊸	Push f	Rod Travel			in			<u>- in</u> 人	in	ノ	
*														
	$\neg \downarrow$ \vdash		in	Drum	ns/Rotors			in					(12	
	osi		in	Linir	ngs/Pads			in			_ psi		si)	
_ in	n		in	Push F	Rod Travel			in			in 人	ir	ソ	
			in	Drum	s/Rotors			in			psi		si	
	osi		in	Linir	ngs/Pads	_		in					- 1	
in	n [in	Push	Rod Travel			in			<u>In</u>	ir	ノ	
	Da-t-	Brake Lining	Left N	lA in	Right	NA ir	Trans	, NA	in					

Component 2	Secti		1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				, .
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Р	F	NA	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	CAPTER AND THE LETTER	P	F	NΑ
1.2. Exhaust System			/	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * APPENDIX A*	* SEE			~
NOTES:								
		APF	PENI	DIX "A"	î į		id.	
Component	P	F	NA	Component	×	P.	F.	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			1	A.3. Liquefied Natural Gas (LNG) Fuel System				~
A.2. Compressed Natural Gas (CNG) Fuel System	<u> </u>	<u> </u>	1				1	<u> </u>
NOTES:							_	
	Secti	ion.	2 - 5	uspension * *** '	+ Kong	(M-181)) gr	
一点の情報。 「「ないは、「はなからは、ないない」「「関係をよい機能」、 「「ないは、「」」、「ないは、関係といって、「」			4.		- 1900 - 2000 -			A1A
Component	P	F	NA		- 337	P.	.	ΝĀ
2.1. Suspension & Frame Attachments 2.2. Axle Attaching & Tracking Components	1			2.5. Air Suspension		/		
2.3. Axle & Axle Assembly	1			2.6. Self-Steer & Controlled-Steer Axle 2.7. Shock Absorber/Strut Assembly		7	\dashv	<u>~</u>
2.4. Spring & Spring Attachment		·	/	2.7. Shock Absolute/I struct Assembly		*		
		-		1		1_		
NOTES: Remove and Replace All shocks.								
Sec	tion	3H	- Hy	draulic Brakes				
, Component	P	F	NA	Component		P	F	NA
3H.1. Hydraulic System Components	 		17	3H.10. Electric Brake System		\dashv		/
3H,6, Air-Over-Hydraulic Brake System		Γ	1	3H.12. Drum Brake System Components				1
3H.7. Surge Brake Controller			1	3H.13. Disc Brake System Components				✓
3H.8. Vacuum System			~	3H.19. Brake Performance]	✓
3H.9. Air-Boosted Trailer Brake System	<u> </u>	<u> </u>	<u> </u>				l	
NOTES:								
34 \$ 1995°			m'a '		,			
	,	** **	" . W Ber	Air Brakes	•			
Component	, Р.,	F	ÑΑ	Component (g	E.	P	F	NΑ
	1							
3A.3. Air System Leakage			1	3A.16. S-Cam Drum Brake System		1		1
3A.3. Air System Leakage 3A.4. Air Tank	1			3A.17. Brake Shoe Travel (Wedge Brakes)		✓		✓
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls	1			3A.17. Brake Shoe Travel (Wedge Brakes)				_
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application	/			3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS)		/		
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components	1			3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS)		/		
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber	/			3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS)	,	/		
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components	1			3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS)		\(\)		
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber	\ \ \ \		and	3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance				
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components	y y y	oe		3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance Drum on L/F axle.	***			✓
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components NOTES: Replace Both brake pots on center axle. Replace Brak	e sh	oe	n 4	3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance Drum on L/F axle.	. 1.	P		
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components NOTES: Replace Both brake pots on center axle. Replace Brak	e sh	oe		3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance Drum on L/F axle. Steering Component	. 1.	P	F	✓ NA
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components NOTES: Replace Both brake pots on center axle. Replace Brak -Component	e sh	oe	n 4	3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance Drum on L/F axle.	. 1.	P	F	✓ ✓ NA

-						es bein.	342.8384
Section 5 -	Instrum	ıen	ts ar	d Auxillary Equipment	334		Fai
Component	P	F	NA	Component	.P	F	NA
5.1. Fire Extinguisher	. 🗸						
NOTES:							
	Sec	ctio	n 6 -	- Lamps	, 24.1.		
Component	*. * P	F	NA	Component	, jb%	F	NA
6.1. Required Lamps				6.3. Retro-Reflective Marking	1		
6.2. Reflex Reflector							
NOTES:						_	
	Section	7	Elec	trical System	n 100		
Component	85, * P	F	NĄ	Component	P	%F	NA
7.1. Wiring		*** No.	N.V.	7.3. Trailer Cord (output to towed vehicle)	*** **********************************		1
7.2. Battery			1				
Component	Se		on 8	- Body Component:	P.	*F	ŅĄ
<u> </u>		gr.	NA	8.11. Refrigeration/Heater Unit Fuel System		海.4	** B ***
8.5. Cargo Body 8.6. Frame Rails & Mounts	Y		1	8.21, Fender/Mud Flap	\ <u>`</u>	·	\top
8.7. Unitized Body Elements			+	8.22. Landing Gear on Trailer	1	1	
8.8. Cab or Cargo Door	1			8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel			1	8.24. Aerodynamic Device & Attachment			/
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	~			8,25. Rear Impact Guard (RIG)	-		
NOTES:				a (Market)	alk-poor 4		
				s and Wheels		1 _	TALA
Component	.Р.	F,	NA	Component	P	⊭F	NA
9.1. Tire Tread Depth			1	9.7. Wheel/Rim	 	┼	+-
9.2. Tire Tread Condition	_ <	<u> </u>	╁	9.8, Multi-Piece Wheel/Rim		+	Y
9.3. Tire Sidewall & Manufacturer Markings		-	-	9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System	1/	1	
9.4. Tire Inflation Pressure	- -	-	-	9.11. Wheel Fasteners (Nuts, Bolts,& Studs)	1	1	1
9.5. Wheel Hub 9.6. Wheel Bearing		-	1	O.T. Wilder deteriors (Valid, Estimates)		Ī.	
		<u> </u>				4	
NOTES: Adjust all tire Pressures to 100 Psi.							
	ction 10		36	lers and Hitches			1
Component	Р	F	ŅΑ	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	1			10.6. Automated Coupling Device		<u> </u>	/
10.2. Secondary Attachment (Safety Chain or Cable)			1	10.7. Fifth Wheel Coupler	<u> </u>	4	+-
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	_	1	1	10.8. Oscillating Fifth Wheel Coupler	-	+	-
10.4. Ball Type Hitch		-	1	10.9. Ball-Bearing Type Turntable on Trailer	+	-	√
10.5. Roll-Coupling Hitch		J	⅃✔.			1	<u> </u>

NOTES:			
Certification		建设设置的 设置的	
		(Certificate #8155641) the inspection 11/2006 and the applicable Inspection M	
Date of Inspection 2025/04/17	Technician Number C1426	Facility Number 18858	Signature
Customer Acknowledgment		E NEW YORK SERVICE TO THE MEN	A STATE OF THE STA
and this Record of Inspection (RO	n identifies defects and repairs are re I) may be presented to any Vehicle In failed items noted on this ROI are req	spection Facility within 10 days of	Date (Year/Month/Day) 2025/04/17
vehicle is not returned for re-inspendent be conducted.	ection within 10 days of the initial dat	e of inspection, a new inspection	Customer Signature