



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	e:	Truck		Seating	g Capa	city:					
GVW:		46500 kg		Brake '	Type:		Air				
Owner Nan	ne:	COUNTY OF G	RANDE PF	RAIRIE N	0.1						
Address:	100	001 84 AVE									
City:	GR	ANDE PRAIRIE	Prov	/ince:	АВ			Posta	al Code:	TOF	l0W0
Telephone	Num	nber: (780) 53	32-7736								
Vehicle ide	ntific	cation Number:	51	KHALDI	RXCPE	3M4467					
Make:	\	Western Star				Model:	Conven	tional			
Year:		2012				Unit Nu	mber:		T197		
Odometer:		468425 KM	Licence	Plate Nu	ımber:	BFN	3316		Province	e:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
Parts for Trucks, Inc.		17184
Inspection Technician Nam	ə:	Technician Number:
Shawn Oake		B5564
Inspection Technician Signa	ature:	De OF
Inspection Date:	2025/09/26	



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

	of Vel	nicle							12 Th	7,	MGro	ss ven		16500	gistere ka	<u>a </u>	200
ruck									*	- 3.40 V	1					*\$00-90 *\$*****	<i></i>
		ormátic	1						1		D			4	4	6	7
/IN	5	K	K	H	Α	┡	D	R	X	С	P	В	M	4	4	U	
Unit	Num	ber		Year	·	<u></u>	Mai				Mod					meter	
7	Γ19 7			2012		W	estern	Star			Conve	ntional			468	,425	
					Reg	gistered	Owner'	's Name	!						Plate I	Number	-
				C	COUNTY	OF GRA	ANDE F	PRAIRIE	NO.1						BFN	3316	
					Address					1		Postal	Code		I	one Nun	
				100	001 84 /	AVE						TOHO)W0		(780) 532-7	736
1	Drum l	Brakes:	A-Fu	ill Inspec	tion with	Drum Re	moved		Disc E	rakes:	· · · · · ·						
						LEFT		FF	RONT		RIGH	T		7			
		(1	20 psi	_		421,3	mm		s/Rotors		42		n	12	0 psi		
		<u> </u>	7 mm			20	mm	Linin	gs/Pads			20 mt	ո		7 mm		
		_		<u> </u> _		38	mm	Push I	Rod Trave	-	· · ·	38 mr	n				
	· · · · · · · · · · · · · · · · · · ·			ļ					· ·								
	100 p		00 psi `	-		419.10	mm mm		s/Rotors gs/Pads		419	.10 mi 20 mi	l l	10	0 psi	100 p	si
(_	15 m	1m _	<u>14</u> mm	-		38	mm		Rod Trave			38 mr		1	4 mm	15 m	nm
		_	•	L		· · · · · · · · · · · · · · · · · · ·					··						
_	400		100 psi			419,10	mm	Drun	s/Rotors		419	.10 mı	n	10	0 psi	100 p	ei)
_	100 p	-	19 mm	-		20	mm		ıgs/Pads			20 mi	n		8 mm	19 m	
_				L		38	mm	Push I	Rod Trave	-		38 mi	n			<u> </u>	
	ŗ	osi	psi	-		 	mm mm		ns/Rotors			mr mr	1		psi	p:	si
-	n	ոտ 🆯 🖰	mm j	-			mm		ngs/Pads Rod Trave	_ 		''''	į.		mm	m	ım)
																	_
						· · · · · · · · · · · · · · · · · · ·	mm	Drum	s/Rotors			mr	n				_
-	1	osi _	psi				mm		ngs/Pads	-		mr	n		_ psi		si
	<u> </u>	nm _	mm	L			mm	Push I	Rod Trave			mr	n			m	ım
				_	<u></u>												_
		osi	psi	-			mm mm		s/Rotors ngs/Pads	_		 		_	_ psi	p:	si 🕽
		ոտ 📗 🖺	mm	[] "			mm		Rod Trave	 1		mı			_ mm	m	ım
					D1 1 !-	-1	- 54	•									
				1	Brake Lir eel Toro	iing Li ue Checki	eft N	A mm	-		m Trans Outer		mm ft lbs				

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

	Sectio	n.1 - I	ower Train	1	
			Component	Ę	NA.
1,1, Accelerator Pedal/Throttle Actuator	1		1.8. Engine Start Safety Feature	_!_	
1,2, Exhaust System			1.9. Gear Position Indicator		
1.3. Emission Control Systems and Devices			1.10. Engine or Accessory Drive Belt	4	
1.4. Drive Shaft	1		1,11, Hybrid Electric Vehicle & Electric Vehicle Power Train System		\
1.5, Clutch and Clutch Pedal	1		1.12. Gasoline or Diesel Fuel System		
1.6. Engine/Transmission Mount	1		1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		~
1.7. Engine/Shut Down	1			<u> </u>	_ [

NOTES:

APPENDIX "A"		[20 + 30 -	. مو
Component P F NA Component	P	Æ	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System 💢 A.3. Liquefied Natural Gas (LNG) Fuel System			<u> </u>
A.2. Compressed Natural Gas (CNG) Fuel System			J

NOTES:

	Section 2 - S	üspension	ena esta e	Ž.2
Component 1	P F NA	Component	PF	ΝĄ
2.1. Suspension & Frame Attachments	/	2.5. Air Suspension	V	Ш
2.2, Axle Attaching & Tracking Components	 	2.6. Self-Steer and Controlled-Steer Axle		
2.3. Axle & Axle Assembly		2.7. Shock Absorber/Strut Assembly	1	
2.4. Spring & Spring Attachment	/		<u> </u>	لــــــــــــــــــــــــــــــــــــــ

NOTES:

				
Section		\$45 BW WAR	ASSOCIATION OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE	
Component P P	F	ÑΑ	Component	F NA
3H.1. Hydraulic System Components		✓	3H.13, Disc Brake System Components	_
3H.2. Brake Pedal/Actuator		✓.	3H.14. Mechanical Parking Brake	~
3H.3. Vacuum Assist (Boost) System		✓.	3H.15. Spring-Applied Air-Released Parking Brake	✓
3H.4. Hydraulic Assist (Boost) System		1	3H.16. Spring-Applied Hydraulic-Released Parking Brake	✓
3H.5. Air Assist (Boost) System	ĺ	1	3H,17, Anti-Lock Brake System (ABS)	/
3H.6. Air-Over-Hydraulic Brake System		√	3H.18, Stability Control System	
3H.11. Brake System Indicator Lamps		1	3H.19. Brake Performance	
3H.12, Drum Brake System Components		✓		1

NOTES:

	Section 3A	- Air Brakes		, eq.
Component	PFN	A Component	P. F.	NA
3A.1. Air Compressor	1	3A.13. Alr System Components	V	
3A.2, Air Supply System		3A.14. Brake Chamber		
3A.4. Air Tank		3A.15. Drum Brake System Components	/	
3A.5. Air Tank Check Valves	1	3A.16. S-Cam Drum Brake System	1	
3A,6, Brake Pedal/Actuator		3A.17. Brake Shoe Travel (Wedge Brakes)	.	✓
3A.7. Treadle Valve and Trailer Hand Valve		3A,18. Disc Brake System Components		<u> </u>
3A.8. Brake Valves & Controls		3A.19. Anti-Lock Brake System (ABS)		
3A.9. Proportioning, Inversion or Modulation Valve	1/	3A.21. Stability Control System		✓
3A.10. Towing Vehicle (Tractor) Protection System	1	3A.23. Brake Performance		✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

夢-	· .		- j	- 37		Section 3A -	Air Brakes	Mary Company and C	
7 7		1 12 13	Com	ponent		 P F NA		Component	F NA
3A.11.	Parking	g Brake &	Emerg	ency Application	n	1			

NOTES:

R1 BRAKE HOSE LEAKING-REPLACED HOSE

2ND AXLE BRAKE HOSE LEAKING-REPLACED HOSE

2ND AND 3RD AXLE SCAMS STICKY-REMOVED CLEANED AND INSTALLED NEW SEALS

DRIVE AXLE SHOES AND DRUMS GOUGED AND SOME WORN BEYOND SPEC-REPLACED SHOES AND DRUMS

L1 SHOES AND DRUM OIL SOAKED -REPLACED SHOES AND DRUM

R2 AND L3 SLACK ADJUSTERS DAMAGED-REPLACED 4 SLACK ADJUSTERS

	اده د چه اوراما		al (Section	n 4 -	Steering _				
	ti .	W . 1	Con	ponent		- 19	PEF	NA		Component	P.	.F.,	ŅΑ
4.1	. Steerii	ng Contro	ol and Lini	kage			/		4.4. Kingpin		✓	<u> </u>	
4.2	2. Power	Steering	System (Hydraulic and	Electric)		✓		4.5. Self-Steer and Co	ontrolled-Steer Axle			/
4.3	3. Steerii	ng Opera	tion (Activ	e Steer Axle)			✓					<u> </u>	

NOTES:

Section 5 In	strui	ner	its a	- 1 April 2 Ap	
Component	P	F.	ΝĀ	Component P F N	ļΑ
5.1. Fire Extinguisher	V			5.8. Heater & Windshield Defroster	
5.2. Hazard Warning Kit	1	<u> </u>	1	5.9. Fuel-Burning Auxiliary Heater	/
5.3. Horn	1			5,10. Chain/"Headache" Rack	<u>/</u>
5.5. Speedometer	1			5.11. Auxiliary Controls and Devices	
5.6. Odometer	1			5,12. Auxiliary Drive Controls	
5.7. Windshield Wiper/Washer	1				

NOTES:

DEFROST NOT WORKING-REPAIRED HEATER

	Section 6 - Lamps	
Component	Component Component	P F NA
6.1. Required Lamps	✓ 6.4. Instrument Panel Lamps	
6,2. Reflex Reflector	6.5, Headlamp Aim	✓
6.3. Retro-Reflective Marking	✓	

NOTES:

ID LIGHT OUT-REPLACED LIGHT AND PIGTAIL

MIDSHIP MARKER OUT-REPAIRED WIRING

LEFT AND RIGHT MIRROR MARKERS OUT-REPLACED BULB

	Section 7	- Electrical System		
Component :	PF	NA DE L	Component	P F NA
7.1. Wiring		7.3. Trailer Cord (c	output to towed vehicle)	✓
7.2. Battery		<u> </u>		

NOTES:

NO AUX POWER ON 7 WIRE PLUG-REPAIRED WIRING

	Secti	on 8 - Body
Component	PF	NA Component P F NA
8.1. Hood or Engine Enclosure	/	8.12, Bumper 🗸
8,2. Tilt Cab		✓ 8.13, Windshield
8.3. Air-Suspended Cab	1	8.14. Side Windows
8,4, Cab and Passenger-Vehicle Body	1	8,15, Rear Window

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

	• ,	. ? ?	AND T	-Body		
Component	· P:	F	NA	Component',	PF	NA
8.5. Cargo Body	1		<u> </u>	8.16. Interior Sun Visor	_ _/_	1 1
8,6, Frame, Rails & Mounts	1	<u> </u>		8.17. Exterior Windshleld Sun Visor		
8.7, Unitized Body Elements	1			8.18. Rear-View Mirror		
8.8. Cab or Cargo Door	1			8.19. Seat		
8.9. Cargo Tank or Vessel			1	8,20. Seat Belt/Occupant Restraint	-	1
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	1		<u> </u>	8.21. Fender/Mud Flap		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			~	8.24. Aerodynamic Device & Attachment		~

NOTES:

LEFT STEP LOOSE-REPLACED BOLTS

	Section 9 -	Tires and Wheels		
Component	PF	NA Component	P F	NA
9.1. Tire Tread Depth	✓	9.7. Wheel/Rim (Applies to all wheel types)	✓	_
9,2. Tire Tread Condition		9.8. Multi-Piece Wheel/Rim	<u> </u>	-
9.3. Tire Sidewall & Manufacturer Markings		9.9. Spoke Wheel/Demountable Rim System		_ <
9.4. Tire Inflation Pressure		9.10. Disc Wheel System	/	
9.5, Wheel Hub	/	9.11. Wheel Fasteners (Nuts, Bolts and Studs)	/	
9.6. Wheel Bearing	1		1	

NOTES:

L1 AND R1 WHEEL SEALS LEAKING-REPLACED WHEEL SEALS R2 AND L3 SHEEL STUDS STREACHED-REPLACED WHEEL STUDS

Section	on 10	:- C	oup	ers and Hitches	
Component	P	F	ΝA	Component	F. NA
10.1. Hitch Assembly, Structure & Attaching Components	1		j	10.5. Roll-Coupling Hitch	
10.2. Secondary Attachment (Safety Chain or Cable)		<u> </u>	1	10.6. Automated Coupling Device	✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	1			10.7. Fifth Wheel Coupler	✓
10.4. Ball Type Hitch		<u> </u>	/	10.8. Oscillating Fifth Wheel Coupler	

NOTES:

PINTLE HITCH SIEZED-FREEDUP HITCH LOCK AND LATCH

Certification The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8376772) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature			
2025/09/26	B5564	17184	De	62		
Customer Acknowledgment		Chart Design	want gaza		X2.11	

A

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day) 2025/09/26

Customer Signature