



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**


**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	46500 kg	Brake Type:	Air
Owner Name:	COUNTY OF GRANDE PRAIRIE NO 1		
Address:	10001 84 AVE		
City:	CLAIRMONT	Province:	AB
		Postal Code:	T0H0W0
Telephone Number:	(780) 532-9722		
Vehicle Identification Number:	1NKDLP0X9JR989460		
Make:	Kenworth	Model:	T800
Year:	2018	Unit Number:	2357
Odometer:	431190 KM	Licence Plate Number:	CGE211
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Brandt Tractor Ltd	20290
Inspection Technician Name:	Technician Number:
Curtis Griffith	D1668
Inspection Technician Signature:	
Inspection Date:	2025/09/12

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered												
Truck										46500 kg												
Vehicle Information																						
VIN	1	N	K	D	L	P	0	X	9	J	R	9	8	9	4	6	0					
Unit Number 2357				Year 2018				Make Kenworth				Model T800				Odometer 431,190						
Registered Owner's Name COUNTY OF GRANDE PRAIRIE NO 1																Plate Number CGE211						
Address 10001 84 AVE												Postal Code T0H0W0				Phone Number (780) 532-9722						

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">15/32 in</div>		16.554	in	Drums/Rotors	16.556	in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">15/32 in</div>		
		1/2	in	Linings/Pads	1/2	in			
		1 1/2	in	Push Rod Travel	1 3/8	in			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">13/32 in</div>		16.585	in	Drums/Rotors	16.567	in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">20/32 in</div>		
		1/2	in	Linings/Pads	1/2	in			
		1 1/4	in	Push Rod Travel	1 3/8	in			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">04/32 in</div>		16.557	in	Drums/Rotors	16.663	in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">18/32 in</div>		
		1/2	in	Linings/Pads	7/16	in			
		1 3/8	in	Push Rod Travel	1 3/8	in			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">in</div>			in	Drums/Rotors		in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">in</div>		
			in	Linings/Pads		in			
			in	Push Rod Travel		in			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">in</div>			in	Drums/Rotors		in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">in</div>		
			in	Linings/Pads		in			
			in	Push Rod Travel		in			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">in</div>			in	Drums/Rotors		in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">in</div>		
			in	Linings/Pads		in			
			in	Push Rod Travel		in			

Park Brake Lining Left N/A in Right N/A in Trans N/A in
 Wheel Torque Checked ☒ Inner N/A ft lbs Outer 475 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System				✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*				✓
1.7. Engine/Shut Down	✓							

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System				✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle				✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components				✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake				✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake				✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake				✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)				✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System				✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance				✓
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)				✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components				✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System				✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance				✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.11. Parking Brake & Emergency Application	✓					

NOTES:

3A.14-L2, R3 AND R1 BRAKE POTS BROKEN-REPAIRED
3A.15- STEER AXLE BRAKE SHOES OIL SOAKED -REPLACED
3A.16- PUSHROD TRAVEL OUT-REPAIRED

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓	
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle		✓
4.3. Steering Operation (Active Steer Axle)	✓					

NOTES:

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓	
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater		✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack		✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓	
5.7. Windshield Wiper/Washer	✓					

NOTES:

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓	
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓	
6.3. Retro-Reflective Marking	✓					

NOTES:

6.2 MISSING MULTIPLE REFLECTORS-REPLACED

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery	✓					

NOTES:

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓	
8.2. Tilt Cab			✓	8.13. Windshield	✓	
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓	
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓	
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓	
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓	
8.7. Utilized Body Elements	✓			8.18. Rear-View Mirror	✓	
8.8. Cab or Cargo Door	✓			8.19. Seat	✓	
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

8.13 WINDSHIELD CRACKED AND CHIPPED-REPLACED

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8462652) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/09/12	D1668	20290	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/09/12

Customer Signature

