D02-42

All measurements in millimeters

REMU

9.12.2010

REMU Screening Bucket Blades

L-models



Ordering Code: 1001

Axel diameter 35

Bucket models: L30

Description:
Basic screening blade for most of the materials

Available Blade Thickness	6	8				
Possible spacing for specific thickness	15 20 25	18 23				



Ordering Code: 2001

Axel tube diameter 101,6

Bucket models: L50-L150, SBF

Description:
Basic screening blade for most of the materials

Available Blade Thickness	6	8	10	16	25
Possible spacing for specific thickness	15	20 27 34 48 62	18 25 32 46 60	25 34 50 60	50 75



Ordering Code: 2002

Axel square tube 70x70
Bucket models: L50 –L150

Description:
Basic screening blade for most of the materials

Available Blade Thickness		8	10		
Possible spacing for specific thickness		20 27 34 48 62	18 25 32 46 60		

REMU Oy
Ostolantie 4
63700 ÄHTÄRI
FINLAND

tel: + 358 207 431 160
fax: + 358 207 431 161
mail info@remu.fi
web www.remu.fi

REMU USA Inc
8 Hemlock st.
Old Orchard Beach
ME 04064

tel: +1 888 600 0018
mail: usa@remu.fi

All measurements in millimeters

REMU

9.12.2010



Ordering Code: 2003

Axel square tube 70x70
Bucket models: L50 –L150

Description:
Basic screening blade for most of the materials. Sharp edges for mild crushing effect.

Available Blade Thickness		8	10		
Possible spacing for specific thickness		20 27 34 48 62	18 25 32 46 60		



Ordering Code: 2101

Axel tube diameter 101,6

Bucket models: L50-L150, SBF

Description:
For high content of stones in material and special for mines.

Available Blade Thickness	6	8	10	16	25
Possible spacing for specific thickness	15	20 27 34 48 62	18 25 32 46 60	25 34 50 60	50 75



Ordering Code: 2201

Axel tube diameter 101,6

Bucket models: L50-L150

Description:
Cut the small sticks and roots etc. in material.

Available Blade Thickness		8	10	16	25
Possible spacing for specific thickness		20 27 34 48 62	18 25 32 46 60	25 34 50 60	50 75

REMU Oy
Ostolantie 4
63700 ÄHTÄRI
FINLAND

tel: +358 207 431 160
fax: +358 207 431 161
mail info@remu.fi
web www.remu.fi

REMU USA Inc
8 Hemlock st.
Old Orchard Beach
ME 04064

tel: +1 888 600 0018
mail: usa@remu.fi

SPEKTRA TOOLS

Benna vagliatrice EP4150

EP 4150



	EP 4150
Peso:	Kg. 1500
Per escavatori:	16 – 22 ton.
Portata idraulica consigliata:	80 - 140 l/m
Volume ISO/SAE	1,1 / 1,3 m3
Numero di axels (rotori):	4
Spessore blades (lame):	16 mm
Materiale:	Hardox 500
Pezzatura materiale:	0 - 20 mm
Pressione di lavoro:	160 bar - 210 bar

La benna vagliatrice necessita per il suo funzionamento di una linea a doppio effetto e di una linea di drenaggio.

SPEKTRA TOOLS S.r.l.
via Trieste 26/28
I - 20059 Vimercate (MI)
tel +39.039.625051
fax +39.039.6619077
Codice Fiscale - P. IVA 04731650964
Cap. Soc. Euro 100.000 - REA 1708652

D02-42



REMU

BENNE VAGLIATRICI
MANUALE D´USO

