

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

Windshield cracked across whole length - Replaced windshield with new

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						


NOTES:

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch	✓			10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8434571)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/03/04	C3285	16826	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/03/04

Customer Signature

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.11. Parking Brake & Emergency Application			✓					

NOTES:

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓	
4.3. Steering Operation (Active Steer Axle)	✓							

NOTES:

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓	
5.3. Horn	✓			5.10. Chain/Headache Rack	✓			
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓	
5.7. Windshield Wiper/Washer	✓							

NOTES:

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓			
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓			
6.3. Retro-Reflective Marking	✓							

NOTES:
D/S low beam not working - Replaced with new bulb

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓	
7.2. Battery	✓							

NOTES:

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓			
8.2. Tilt Cab			✓	8.13. Windshield	✓			
8.3. Air-Suspended Cab			✓	8.14. Side Windows	✓			
8.4. Cab and Passenger Vehicle Body	✓			8.15. Rear Window	✓			
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓			
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor			✓	
8.7. Utilized Body Elements	✓			8.18. Rear-View Mirror	✓			
8.8. Cab or Cargo Door			✓	8.19. Seat	✓			
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓			
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid, Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) *SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension			✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components	✓			3H.13. Disc Brake System Components	✓			
3H.2. Brake Pedal/Actuator	✓			3H.14. Mechanical Parking Brake	✓			
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System	✓			3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)	✓			
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System	✓			
3H.11. Brake System Indicator Lamps	✓			3H.19. Brake Performance	✓			
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor			✓	3A.13. Air System Components			✓	
3A.2. Air Supply System			✓	3A.14. Brake Chamber			✓	
3A.4. Air Tank			✓	3A.15. Drum Brake System Components			✓	
3A.5. Air Tank Check Valve			✓	3A.16. S-Cam Drum Brake System			✓	
3A.6. Brake Pedal/Actuator			✓	3A.17. Brake Shoes/Trails (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve			✓	3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls			✓	3A.19. Anti-Lock Brake System (ABS)			✓	
3A.9. Proportioning, Inversion or Modulation Valve			✓	3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System			✓	3A.23. Brake Performance			✓	



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle: Truck						Gross Vehicle Weight registered: 11790 kg											
Vehicle Information																	
VIN	1	F	D	0	X	5	H	T	2	F	E	A	6	6	5	8	1
Unit Number: LT0419		Year: 2015		Make: Ford			Model: F550			Odometer: 115,669							
Registered Owner's Name: Strait Mechanical Ltd.												Plate Number: BNL2716					
Address: 1200 - 645 7 Ave SW						Postal Code: T2P4G8			Phone Number: (780) 532-7350								

Drum Brakes:	Disc Brakes: D-Full Inspection Wheel Removed
---------------------	---

	LEFT	FRONT	RIGHT																		
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;">.70 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;">17/32 in</div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;">1.530 in</td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;">1.528 in</td></tr> <tr><td style="text-align: center;">0.472 in</td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;">0.472 in</td></tr> <tr><td style="text-align: center;">NA in</td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;">NA in</td></tr> </table>	1.530 in	Drums/Rotors	1.528 in	0.472 in	Linings/Pads	0.472 in	NA in	Push Rod Travel	NA in	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;">1.527 in</td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;">1.526 in</td></tr> <tr><td style="text-align: center;">0.526 in</td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;">0.526 in</td></tr> <tr><td style="text-align: center;">NA in</td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;">NA in</td></tr> </table>	1.527 in	Drums/Rotors	1.526 in	0.526 in	Linings/Pads	0.526 in	NA in	Push Rod Travel	NA in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;">75 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;">12/32 in</div>
1.530 in	Drums/Rotors	1.528 in																			
0.472 in	Linings/Pads	0.472 in																			
NA in	Push Rod Travel	NA in																			
1.527 in	Drums/Rotors	1.526 in																			
0.526 in	Linings/Pads	0.526 in																			
NA in	Push Rod Travel	NA in																			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;">80 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;">7/32 in</div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;"> </td></tr> </table>		Drums/Rotors			Linings/Pads			Push Rod Travel		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;"> </td></tr> </table>		Drums/Rotors			Linings/Pads			Push Rod Travel		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;">80 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;">11/32 in</div>
	Drums/Rotors																				
	Linings/Pads																				
	Push Rod Travel																				
	Drums/Rotors																				
	Linings/Pads																				
	Push Rod Travel																				
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;"> </td></tr> </table>		Drums/Rotors			Linings/Pads			Push Rod Travel		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;"> </td></tr> </table>		Drums/Rotors			Linings/Pads			Push Rod Travel		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div>
	Drums/Rotors																				
	Linings/Pads																				
	Push Rod Travel																				
	Drums/Rotors																				
	Linings/Pads																				
	Push Rod Travel																				
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;"> </td></tr> </table>		Drums/Rotors			Linings/Pads			Push Rod Travel		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;"> </td></tr> </table>		Drums/Rotors			Linings/Pads			Push Rod Travel		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div>
	Drums/Rotors																				
	Linings/Pads																				
	Push Rod Travel																				
	Drums/Rotors																				
	Linings/Pads																				
	Push Rod Travel																				
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;"> </td></tr> </table>		Drums/Rotors			Linings/Pads			Push Rod Travel		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Drums/Rotors</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Linings/Pads</td><td style="text-align: center;"> </td></tr> <tr><td style="text-align: center;"> </td><td style="text-align: center;">Push Rod Travel</td><td style="text-align: center;"> </td></tr> </table>		Drums/Rotors			Linings/Pads			Push Rod Travel		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 40px; margin: 0 auto;"> </div>
	Drums/Rotors																				
	Linings/Pads																				
	Push Rod Travel																				
	Drums/Rotors																				
	Linings/Pads																				
	Push Rod Travel																				

Park Brake Lining Left NA in Right NA in Trans NA in
 Wheel Torque Checked Inner NA ft/lbs Outer 165 ft/lbs



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

D04-13

Vehicle Type:	Truck	Seating Capacity:	
GVW:	11790 kg	Brake Type:	Hydraulic
Owner Name:	Strait Mechanical Ltd.		
Address:	1200 - 645 7 Ave SW		
City:	Calgary	Province:	AB
		Postal Code:	T2P4G8
Telephone Number:	(780) 532-7350		
Vehicle Identification Number:	1FD0X5HT2FEA66581		
Make:	Ford	Model:	F550
Year:	2015	Unit Number:	LT0419
Odometer:	115669 KM	Licence Plate Number:	BNL2716
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Kinetic Transport Ltd.	16826
Inspection Technician Name:	Technician Number:
David Sharko	C3285
Inspection Technician Signature:	
Inspection Date:	2026/03/04