



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	School Bus	Seating Capacity:	54
GVW:	kg	Brake Type:	Air
Owner Name:	High Prairie School Division No 48		
Address:	Box 870		
City:	High Prairie	Province:	AB
Postal Code:	T0G1E0		
Telephone Number:	(780) 523-3654		
Vehicle Identification Number:	1BAKCCPA08F252592		
Make:	Blue Bird	Model:	BBCV2601S
Year:	2008	Unit Number:	242
Odometer:	344777 KM	Licence Plate Number:	KWU672
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	High Prairie School Division No. 48	Facility Number:	10070
Inspection Technician Name:	Claude Ouellette	Technician Number:	A0240
Inspection Technician Signature:			
Inspection Date:	2024/03/14		



COMMERCIAL VEHICLE RECORD OF INSPECTION SCHOOL BUS, COMMERCIAL BUS, MOTOR COACH

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle School Bus										Gross Vehicle Weight registered kg							
Vehicle Information																	
VIN	1	B	A	K	C	C	P	A	0	8	F	2	5	2	5	9	2
Unit Number 242		Year 2008		Make Blue Bird				Model BBCV2601S				Odometer 344,777					
Registered Owner's Name High Prairie School Division No 48												Plate Number KWU672					
Address Box 870										Postal Code T0G1E0				Phone Number (780) 523-3654			

Drum Brakes: **A-Full Inspection with Drum Removed** Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">90 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">12 mm</div>		419.92 mm	Drums/Rotors	419.83 mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">90 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">12 mm</div>				
		17.78 mm	Linings/Pads	16.28 mm					
		20 mm	Push Rod Travel	20 mm					
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">90 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">90 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">15 mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">15 mm</div>		420.27 mm	Drums/Rotors	420.39 mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">90 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">90 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">15 mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">15 mm</div>				
		18.37 mm	Linings/Pads	18.31 mm					
		30 mm	Push Rod Travel	30 mm					
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div>		mm	Drums/Rotors	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div>				
		mm	Linings/Pads	mm					
		mm	Push Rod Travel	mm					
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div>		mm	Drums/Rotors	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div>				
		mm	Linings/Pads	mm					
		mm	Push Rod Travel	mm					
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div>		mm	Drums/Rotors	mm	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">mm</div>				
		mm	Linings/Pads	mm					
		mm	Push Rod Travel	mm					

Park Brake Lining Left na mm Right na mm Trans na mm
 Wheel Torque Checked Inner na ft lbs Outer 450 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION SCHOOL BUS, COMMERCIAL BUS, MOTOR COACH

Section 1 - Power Train							
Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.10. Engine or Accessory Drive Belt	✓		
1.3. Emission Control Systems and Devices	✓			1.9. Gear Position Indicator	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch & Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG,CNG Or LNG) *SEE APPENDIX A*			✓
1.7. Engine Shut Down	✓						

NOTES:
#3 u-joint loose. REPLACED U-JOINT.

APPENDIX "A"							
Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension							
Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes							
Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum-Assisted (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)	✓		
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION SCHOOL BUS, COMMERCIAL BUS, MOTOR COACH

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application (Bus)	✓						

NOTES:
 Brake drum was removed and a full inspection with drums removed (A) was conducted, and that a defective component was present. Defective component was replaced. RR wheel seal starting to leak. REPLACED REAR WHEEL SEAL (NO OIL ON BRAKE SHOES).
 Park brake function test was performed at 1000RPM and brake held.

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic & Electric)	✓			4.5. Self-Steer & Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxilliary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓		
5.3. Horn	✓			5.11. Auxiliary Controls & Devices			✓
5.4. Instruments & Gauges on a Bus	✓			5.13. On-board Auxiliary Equipment on a Bus	✓		
5.5. Speedometer	✓			5.14. First Aid Kit on a Bus	✓		
5.6. Odometer	✓			5.15. Accessibility Features & Equipment on a Bus			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:
 Step heater not working. REPLACED HEATER MOTOR.

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.5. Headlamp Aiming	✓		
6.2. Reflex Reflector	✓			6.6. Interior Lamps on a Bus	✓		
6.3. Retro-Reflective Marking	✓			6.7. School Bus Additional Lamps	✓		
6.4. Instrument Panel Lamp	✓						

NOTES:
 Shifter light out. REPLACED BULB.
 RR red warning light broken. REPLACED LIGHT ASSEMBLY.

Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓			7.4. Alternator Output on a School Bus	✓		

NOTES:

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.19. Seat	✓		
8.4. Cab & Passenger-Vehicle Body	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.6. Frame, Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.24. Aerodynamic Device & Attachment	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.26. Floor Pan/Baggage Floor/Step well on a Bus	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION SCHOOL BUS, COMMERCIAL BUS, MOTOR COACH

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.27. Interior Body & Fixtures on a Bus	✓		
8.12. Bumper	✓			8.28. Service & Exit door on a Bus	✓		
8.13. Windshield	✓			8.29. Emergency Exit (Door, Window, & Roof Hatch)	✓		
8.14. Side Windows	✓			8.30. Passenger Compartment Window on a Bus (Except Emergency Exit Window)	✓		
8.15. Rear Window	✓			8.31. School Bus Exterior Mirror (Except Standard Left & Right Side Mirror)	✓		
8.16. Interior Sun Visor	✓			8.32. Passenger Seat on a Bus	✓		
8.17. Exterior Windshield Sun Visor			✓	8.33. School Bus Body Exterior	✓		
8.18. Rear-View Mirror	✓			8.34. Auxiliary Compartment on a Bus			✓

NOTES:

Rear driver slider is fogged. REPLACED GLASS.
 Entrance door doesn't open. REPLACED DOOR SOLENOID.
 LF emergency window buzzer. LUBED WINDOW SWITCHES.
 RF upper window fogged. HAD WINDOW RESEALED AT HPG
 Hole in LH body panel in front of rear tires. REPLACED BODY PANEL

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

RR wheel seal starting to leak. REPLACED WHEEL SEAL (NO OIL ON BRAKE SHOES)

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.4. Ball Type Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.5. Roll-Coupling Hitch			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.6. Automated Coupling Device			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #7938815) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2024/03/14	Technician Number A0240	Facility Number 10070	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2024/03/14

Customer Signature