

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required		
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/>	Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/>	Replace in-line fuel strainer
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/>	Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/>	Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/>	Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	<input checked="" type="checkbox"/>	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	<input checked="" type="checkbox"/>	
Every 1000 hours		
Clean engine crankcase vent tube	<input checked="" type="checkbox"/>	Lubricate frame hinge pivots
replace air cleaner dust unloader valve	<input checked="" type="checkbox"/>	Replace engine air cleaner elements
Every 2000 hours		
Drain and refill transmission oil and filter	<input checked="" type="checkbox"/>	Drain and refill front and rear axle oil
Check and adjust engine valve lash	<input checked="" type="checkbox"/>	
Every 4000 hours		
Drain, flush and refill hydraulic system oil	<input checked="" type="checkbox"/>	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	<input checked="" type="checkbox"/>	Clean hydraulic system fill strainer
Every 5000 hours		
Inspect driveline damper (ok)	<input checked="" type="checkbox"/>	
Every 6000 hours		
Drain and refill cooling system	<input checked="" type="checkbox"/>	

Required Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836		1	2	2	2
Primary fuel filter	RE5541922		1	1	1	1
Secondary (final) fuel filter	RE522878	1	1	1	1	
Water separator filter	RE541922	1	1	1	1	
Strainer fuel filter	AT223493	1	1	1	1	
Hydraulic reservoir breather filter	AM39653	1	1	1	1	
Engine air filter (inner)	AT314583	1	1	1	1	
Engine air filter (outer)	AT300487		1	1	1	
Air cleaner dust unloader valve	M89679		1	1	1	
Hydraulic system return filter	AT335977		1	1	1	
Cab filter (inner)	AT91102			As Required		
Cab filter (outer)	AT307501			As Required		
Oil sample kits	CM23882	5	5	5	5	
Coolant sample kit	CM2388	1	1	1	1	

Comments	
<i>- LUBRICATE FRAME HINGES PIVOTS</i>	

Details			
Date	24 - 09 - 28	Hours	7050
Technician	INAD	Signature	<i>AB</i>

Service Schedule

Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479



As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel stariner
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper ad lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
<input checked="" type="checkbox"/> replace air cleaner dust unloader valve	<input checked="" type="checkbox"/> Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	<input checked="" type="checkbox"/> Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	<input checked="" type="checkbox"/> Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	<input checked="" type="checkbox"/> Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	<input checked="" type="checkbox"/>
Every 6000 hours	
Drain and refill cooling system	

Required Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	2	2
Primary fuel filter	RE5541922	<input checked="" type="checkbox"/>	1	<input checked="" type="checkbox"/>	1	1
Secondary (final) fuel filter	RE522878	<input checked="" type="checkbox"/>	1	<input checked="" type="checkbox"/>	1	1
Water separator filter	RE541922	<input checked="" type="checkbox"/>	1	<input checked="" type="checkbox"/>	1	1
Strainer fuel filter	AT223493	<input checked="" type="checkbox"/>	1	<input checked="" type="checkbox"/>	1	1
Hydraulic reservoir breather filter	AM39653	<input checked="" type="checkbox"/>	1	<input checked="" type="checkbox"/>	1	1
Engine air filter (inner)	AT314583	<input checked="" type="checkbox"/>	1	<input checked="" type="checkbox"/>	1	1
Engine air filter (outer)	AT300487	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	1	1
Air cleaner dust unloader valve	M89679	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	1	1
Hydraulic system return filter	AT335977			<input checked="" type="checkbox"/>	1	1
Cab filter (inner)	AT91102	<input checked="" type="checkbox"/>		As Required		
Cab filter (outer)	AT307501	<input checked="" type="checkbox"/>		As Required		
Oil sample kits	CM23882		5	5	5	5
Coolant sample kit	CM2388		1	1	1	1

Comments	
<u>-REPLACED AIR CLEANER ELEMENTS</u>	

Details			
Date	04/04/25	Hours	6897
Technician	NGA	Signature	<u>W. J. Williams</u>

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel stariner
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper ad lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
replace air cleaner dust unloader valve	Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Required Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836	1	2	2	2	
Primary fuel filter	RE5541922	1	1	1	1	
Secondary (final) fuel filter	RE522878	1	1	1	1	
Water separator filter	RE541922	1	1	1	1	
Strainer fuel filter	AT223493	1	1	1	1	
Hydraulic reservoir breather filter	AM39653	1	1	1	1	
Engine air filter (inner)	AT314583	1	1	1	1	
Engine air filter (outer)	AT300487		1	1	1	
Air cleaner dust unloader valve	M89679		1	1	1	
Hydraulic system return filter	AT335977		1	1	1	
Cab filter (inner)	AT91102			As Required		
Cab filter (outer)	AT307501			As Required		
Oil sample kits	CM23882	5	5	5	5	
Coolant sample kit	CM2388	1	1	1	1	

Comments	

Details			
Date	11/03/28	Hours	6683
Technician	WAD	Signature	

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel stariner
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper ad lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
<input checked="" type="checkbox"/> Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
<input checked="" type="checkbox"/> replace air cleaner dust unloader valve	<input checked="" type="checkbox"/> Replace engine air cleaner elements
Every 2000 hours	
<input checked="" type="checkbox"/> Drain and refill transmission oil and filter	<input checked="" type="checkbox"/> Drain and refill front and rear axle oil
<input checked="" type="checkbox"/> Check and adjust engine valve lash	
Every 4000 hours	
<input checked="" type="checkbox"/> Drain, flush and refill hydraulic system oil	<input checked="" type="checkbox"/> Replace hydraulic system return filter
<input checked="" type="checkbox"/> Clean hydraulic pump case drain in-line screen	<input checked="" type="checkbox"/> Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	<input checked="" type="checkbox"/>
Every 6000 hours	
<input checked="" type="checkbox"/> Drain and refill cooling system	

Required		500H	1000H	2000H	4000H
Description	Part #				
Engine oil filter	RE504836	<input checked="" type="checkbox"/>	1	2	1
Primary fuel filter	RE5541922	<input checked="" type="checkbox"/>	1	1	1
Secondary (final) fuel filter	RE522878	<input checked="" type="checkbox"/>	1	1	1
Water separator filter	RE541922	<input checked="" type="checkbox"/>	1	1	1
Strainer fuel filter	AT223493	<input checked="" type="checkbox"/>	1	1	1
Hydraulic reservoir breather filter	AM39653	<input checked="" type="checkbox"/>	1	1	1
Engine air filter (inner)	AT314583	<input checked="" type="checkbox"/>	1	1	1
Engine air filter (outer)	AT300487	<input checked="" type="checkbox"/>		1	1
Air cleaner dust unloader valve	M89679	<input checked="" type="checkbox"/>		1	1
Hydraulic system return filter	AT335977			1	1
Cab filter (inner)	AT91102	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	As Required	
Cab filter (outer)	AT307501	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	As Required	
Oil sample kits	CM23882		5	5	5
Coolant sample kit	CM2388		1	1	1

Comments	
- DRAIN, FLUSH AND	REFILL TRANSMISSION OIL
- CHANGE FRONT AND REAR DIFF. OIL	
- CHANGE TRANSMISSION OIL AND COOLANT	

Details			
Date	30/04/25	Hours	6433
Technician	WAD	Signature	

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel strainer
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
<input checked="" type="checkbox"/> Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
<input checked="" type="checkbox"/> replace air cleaner dust unloader valve	<input checked="" type="checkbox"/> Replace engine air cleaner elements
Every 2000 hours	
<input checked="" type="checkbox"/> Drain and refill transmission oil and filter	<input checked="" type="checkbox"/> Drain and refill front and rear axle oil
<input checked="" type="checkbox"/> Check and adjust engine valve lash	
Every 4000 hours	
<input checked="" type="checkbox"/> Drain, flush and refill hydraulic system oil	<input checked="" type="checkbox"/> Replace hydraulic system return filter
<input checked="" type="checkbox"/> Clean hydraulic pump case drain in-line screen	<input checked="" type="checkbox"/> Clean hydraulic system fill strainer
Every 5000 hours	
<input checked="" type="checkbox"/> Inspect driveline damper (ok)	
Every 6000 hours	
<input checked="" type="checkbox"/> Drain and refill cooling system	

Required Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836	<input checked="" type="checkbox"/>	2	2	2	
Primary fuel filter	RE5541922	<input checked="" type="checkbox"/>	1	1	1	1
Secondary (final) fuel filter	RE522878	<input checked="" type="checkbox"/>	1	1	1	1
Water separator filter	RE541922	<input checked="" type="checkbox"/>	1	1	1	1
Strainer fuel filter	AT223493	<input checked="" type="checkbox"/>	1	1	1	1
Hydraulic reservoir breather filter	AM39653	<input checked="" type="checkbox"/>	1	1	1	1
Engine air filter (inner)	AT314583	<input checked="" type="checkbox"/>	1	1	1	1
Engine air filter (outer)	AT300487	<input checked="" type="checkbox"/>	1	1	1	1
Air cleaner dust unloader valve	M89679		1	1	1	1
Hydraulic system return filter	AT335977		1	1	1	1
Cab filter (inner)	AT91102		As Required			
Cab filter (outer)	AT307501		As Required			
Oil sample kits	CM23882	<input checked="" type="checkbox"/>	5	5	5	5
Coolant sample kit	CM2388	<input checked="" type="checkbox"/>	1	1	1	1

Comments	

Details			
Date	Technician	Hours	Signature
02-04-14	troy	6143	

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel strainer
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
replace air cleaner dust unloader valve	Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Required Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836	1	2	2	2	
Primary fuel filter	RE5541922	1	1	1	1	
Secondary (final) fuel filter	RE522878	1	1	1	1	
Water separator filter	RE541922	1	1	1	1	
Strainer fuel filter	AT223493	1	1	1	1	
Hydraulic reservoir breather filter	AM39653	1	1	1	1	
Engine air filter (inner)	AT314583	1	1	1	1	
Engine air filter (outer)	AT300487		1	1	1	
Air cleaner dust unloader valve	M89679		1	1	1	
Hydraulic system return filter	AT335977		1	1	1	
Cab filter (inner)	AT91102		As Required			
Cab filter (outer)	AT307501		As Required			
Oil sample kits	CM23882	5	5	5	5	
Coolant sample kit	CM2388	1	1	1	1	

Comments	
drain and refill cooling system	

Details			
Date	Hours	Signature	
18-04-24	5a33		
Technician	+tby		

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel strainer
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
replace air cleaner dust unloader valve	<input checked="" type="checkbox"/> Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Required Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836	1	2	2	2	
Primary fuel filter	RE5541922	1	1	1	1	
Secondary (final) fuel filter	RE522878	1	1	1	1	
Water separator filter	RE541922	1	1	1	1	
Strainer fuel filter	AT223493	1	1	1	1	
Hydraulic reservoir breather filter	AM39653	1	1	1	1	
Engine air filter (inner)	AT314583	1	1	1	1	
Engine air filter (outer)	AT300487		1	1	1	
Air cleaner dust unloader valve	M89679		1	1	1	
Hydraulic system return filter	AT335977		1	1	1	
Cab filter (inner)	AT91102		As Required			
Cab filter (outer)	AT307501		As Required			
Oil sample kits	CM23882	5	5	5	5	
Coolant sample kit	CM2388	1	1	1	1	

Comments			

Details			
Date	Hours	Signature	
03 - 11 - 23	5677		
Technician			

Service Schedule

Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479



As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel stariner
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
replace air cleaner dust unloader valve	Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Required Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836	1	2	2	2	
Primary fuel filter	RE5541922	1	1	1	1	
Secondary (final) fuel filter	RE522878	1	1	1	1	
Water separator filter	RE541922	1	1	1	1	
Strainer fuel filter	AT223493	1	1	1	1	
Hydraulic reservoir breather filter	AM39653	1	1	1	1	
Engine air filter (inner)	AT314583	1	1	1	1	
Engine air filter (outer)	AT300487		1	1	1	
Air cleaner dust unloader valve	M89679		1	1	1	
Hydraulic system return filter	AT335977		1	1	1	
Cab filter (inner)	AT91102		As Required			
Cab filter (outer)	AT307501		As Required			
Oil sample kits	CM23882	5	5	5	5	
Coolant sample kit	CM2388	1	1	1	1	

Comments			

Details			
Date	Hours	Signature	
28-3-23	5224	<i>Ale</i>	
Technician			

Service Schedule


Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479



As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel stariner
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	Lubricate frame hinge pivots
replace air cleaner dust unloader valve	Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	<input checked="" type="checkbox"/> ok
Every 6000 hours	
Drain and refill cooling system	

Description	Part #	Required Parts				
		500H	1000H	2000H	4000H	
Engine oil filter	RE504836	1	1	2	2	
Primary fuel filter	RE5541922	1	1	1	1	
Secondary (final) fuel filter	RE522878	1	1	1	1	
Water separator filter	RE541922	1	1	1	1	
Strainer fuel filter	AT223493	1	1	1	1	
Hydraulic reservoir breather filter	AM39653	1	1	1	1	
Engine air filter (inner)	AT314583	1	1	1	1	
Engine air filter (outer)	AT300487			1	1	
Air cleaner dust unloader valve	M89679		1	1	1	
Hydraulic system return filter	AT335977		1	1	1	
Cab filter (inner)	AT91102		As Required			
Cab filter (outer)	AT307501		As Required			
Oil sample kits	CM23882	5	5	5	5	
Coolant sample kit	CM2388	1	1	1	1	

Comments				

Details			
Date	23 - 07 - 21	Hours	5240
Technician	DAWE	Signature	

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel strainer
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
replace air cleaner dust unloader valve	<input checked="" type="checkbox"/> Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	<input checked="" type="checkbox"/> Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	<input checked="" type="checkbox"/> Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	<input checked="" type="checkbox"/> Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Description	Part #	Required Parts			
		500H	1000H	2000H	4000H
Engine oil filter	RE504836	<input checked="" type="checkbox"/>	2	2	2
Primary fuel filter	RE5541922	<input checked="" type="checkbox"/>	1	1	1
Secondary (final) fuel filter	RE522878	<input checked="" type="checkbox"/>	1	1	1
Water separator filter	RE541922	<input checked="" type="checkbox"/>	1	1	1
Strainer fuel filter	AT223493	<input checked="" type="checkbox"/>	1	1	1
Hydraulic reservoir breather filter	AM39653	<input checked="" type="checkbox"/>	1	1	1
Engine air filter (inner)	AT314583	<input checked="" type="checkbox"/>	1	1	1
Engine air filter (outer)	AT300487	<input checked="" type="checkbox"/>	1	1	1
Air cleaner dust unloader valve	M89679		1	1	1
Hydraulic system return filter	AT335977		1	1	1
Cab filter (inner)	AT91102		As Required		
Cab filter (outer)	AT307501		As Required		
Oil sample kits	CM23882	5	5	5	5
Coolant sample kit	CM2388	1	1	1	1

Comments			
change all filters			

Details			
Date	8 - 9 - 21	Hours	4995
Technician	dave	Signature	

Service Schedule

Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479



As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	Replace in-line fuel strainer
<input checked="" type="checkbox"/> Replace primary fuel filter	Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	Lubricate frame hinge pivots
replace air cleaner dust unloader valve	Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Reported Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836	1	2	2	2	
Primary fuel filter	RE5541922	1	1	1	1	
Secondary (final) fuel filter	RE522878	1	1	1	1	
Water separator filter	RE541922	1	1	1	1	
Strainer fuel filter	AT223493	1	1	1	1	
Hydraulic reservoir breather filter	AM39653	1	1	1	1	
Engine air filter (inner)	AT314583	1	1	1	1	
Engine air filter (outer)	AT300487		1	1	1	
Air cleaner dust unloader valve	M89679		1	1	1	
Hydraulic system return filter	AT335977		1	1	1	
Cab filter (inner)	AT91102	1	As Required			
Cab filter (outer)	AT307501	1	As Required			
Oil sample kit	CM23882	5	5	5	5	
Coolant sample kit	CM2388	1	1	1	1	

Comments	
Top up tyre pressure	

Details			
Date	Hours	Signature	
05 - 07 - 21	4014		
Technician	done		John

Service Schedule

Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479



As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel stariner
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper ad lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
replace air cleaner dust unloader valve	<input checked="" type="checkbox"/> Replace engine air cleaner elements
Every 2000 hours	
<input checked="" type="checkbox"/> Drain and refill transmission oil and filter	<input checked="" type="checkbox"/> Drain and refill front and rear axle oil
<input checked="" type="checkbox"/> Check and adjust engine valve lash	
Every 4000 hours	
<input checked="" type="checkbox"/> Drain, flush and refill hydraulic system oil	<input checked="" type="checkbox"/> Replace hydraulic system return filter
<input checked="" type="checkbox"/> Clean hydraulic pump case drain in-line screen	<input checked="" type="checkbox"/> Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Returned Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836		2	2	1	
Primary fuel filter	RE5541922	1	1	1	1	
Secondary (final) fuel filter	RE522878	1	1	1	1	
Water separator filter	RE541922	1	1	1	1	
Strainer fuel filter	AT223493	1	1	1	1	
Hydraulic reservoir breather filter	AM39653	1	1	1	1	
Engine air filter (inner)	AT314583	1	1	1	1	
Engine air filter (outer)	AT300487		1	1	1	
Air cleaner dust unloader valve	M89679		1	1	1	
Hydraulic system return filter	AT335977		1	1	1	
Cab filter (inner)	AT91102			As Required		
Cab filter (outer)	AT307501			As Required		
Oil sample kits	CM23882	5	5	5	5	
Coolant sample kit	CM2388	1	1	1	1	

Comments			

Details			
Date	Hours	Signature	
29 - 06 - 11	4252		
Technician			

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	Replace in-line fuel strainer
<input checked="" type="checkbox"/> Replace primary fuel filter	Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	Lubricate frame hinge pivots
replace air cleaner dust unloader valve	Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Description	Part #	500H	1000H	2000H	4000H
Engine oil filter	RE504836	<input checked="" type="checkbox"/> 1	2	2	2
Primary fuel filter	RE5541922	<input checked="" type="checkbox"/> 1	1	1	1
Secondary (final) fuel filter	RE522878	<input checked="" type="checkbox"/> 1	1	1	1
Water separator filter	RE541922	<input checked="" type="checkbox"/> 1	1	1	1
Strainer fuel filter	AT223493	<input checked="" type="checkbox"/> 1	1	1	1
Hydraulic reservoir breather filter	AM39653	<input checked="" type="checkbox"/> 1	1	1	1
Engine air filter (inner)	AT314583	<input checked="" type="checkbox"/> 1	1	1	1
Engine air filter (outer)	AT300487	<input checked="" type="checkbox"/> 1	1	1	1
Air cleaner dust unloader valve	M89679		1	1	1
Hydraulic system return filter	AT335977		1	1	1
Cab filter (inner)	AT91102		As Required		
Cab filter (outer)	AT307501		As Required		
Oil sample kits	CM23882	5	5	5	5
Coolant sample kit	CM2388	<input checked="" type="checkbox"/> 1	1	1	1

Comments	
clean cab filters	Replace hydraulic return filter

Details			
Date	Hours	Signature	Comments
06 - 01 - 20	4008		
Technician	done		

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel strainer
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	Lubricate frame hinge pivots
replace air cleaner dust unloader valve	Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Description	Part #	Required Parts				
		500H	1000H	2000H	4000H	
Engine oil filter	RE504836	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2	2	2
Primary fuel filter	RE5541922	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1	1
Secondary (final) fuel filter	RE522878	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1	1
Water separator filter	RE541922	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1	1
Strainer fuel filter	AT223493	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1	1
Hydraulic reservoir breather filter	AM39653	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1	1
Engine air filter (inner)	AT314583	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1	1
Engine air filter (outer)	AT300487	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1	1
Air cleaner dust unloader valve	M89679	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1	1
Hydraulic system return filter	AT335977	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	1	1
Cab filter (inner)	AT91102	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	As Required		
Cab filter (outer)	AT307501	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	As Required		
Oil sample kits	CM23882		5	5	5	5
Coolant sample kit	CM2388		1	1	1	1

Comments	
clean cab filters	replace hydraulic oil and

Details			
Date	Hours	Signature	
04 - 06 - 19	375.8		
Technician		John	

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	Replace in-line fuel stariner
<input checked="" type="checkbox"/> Replace primary fuel filter	Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper ad lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
replace air cleaner dust unloader valve	Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Description	Part #	500H	1000H	2000H	4000H
Engine oil filter	RE504836	<input checked="" type="checkbox"/>	2	2	2
Primary fuel filter	RE5541922		1	1	1
Secondary (final) fuel filter	RE522878		1	1	1
Water separator filter	RE541922		1	1	1
Strainer fuel filter	AT223493		1	1	1
Hydraulic reservoir breather filter	AM39653		1	1	1
Engine air filter (inner)	AT314583		1	1	1
Engine air filter (outer)	AT300487			1	1
Air cleaner dust unloader valve	M89679			1	1
Hydraulic system return filter	AT335977			1	1
Cab filter (inner)	AT91102			As Required	
Cab filter (outer)	AT307501			As Required	
Oil sample kits	CM23882		5	5	5
Coolant sample kit	CM2388		1	1	1

Comments	
replaced wiper blades	

Details			
Date	18 - 03 - 19	Hours	3508
Technician	dane	Signature	<i>Alfie</i>

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel strainer
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
<input checked="" type="checkbox"/> Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
<input checked="" type="checkbox"/> Replace air cleaner dust unloader valve	<input checked="" type="checkbox"/> Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Required Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836		2	2	2	
Primary fuel filter	RE5541922	1	1	1	1	
Secondary (final) fuel filter	RE522878	1	1	1	1	
Water separator filter	RE541922	1	1	1	1	
Strainer fuel filter	AT223493	1	1	1	1	
Hydraulic reservoir breather filter	AM39653	1	1	1	1	
Engine air filter (inner)	AT314583	1	1	1	1	
Engine air filter (outer)	AT300487	1	1	1	1	
Air cleaner dust unloader valve	M89679		1	1	1	
Hydraulic system return filter	AT335977		1	1	1	
Cab filter (inner)	AT91102		As Required			
Cab filter (outer)	AT307501		As Required			
Oil sample kits	CM23882	5	5	5	5	
Coolant sample kit	CM2388	1	1	1	1	

Comments	
Top up windscreen washer	

Details			
Date	Hours	Signature	
15 - 11 - 19	3253		
Technician			

Service Schedule



Make	JDEERE	Year	2010
Model	544K	Engine Serial #	PE6068L140479

As Required	
<input checked="" type="checkbox"/> Lubricate linkage and cylinder pivots	<input checked="" type="checkbox"/> Replace secondary fuel filter
<input checked="" type="checkbox"/> Check air intake hoses (ok)	<input checked="" type="checkbox"/> Replace in-line fuel stariner
<input checked="" type="checkbox"/> Replace primary fuel filter	<input checked="" type="checkbox"/> Check park brake oil level (ok)
<input checked="" type="checkbox"/> Check front and rear axle oil level (ok)	<input checked="" type="checkbox"/> Lubricate front and rear shaft seals on
<input checked="" type="checkbox"/> Lubricate front and rear axle shaft seals	<input checked="" type="checkbox"/> Park brake
<input checked="" type="checkbox"/> Lubricate driveline upper and lower sliding joints and lower u-joints	
<input checked="" type="checkbox"/> Drain and refill engine oil and replace filter	
Every 1000 hours	
Clean engine crankcase vent tube	<input checked="" type="checkbox"/> Lubricate frame hinge pivots
Replace air cleaner dust unloader valve	Replace engine air cleaner elements
Every 2000 hours	
Drain and refill transmission oil and filter	Drain and refill front and rear axle oil
Check and adjust engine valve lash	
Every 4000 hours	
Drain, flush and refill hydraulic system oil	Replace hydraulic system return filter
Clean hydraulic pump case drain in-line screen	Clean hydraulic system fill strainer
Every 5000 hours	
Inspect driveline damper (ok)	
Every 6000 hours	
Drain and refill cooling system	

Required Parts						
Description	Part #	500H	1000H	2000H	4000H	
Engine oil filter	RE504836			2	2	
Primary fuel filter	RE5541922	1		1	1	
Secondary (final) fuel filter	RE522878	1		1	1	
Water separator filter	RE541922	1		1	1	
Strainer fuel filter	AT223493	1		1	1	
Hydraulic reservoir breather filter	AM39653	1		1	1	
Engine air filter (inner)	AT314583	1		1	1	
Engine air filter (outer)	AT300487		1	1	1	
Air cleaner dust unloader valve	M89679		1	1	1	
Hydraulic system return filter	AT335977		1	1	1	
Cab filter (inner)	AT91102		As Required			
Cab filter (outer)	AT307501		As Required			
Oil sample kits	CM23882	5	5	5	5	
Coolant sample kit	CM2388	1	1	1	1	

Comments			

Details			
Date	Hours	Signature	
23 - 02 - 19	3000		
Technician	dave	<i>lll</i>	