



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	e:	School Bus				Seating Capac			i.	64				
GVW:		kg			Brake Type:					Air				
Owner Name: High Prairie School I				ool D	ivision	No. 48								
Address: Box 870														
City:	Hig	High Prairie			Province: AB						Posta	al Code:	TOG	1E0
Telephone	Num	ber:	(780) 52	3-365	54									
Vehicle Ide	ntific	ation Nu	mber:		4U	IZABRD	TXDC	FD69	28					
Make: Freightliner								Model: Frht - Ch			hassis	5		
Year: 2013							Unit Number:			268				
Odometer:	350915 K	М	Licence Plate Num			ımber	r: BHR9591			Provinc	e:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
High Prairie School Division	n No. 48	10070
Inspection Technician Nam	e:	Technician Number:
Colten Kemp		D0306
Inspection Technician Sign	ature:	botto Hime
Inspection Date:	2024/11/06	



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Typelof Vehicle School Bus	ingen.	7 70			4	, , , , ,			i ,	Gro	ss Veh	icle;We	ight re kg	gistere	d - ·	() him 3 - 4
Vehicle Informat	ion	H 73	4.2	4		No Feb	A.,	in the		M-1. 226		W.	=	V		F.
/IN 4 U		Z	Α	В	R	D	T	X	D	С	F	D	6	9	2	8
Unit Number	<u> </u>		Year	<u> </u>		Mai	(e			Mode	el		<u> </u>	Odo	meter	
268		:	2013		1	Freight	liner		I	Frht - Cl	nassis			350	,915	
				Reg	gistered	Owner	's Name)						Plate	Number	
				High Pra	airie Scl	hool Div	rision N	o. 48					-	BHR	9591	
				Address							Postal (Code			ne Num	
				Box 87	0				İ		TOG 1	E0		(780) 523-30	654
Drum Brakes	:	A-Fu	l Inspec	tion with	Drum Re	moved		Disc I	Brakes:							•
					LEFT		FF	RONT		RIGH	<u></u>)			
	86	psi			381.6	mm	Drum	s/Rotors		381	.6 mm		-	6 psi		
-		mm			9	mm	Linin	gs/Pads			9 mm	· [1 —	2 mm		
(-		-1			25	mm	Push I	Rod Trave	l		25 mm					
					100.10		—	-10-4		400						
86 psi		psi			420.13 5	mm mm		s/Rotors gs/Pads		420.	35 mm 8 mm		8	6 psl	_86 ps	1
12 mm	12	mm	-		30	mm		Rod Trave	ı <u> </u>		30 mm	ı	_1	2 mm	12 m	m
				•							_]			
psi		psi	-			mm		s/Rotors			mm			psi	ps	i
		mm	-			mm		gs/Pads		 	mm		-	mm	 m	- 1
		-/				mm	Pusn	Rod Trave			mm)
						mm	Drun	ns/Rotors			mm					
psi		psi				mm		ngs/Pads			mm			psi Y	ps	i)
mm		mm	_			mm	Push f	Rod Trave	l		mm	ı	_	mm	mr	n
			_										l			
psi		psi				mm mm		s/Rotors gs/Pads			mm			psi	ps	i
mm		mm	-			mm		Rod Trave	<u></u>		mm			mm	mı	m
							•				_ 					
		psi	-			mm		s/Rotors			mm			psi	ps	\mathcal{L}
psi mm	—	mm				mm		igs/Pads	_		mm	1		mm	mr	
		-/	<u> </u>	. • •		mm	Push	Rod Trave		<u> </u>	mm					ノ

				ower Train		
Component	P	,F	NΑ	Component	P	F NA
1.1. Accelerator Pedal/Throttle Actuator	√ .		<u> </u>	1.8. Engine Start Safety Feature		
1.2. Exhaust System	1	١		1.9. Gear Position Indicator	1	
1.3, Emission Control Systems and Devices	/			1.10. Engine or Accessory Drive Belt	V	
1.4. Drive Shaft	1			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System		5/1
1.5. Clutch & Clutch Pedal			1	1.12. Gasoline or Diesel Fuel System	1/2	
1.6. Engine/Transmission Mount	√ i			1.13. Pressurized or Liquefied Fuel System (LPG,CNG Or LNG) *SEE APPENDIX A*		% 1
1.7. Engine Shut Down	1				<u> </u>	

NOTES:

	Al	PPENI	DIX"A"	
Component	P.	F NA	Component	FNA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System		1	A.3. Liquefied Natural Gas (LNG) Fuel System	
A.2. Compressed Natural Gas (CNG) Fuel System		<u> 7</u>		

NOTES:

	_	
	Section	2-Suspension
Component	P F	NA Component P. F. NA
2.1, Suspension & Frame Attachments	√ .	2.5. Air Suspension
2.2. Axie Attaching & Tracking Components	/	2.6. Self-Steer and Controlled-Steer Axle
2.3. Axle & Axle Assembly	√	2.7. Shock Absorber/Strut Assembly
2.4. Spring & Spring Attachment	/	

NOTES:

	*********	and the second s	24.00E
Section 3h	H - Hy	draulic Brakes	
Component P	F NA	Component	P F NA
3H.1. Hydraulic System Components	:	3H.13. Disc Brake System Components	
3H.2. Brake Pedal/Actuator		3H.14. Mechanical Parking Brake	V
3H.3. Vacuum-Assisted (Boost) System		3H.15. Spring-Applied Air-Released Parking Brake	
3H.4. Hydraulic Assist (Boost) System	1	3H.16. Spring-Applied Hydraulic-Released Parking Brake	
3H.5. Air Assist (Boost) System	[]	3H.17. Anti-Lock Brake System (ABS)	V
3H.6. Air-Over-Hydraulic Brake System	17	3H.18. Stability Control System	W.
3H.11. Brake System Indicator Lamps	1	3H.19. Brake Performance	
3H.12. Drum Brake System Components	\		

NOTES:

		A - Air Brakes		£ Sec.
Component 5	PF	NA Component	P F	NA
3A.1. Air Compressor	V	3A.13. Air System Components	√ 1	
3A.2. Air Supply System		3A.14. Brake Chamber	1	
3A.4. Air Tank		3A.15. Drum Brake System Components		
3A.5. Air Tank Check Valves		3A.16. S-Cam Drum Brake System	V	
3A.6. Brake Pedal/Actuator		3A.17. Brake Shoe Travel (Wedge Brakes)	1	
3A,7, Treadle Valve and Trailer Hand Valve	`	3A.18. Disc Brake System Components		1
3A.8. Brake Valves & Controls	1	3A.19. Anti-Lock Brake System (ABS)	V	
3A.9. Proportioning, Inversion or Modulation Valve		3A.21. Stability Control System	√s _	:
3A.10. Towing Vehicle (Tractor) Protection System	√ 24	3A.23. Brake Performance		

a wan sie a and	Section 3A - Air E	Brakes 👫 🗼	多数基本
Component	P F NA	Component Component	PFNA
3A.11. Parking Brake & Emergency Application (Bus)			

NOTES:

Brake Drum was removed and a full inspection with drums removed (A) was conducted, and that no defective component was present at the completion of the inspection.

Park brake function test performed at 1000RPM and brake held.

	Sectio	n 4 -	Steering		
Component	PF	NA	Component	P	F NA
4.1. Steering Control & Linkage			4.4. Kingpin	\	
4.2. Power Steering System (Hydraulic & Electric)	/		4.5. Self-Steer & Controlled-Steer Axle		
4.3, Steering Operation (Active Steer Axle)	V				

NOTES:

Section 5 - In	strumer	its a	nd Auxiliary Equipment		4//
Component:	P. F	NA	Component	P	F NA
5.1. Fire Extinguisher	7		5.8. Heater & Windshield Defroster	1	
5.2. Hazard Warning Kit	\		5.9. Fuel-Burning Auxiliary Heater	√	
5.3. Hom	1		5.11. Auxiliary Controls & Devices		5 /8
5.4. Instruments & Gauges on a Bus	*	ļ	5.13. On-board Auxiliary Equipment on a Bus		V .
5.5. Speedometer	1	1	5.14. First Aid Kit on a Bus	1	
5.6. Odometer	V	-	5.15. Accessibility Features & Equipment on a Bus	1	
5.7. Windshield Wiper/Washer	1/				

NOTES:

Fire extinguisher outdated. (SWAPPED OUT FOR A CURRENT ONE)

	Section	n 6 - Lamps	· · · · · · · · · · · · · · · · · · ·
Component	PF	NA Component	P F NA
6.1. Required Lamps		6.5. Headlamp Aiming	
6.2. Reflex Reflector	~	6.6. Interior Lamps on a Bus	✓ :
6.3. Retro-Reflective Marking		6.7. School Bus Additional Lamps	1
6.4. Instrument Panel Lamp			

NOTES:

Entrance door light out. (REPLACED LIGHT ASSEMBLY)

	Section 7 - E	lectrical System	
Component	P F	VA Component	P F NA
7.1. Wiring		7.3. Trailer Cord (output to towed vehicle)	
7.2. Battery	/	7.4. Alternator Output on a School Bus	4

NOTES:

Big power wire on left fender corroded. (CLEANED UP CORROSION, APPLY CORROSION INHIBITOR AND NEW SHRINK TUBE.)

The state of the s	mental arminger		3-Body
Component	P	F N	Component , P F NA
8.1. Hood or Engine Enclosure	1		8.19. Seat
8.4. Cab & Passenger-Vehicle Body	1/.		8.20. Seat Belt/Occupant Restraint
8.6. Frame, Rails & Mounts	1		8.21. Fender/Mud Flap
8.7. Unitized Body Elements	1		8.24. Aerodynamic Device & Attachment
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	1		8.26. Floor Pan/Baggage Floor/Step well on a Bus
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary		V	8.27. Interior Body & Fixtures on a Bus

	S	ection	8 - Body			
Component	P	F N	Component	Р	F	NA
Power Unit (APU))						
8.12. Bumper	✓		8.28. Service & Exit door on a Bus	1		
8.13. Windshield	1		8.29. Emergency Exit (Door, Window, & Roof Hatch)	1		
8.14. Side Windows	~		8.30. Passenger Compartment Window on a Bus (Except Emergency Exit Window)	1		
8.15. Rear Window	✓		8.31. School Bus Exterior Mirror (Except Standard Left & Right Side Mirror)	1		
8.16. Interior Sun Visor	✓	Ť	8.32. Passenger Seat on a Bus	1		
8.17. Exterior Windshield Sun Visor	1		8.33. School Bus Body Exterior	1		
8.18. Rear-View Mirror	✓		8.34. Auxiliary Compartment on a Bus	1		

NOTES:

	Section	9 -	Tire	s and Wheels			
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	/			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	/			9.8. Multi-Piece Wheel/Rim			1
9.3. Tire Sidewall & Manufacturer Markings	1			9.9. Spoke Wheel/Demountable Rim System			1
9.4. Tire Inflation Pressure	1			9.10. Disc Wheel System			1
9.5. Wheel Hub	/			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1		
9.6. Wheel Bearing	1						

NOTES:

Rear right outer dual, has cords showing in a few spots, other drive tires are good. (REPLACED WHEEL)

Sec.	ction 10	- C	oup	ers and Hitches			
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			1	10.4. Ball Type Hitch			1
10.2. Secondary Attachment (Safety Chain or Cable)			1	10.5. Roll-Coupling Hitch			1
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			1	10.6. Automated Coupling Device			1

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8185156) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number		Signature
2024/11/06 D0306 10070		Celtes	Kenne	
Customer Acknowledgment	Secretary of the Control of the Cont	STABLISH MUST HAVE TO SERVED		
and this Record of Inspection (RC	on identifies defects and repairs are re DI) may be presented to any Vehicle In failed items noted on this ROI are req	spection Facility within 10 days of	Date	(Year/Month/Day) 2024/11/06