



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	e:	Light Truck		Seating	Capa	city:						
GVW:		kg .		Brake 1	Гуре:	Нус	Hydraulic					
Owner Nam	ie:	ADRENALINE A	UTO S	ALES ~	>							
Address:	102	209 100TH AVE										
City:	ity: CLAIRMONT		Р	rovince:	AB		Post	Postal Code:		0M6		
Telephone	Num	ber: (780) 51	2-5311									
Vehicle Ide	ntific	ation Number:		3C7WRNF	L6RG3	85073						
Make:	Ī	RAM				Model: 5500						
Year:	1	2024				Unit Number:						
Odometer:		45 KM	Licer	nce Plate Nu	mber:			Provinc	e:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
Anarchy Mechanical Ltd		19121
Inspection Technician Name:		Technician Number:
Randolph Campbell		B9833
Inspection Technician Signatu	re:	
Inspection Date:	2025/09/09	



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Гуре	of Veh	icle 🗓	20.25	بيدانة والم	1.1	instruction.		ko z W	-2.5	- 5 A E	Gros	s Veh	icle We		gistere	d	- (7)-51-5
ight 1	ruck				•									kg			
ehicl	e Info	rmatic	on. Pik		4 " " " " " " " " " " " " " " " " " " "		1,			1.34		6 45		\$*** ~V			
'IN	3	C	7	W	R	N	F	L	6	R	G	3	8	5	0	7	3
Unit	Numb	per	<u> </u>	Year		<u> </u>	Ma	ke	<u> </u>	, · ·-	Mode	el .	<u></u>	<u> </u>	Odo	meter	<u>!</u>
				2024			RA	M			550	0			4	15	
					Re	gistered	Owner	r's Name							Plate	Number	•
					ADI	RENALIN	IE AUT	O SALE	S								
					Address	 S					l	Postal	Code		Pho	one Nun	nber
				102	09 100T	H AVE						T8X0	M6		(780) 512-5	311
: I	Drum B	Irakes:							Disc E	Brakes:	D-Full	Inspec	tion Whe	el Remov	ed		
						LEFT			ONT		RIGHT			<u> </u>			
				Г		39.40	mm		s/Rotors		39.4		n				
		I —	00 psi			12	mm		gs/Pads				- 1	┪	psi		
		(13 mm	-		ΝÀ	mm	Push F	Rod Trave		N	A mn	n	13	mm		
				_													
	100 ps	1	00 psi	[,		39.47	mm	Drum	s/Rotors		39.4		n	100	psi	100 p	si
-	 13 mr	-	 13 mm			12	mm		gs/Pads			2 mn	1	┥	mm	13 m	- 1
_		<u> </u>		L.	· · · · · · · · · · · · · · · · · · ·	NA_	mm	Pusn F	Rod Travel	·		A mn					ノ
							mm	Drum	s/Rotors			mn					_
_	ps	si	psi	4			mm		gs/Pads			mn		√ —	psi	p	si)
_	mı	m\	mm	İ			mm		- lod Travel			mn	n		mm	m	ım
		\sim		Γ			mm	Drum	s/Rotors			mn	1		nei		-1
-	ps	-	_ psi				mm	Linin	gs/Pads			mn	1 <u> </u>	+-	mm j	ps	m
<u>_</u>	MI	<u></u>	mm				mm	Push F	lod Travel			mn	1				
				_													_
	ps	si	psi				mm		s/Rotors			mn			psi	p:	si
-	— ` m	l –	 	<u> </u>	<u> </u>		mm mm		gs/Pads lod Travel			 mn	i	\	mm	m	m
				Ļ													
_		<u> </u>		Γ	-		mm	Drum	s/Rotors		<u></u>	mn	1				\sim
	ps	_	psi				mm		gs/Pads			 mn	, <u> </u>		psi	ps	- 1
(.	m	m 人 -	mm_				mm	Push F	Rod Trave	<u> </u>		mn	1		mm	m	m
_		_		Park	Brake Li	nina I	eft 5	5 mm	Right	5 m	m +	NA	mm				
					heel Torq			Inner	_	ft lbs O	m Trans		t lbs				

	ect	ion 1	ļ-P	ower Train		7	
Component	P	F	NA	Component	Ę	ī	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		I
1.2. Exhaust System	1		1	1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices			1	1.10. Engine or Accessory Drive Belt	√		
1.4. Drive Shaft	*			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal			1/2	1.12. Gasoline or Diesel Fuel System	/		
1.6. Engine/Transmission Mount	~			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			~
1.7. Engine/Shut Down	/						

NOTES:

	- APF	ENC	IX"A"			e r
Component	PE	NA	Component	P	F	ŅΑ
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System		1	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System		1				

NOTES:

	Sectio	n 2 - S	uspension .		**
Component	P.	F. NA	Component	PF	NA
2.1. Suspension & Frame Attachments	1	ŀ	2.5, Air Suspension		✓
2.2. Axle Attaching & Tracking Components	✓		2.6. Self-Steer and Controlled-Steer Axle	V	j
2.3. Axie & Axle Assembly	/		2.7. Shock Absorber/Strut Assembly	/	
2.4. Spring & Spring Attachment				<u> </u>	

NOTES:

Sect	lon	3H -	Hyc	fraulic Brakes	7	in Vi
Component	P	F	ÑΑ	Component	P	F NA
3H.1. Hydraulic System Components	1			3H.13. Disc Brake System Components	/	
3H,2. Brake Pedal/Actuator	✓			3H.14. Mechanical Parking Brake	1	
3H,3. Vacuum Assist (Boost) System	1		·	3H.15. Spring-Applied Air-Released Parking Brake		✓
3H.4. Hydraulic Assist (Boost) System			%	3H.16. Spring-Applied Hydraulic-Released Parking Brake		✓
3H.5. Air Assist (Boost) System			1	3H.17. Anti-Lock Brake System (ABS)		
3H.6. Air-Over-Hydraulic Brake System			1	3H.18. Stability Control System		
3H.11. Brake System Indicator Lamps				3H.19. Brake Performance		
3H.12. Drum Brake System Components	%		-			

NOTES:

			Air Brakes		
Component	PE	NA	Component	P	F NA
3A.1. Air Compressor		√	3A.13. Air System Components		_ <
3A.2. Air Supply System		4	3A.14. Brake Chamber		✓
3A.4. Air Tank		17	3A.15. Drum Brake System Components		1
3A.5. Air Tank Check Valves		%	3A.16. S-Cam Drum Brake System		_ <
3A.6. Brake Pedal/Actuator		1	3A.17. Brake Shoe Travel (Wedge Brakes)		
3A.7. Treadle Valve and Trailer Hand Valve		1	3A.18. Disc Brake System Components		1
3A.8. Brake Valves & Controls		17	3A.19. Anti-Lock Brake System (ABS)		✓
3A.9. Proportioning, Inversion or Modulation Valve		15	3A.21. Stability Control System		/
3A.10. Towing Vehicle (Tractor) Protection System		1/	3A.23. Brake Performance		√

1	Secti	lon	3A =	Air Brakes	強力	Far	
Component	Call Security		YAT.IW E	Component	P.	2 E	NA
3A.11. Parking Brake & Emergency Application	E E	1,5 -	INA L	Computent 1	: Fait	F ₂ %	50 A
			1.4	<u> </u>			' -
NOTES:							
	e c	1,700		Steering	E7532	94	
	100	1.	14. The last		1	- 30	
Component	P	šĘ:	ŅĄ	and the state of t	P	į, F	NA
4.1. Steering Control and Linkage	Y		├	4.4. Kingpin	Y		-
4.2. Power Steering System (Hydraulic and Electric) 4.3. Steering Operation (Active Steer Axle)	1			4.5. Self-Steer and Controlled-Steer Axle	~		
	14	-				!	<u></u>
NOTES:							
	nto Jacobson	W-12/10/2	s to the state of			William .	5 m 250
THE INC. IN CO. LEWIS CO. LAND		CANDAL WAS SHORT	execution.	nd Auxiliary Equipment			(A-)
Component	P	F	NA	Component is	P	F	ŅΑ
5.1. Fire Extinguisher	/		<u> </u>	5.8. Heater & Windshield Defroster	1		
5.2. Hazard Warning Kit	1	_		5.9. Fuel-Burning Auxiliary Heater	+-,		/
5.3. Horn 5.5. Speedometer	1			5.10. Chain/"Headache" Rack	 		
5.6. Odometer	1			5.11. Auxiliary Controls and Devices 5.12. Auxiliary Drive Controls			5
5.7. Windshield Wiper/Washer	1		<u> </u>	O.12. Administy Drive Controls	1 1		~
	1 4		-		<u></u>		<u>'</u>
NOTES:							
2 (5.5) (5.6)	700000000000000000000000000000000000000					2 (1)	k * 80 kg
	- Se	100		Lamps.			10
Component	P	F	ÑA	Component	P	F	ŅΑ
6.1. Required Lamps	1			6.4. Instrument Panel Lamps	1		
6.2. Reflex Reflector				6.5. Headlamp Aim			
6.3. Retro-Reflective Marking	√		<u>.</u> .				
NOTES:							
Sec	tion	7 -	Elec	trical System	W.	***	
	P	E	NA	Component	P	F	NA
7.1. Wiring		* 1.**	Waren a	7.3. Trailer Cord (output to towed vehicle)		e alle e	1,85
7.2. Battery	1			7.6. Hailer Cord (output to lowed vehicle)			
					<u> </u>		
NOTES:							
Republication of the state of t	* B-7	2007 L	iteraty _ =			÷ 4.+	
	74 6 .	100	, ** Calco	-Body			\$\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
Component	₽.	F	ŅΑ	Component:	P	EF#	ŅΑ
8.1. Hood or Engine Enclosure	1			8.12. Bumper	1		
8.2. Tilt Cab				8.13. Windshield	1		
8.3. Air-Suspended Cab	-			8.14. Side Windows	 		
8.4. Cab and Passenger-Vehicle Body	7			8.15. Rear Window	 		
8.5. Cargo Body 8.6. Frame, Rails & Mounts	5			8.16. Interior Sun Visor 8.17. Exterior Windshield Sun Visor			
8.7. Unitized Body Elements	1	-		8.18. Rear-View Mirror			
8.8. Cab or Cargo Door	3	•		8.19. Seat	1	- †	
8.9. Cargo Tank or Vessel	T/			8.20. Seat Belt/Occupant Restraint	/		
					1		
8.10. Body, Device or Equipment Attached or Mounted to the				8.21. Fender/Mud Flap	✓		

ction		NA V3	8.24. Aerodynamic Device & Attachment es and Wheels	P	F	NA NA
ction P	9	Tire	8.24. Aerodynamic Device & Attachment Es and Wheels Component 9.7. Wheel/Rim (Applies to all wheel types) 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System			~
P	F	Tire	es and Wheels Component 9.7. Wheel/Rim (Applies to all wheel types) 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System	P V V V V V V V V V	F	NA V
P	F	Tire	es and Wheels Component 9.7. Wheel/Rim (Applies to all wheel types) 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System	P V V V V V V V V V	F	NA V
P	F	Confession of a	9.7. Wheel/Rim (Applies to all wheel types) 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System	P V	F	N./
P	F	Confession of a	9.7. Wheel/Rim (Applies to all wheel types) 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System	P	F	
\(\frac{1}{2} \)		NÃ I	9.7. Wheel/Rim (Applies to all wheel types) 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System	P	F&	N
\frac{\frac{1}{3}}{3}			9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System			\ \ \ \ \
\frac{\frac{1}{3}}{3}			9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
\frac{\frac{1}{3}}{3}			9.10. Disc Wheel System			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
✓			9.10. Disc Wheel System			
✓			9,11. Wheel Fasteners (Nuts, Bolts and Studs)	<u> </u>		
✓					<u> </u>	<u>_</u>
in:10						
P		NA	10.5. Roll-Coupling Hitch 10.6. Automated Coupling Device 10.7. Fifth Wheel Coupler	P	F	Z 7 7 7
			(10.6. Oscillating a new rentour Osseptor			_
			Te. Approximation of the Control of			
ASSE ulatio	.D (n 21	Cert 11/20	tificate #8562026) the inspection and I certify it has been i 006 and the applicable Inspection Manual.	nspec	ted i	1
	T		Facility Number Signature			_
			19121			
					. 20	Ī
irs are	ı rec	quire	ed, once repaired, the vehicle Date (Year/Monthstion Facility within 10 days of	(Day)		
/ !!	ASSE	ASSED (ulation 21	ASSED (Cerulation 211/20	10.5. Roll-Coupling Hitch 10.6. Automated Coupling Device 10.7. Fifth Wheel Coupler 10.8. Oscillating Fifth Wheel Coup	10.5. Roll-Coupling Hitch 10.6. Automated Coupling Device 10.7. Fifth Wheel Coupler 10.8. Oscillating Fifth Wheel Coupler ASSED (Certificate #8562026) the inspection and I certify it has been inspectuation 211/2006 and the applicable inspection Manual. Facility Number 19121	ASSED (Certificate #8562026) the inspection and I certify it has been inspected in ulation 211/2006 and the applicable Inspection Manual. Facility Number 19121

must be conducted.